# **County Profiles**

Adair / Allen / Anderson / Ballard / Barren / Bath / Bell / Boone / Bourbon / Boyd / Boyle / Bracken / Breathitt / Breckinridge / Bullitt / Butler / Caldwell / Calloway / Campbell / Carlisle / Carroll / Carter / Casey / Christian / Clark / Clay / Clinton / Crittenden / Cumberland / Daviess / Edmonson / Elliott / Estill / Fayette / Fleming / Floyd / Franklin / Fulton / Gallatin / Garrard / Grant / Graves / Grayson / Green / Greenup / Hancock / Hardin / Harlan / Harrison / Hart / Henderson / Henry / Hickman / Hopkins / Jackson / Jefferson / Jessamine / Johnson / Kenton / Knott / Knox / Larue / Laurel / Lawrence / Lee / Leslie / Letcher / Lewis / Lincoln / Livingston / Logan / Lyon / Madison / Magoffin / Marion / Marshall / Martin / Mason / McCracken / McCreary / McLean / Meade / Menifee / Mercer / Metcalfe / Monroe / Montgomery / Morgan / Muhlenberg / Nelson / Nicholas / Ohio / Oldham / Owen / Owsley / Pendleton / Perry / Pike / Powell / Pulaski / Robertson / Rockcastle / Rowan / Russell / Scott / Shelby / Simpson / Spencer / Taylor / Todd / Trigg / Trimble / Union / Warren / Washington / Wayne / Webster / Whitley / Wolfe / Woodford

### **County Profile: Adair County**

Indicator	Adair	KY
Total Live Births	225	59,343
# of Childbearing Women (15-44)	3,694	863,716
# of Children (<18)	3,933	1,004,174
Maternal Race/Ethnicity (%)		
White	93.3	85.5
Black	2.3	9.3
Asian/Pacific Islander	0	1.6
Other	4.0	3.7
Hispanic	4.0	5.2
Maternal Characteristics (0/)		
Maternal Characteristics (%)		2.9
Mother's Age <18	3.6	3.8
Mother's Age >=35	3.6	7.1
Mother < High School Education	27.4	21.4
Repeat Births to Teens	5.8	5.1
Repeat Births <12Months From Previous Birth	24.0	16.1
MCH SES Indicators		
Children Living in Poverty (%)	31.7	23.6
# of Children Enrolled in Medicaid	1,605	346,798
Median Household Income	32,643	40,299
Delivery Reyment Source (9/)		
Delivery Payment Source (%)	65.0	42.6
Medicaid	65.0	43.6
Private	25.6	44.7
Other	9.4	11.8
Prenatal Care Entry (%)		

First Trimester Prenatal Care	67.3	72.5
Second Trimester Prenatal Care	24.2	21.3
Third Trimester Prenatal Care	7.6	4.5
No Prenatal Care	0.9	1.7
Adverse Birth Outcomes Risk Factors (%)		
Gestational Hypertension	4.0	6.2
Gestational Diabetes	3.6	4.4
Pre-Pregnancy Obesity	29.8	28.3
Pre-Pregnancy Underweight	7.1	5.1
Smoking During Pregnancy	37.3	25.1
Adverse Birth Outcomes (%)		
Low Birth Weight (<2500g)	8.0	9.3
Very Low Birth Weight (<1500g)	1.3	1.7
Preterm Births (<37 weeks)	11.6	15.1
Late Preterm Births (34-36 weeks)	57.7	71.8
Infant Mortality (Rate per 1,000 live births)	1.6	7.1
Method of Delivery (%)		
Vaginal Deliveries	60.9	65.3
Total C-Section Deliveries	39.1	34.7
Repeat C-Section	15.6	11.5
Post-natal Nutrition		
Breastfeeding initiation (%)	42.7	53.6
WIC Participation (%)	65.8	49.7
Children Indicators		
# of WIC Children 2-5 years	229	57,117
Overweight (85 <sup>th</sup> - <95 <sup>th</sup> ) WIC Children 2-5 years (%)	9.2	16.4
Obese (>=95 <sup>th</sup> ) WIC Children 2-5 years (%)	15.3	15.6
# Children Living in out-of-home Care (i.e. group home, foster	25	12,338
homes, etc) # Children Abused	49	15,518
# Ciliutell Abuseu	47	15,518

U.S. Census Bureau, Small Area Estimates Branch, 2007

US Census Bureau, Population Estimates Program, 2007

KY Vital Statistics, Preliminary 2007

PedNSS, 2007 is based on children that receive Women, Infant, and Children Services (WIC)

Kentucky Kids Count, 2007

Notes: 1. Number of children enrolled in Medicaid reflects the average monthly number of those enrolled. 2. Infant mortality rate is number of infants deaths/number of live births from 2004-2006.

### **Top of Page**

## **County Profile: Allen County**

Reporting Feriod: January 1, 2007 December 31, 200		
Indicator	Allen	KY
Total Live Births	266	59,343
# of Childbearing Women (15-44)	3,909	863,716
# of Children (<18)	4,522	1,004,174

Maternal Race/Ethnicity (%)		
White	95.9	85.5
Black		9.3
Asian/Pacific Islander	1.5	1.6
Other	0.4 1.9	3.7
Hispanic		5.2
Thispanic	2.3	5.2
Maternal Characteristics (%)		
Mother's Age <18	2.7	3.8
Mother's Age >=35	8.0	7.1
Mother < High School Education	25.5	21.4
Repeat Births to Teens	3.0	5.1
Repeat births <12months from previous birth	14.3	16.1
Repeat offthis \12 months from previous offth	14.5	10.1
MCH SES Indicators		
Children Living in Poverty	27.0	23.6
# of Children Enrolled in Medicaid	1,628	346,798
Median household income	34,121	40,299
	31,121	-,
Delivery Payment Source (%)		
Medicaid	47.2	43.6
Private	40.3	44.7
Other	12.6	11.8
Prenatal Care Entry (%)		
First Trimester Prenatal Care	54.0	72.5
Second Trimester Prenatal Care	33.1	21.3
Third Trimester Prenatal Care	11.4	4.5
No Prenatal Care	1.5	1.7
Adverse Birth Outcomes Risk Factors (%)		
Gestational Hypertension	5.7	6.2
Gestational Diabetes	3.0	4.4
Pre-Pregnancy Obesity	32.6	28.3
Pre-Pregnancy Underweight	4.2	5.1
Smoking During Pregnancy	24.4	25.1
Adverse Birth Outcomes (%)		
Low Birth Weight (<2500g)	6.8	9.3
Very Low Birth Weight (<1500g)	1.5	1.7
Preterm Births (<37 weeks)	15.5	15.1
Late Preterm Births (34-36 weeks)	75.6	71.8
Infant Mortality (Rate per 1,000 live births)	7.2	7.1
(Late per 1,000 five offers)		
Method of Delivery (%)		
Vaginal Deliveries	68.9	65.3
Total C-Section Deliveries	31.1	34.7
Repeat C-Section	9.1	11.5
	7.1	11.0
Post-natal Nutrition		
Breastfeeding initiation (%)	53.4	53.6
WIC Participation (%)	53.4	49.7
	33.4	

Children Indicators		
# of WIC Children 2-5 years	307	57,117
Overweight (85 <sup>th</sup> - <95 <sup>th</sup> ) WIC Children 2-5 years (%)	15.6	16.4
Obese (>=95 <sup>th</sup> ) WIC Children 2-5 years (%)	11.4	15.6
# Children Living in out-of-home Care(i.e. group home, foster	49	12,338
homes, etc.)		
# Children Abused	86	15,518

U.S. Census Bureau, Small Area Estimates Branch, 2007

US Census Bureau, Population Estimates Program, 2007

KY Vital Statistics, Preliminary 2007

PedNSS, 2007 is based on children that receive Women, Infant, and Children Services (WIC)

Kentucky Kids Count, 2007

Notes: 1. Number of children enrolled in Medicaid reflects the average monthly number of those enrolled. 2. Infant mortality rate is number of infants deaths/number of live births from 2004-2006.

### **Top of Page**

### **County Profile: Anderson County**

Indicator  Total Live Births # of Childbearing Women (15-44) # of Children (<18)  Maternal Race/Ethnicity (%) White Black Asian/Pacific Islander Other Hispanic  Maternal Characteristics (%)	59,343 863,716
# of Childbearing Women (15-44) 4,548 # of Children (<18) 5,279  Maternal Race/Ethnicity (%) White 95.0 Black 1.8 Asian/Pacific Islander 1.1 Other 2.2 Hispanic 2.9	863,716 1,004,174 85.5 9.3 1.6 3.7
# of Childbearing Women (15-44) 4,548 # of Children (<18) 5,279  Maternal Race/Ethnicity (%) White 95.0 Black 1.8 Asian/Pacific Islander 1.1 Other 2.2 Hispanic 2.9	863,716 1,004,174 85.5 9.3 1.6 3.7
# of Children (<18) 5,279  Maternal Race/Ethnicity (%)  White 95.0  Black 1.8  Asian/Pacific Islander 1.1  Other 2.2  Hispanic 2.9	1,004,174  85.5  9.3  1.6  3.7
Maternal Race/Ethnicity (%) White 95.0 Black 1.8 Asian/Pacific Islander 1.1 Other 2.2 Hispanic 2.9	85.5 9.3 1.6 3.7
White 95.0 Black 1.8 Asian/Pacific Islander 1.1 Other 2.2 Hispanic 2.9	9.3 1.6 3.7
White 95.0 Black 1.8 Asian/Pacific Islander 1.1 Other 2.2 Hispanic 2.9	9.3 1.6 3.7
Black Asian/Pacific Islander Other Lispanic 2.2 Hispanic 2.9	9.3 1.6 3.7
Asian/Pacific Islander  Other  Hispanic  2.2  Hispanic  2.9	1.6 3.7
Other 2.2 Hispanic 2.9	3.7
Hispanic 2.9	
	3.2
Maternal Characteristics (%)	
Mother's Age <18 5.5	3.8
Mother's Age $\geq 35$ 6.2	7.1
Mother < High School Education 17.6	21.4
Repeat Births to Teens 2.6	5.1
Repeat births <12months from previous birth 13.9	16.1
MCH SES Indicators	
Children Living in Poverty 12.9	23.6
# of Children Enrolled in Medicaid 1,083	346,798
Median household income 34,121	
Delivery Payment Source (%)	
Medicaid 42.1	43.6
Private 56.0	44.7
Other 12.6	11.8
12.0	11.0
Prenatal Care Entry (%)	
First Trimester Prenatal Care 72.5	72.5
Second Trimester Prenatal Care 23.1	21.3
Third Trimester Prenatal Care 2.2	4.5

No Prenatal Care	1.1	1.7
Adverse Birth Outcomes Risk Factors (%)		
Gestational Hypertension	7.3	6.2
Gestational Diabetes	4.0	4.4
Pre-Pregnancy Obesity	30.4	28.3
Pre-Pregnancy Underweight	3.7	5.1
Smoking During Pregnancy	29.7	25.1
Adverse Birth Outcomes (%)		
Low Birth Weight (<2500g)	9.9	9.3
Very Low Birth Weight (<1500g)	0.7	1.7
Preterm Births (<37 weeks)	19.7	15.1
Late Preterm Births (34-36 weeks)	79.6	71.8
Infant Mortality (Rate per 1,000 live births)	5.2	7.1
Method of Delivery (%)		
Vaginal Deliveries	64.5	65.3
Total C-Section Deliveries	35.5	34.7
Repeat C-Section	10.6	11.5
Post-natal Nutrition		
Breastfeeding initiation (%)	62.3	53.6
WIC Participation (%)	38.5	49.7
Children Indicators		
# of WIC Children 2-5 years	213	57,117
Overweight (85 <sup>th</sup> - <95 <sup>th</sup> ) WIC Children 2-5 years (%)	18.8	16.4
Obese (>=95 <sup>th</sup> ) WIC Children 2-5 years (%)	16.9	15.6
# Children Living in out-of-home Care(i.e. group home, foster homes, etc.)	57	12,338
# Children Abused	36	15,518

U.S. Census Bureau, Small Area Estimates Branch, 2007

US Census Bureau, Population Estimates Program, 2007

KY Vital Statistics, Preliminary 2007

PedNSS, 2007 is based on children that receive Women, Infant, and Children Services (WIC)

Kentucky Kids Count, 2007

Notes: 1. Number of children enrolled in Medicaid reflects the average monthly number of those enrolled. 2. Infant mortality rate is number of infants deaths/number of live births from 2004-2006.

### **Top of Page**

# **County Profile: Ballard County**

Indicator	Ballard	KY
Total Live Births	92	59,343
# of Childbearing Women (15-44)	1,427	863,716
# of Children (<18)	1,703	1,004,174
Maternal Race/Ethnicity (%)		
		0.7.7
White	95.6	85.5

Black		9.3
Asian/Pacific Islander	0	
Other	3.3 1.1	1.6 3.7
Hispanic		5.7
Thispanic	0	5.2
Maternal Characteristics (%)		
	~ ~	2.9
Mother's Age <18	5.5	3.8
Mother's Age >=35	6.6	7.1 21.4
Mother < High School Education	12.1	5.1
Repeat Births to Teens	2.2	5.1 16.1
Repeat births <12months from previous birth	14.1	10.1
MCH SES Indicators		
	24.2	23.6
Children Living in Poverty # of Children Enrolled in Medicaid	24.3	25.6 346,798
Median household income	567	•
Median nousehold income	34,121	40,299
Dolivery Payment Source (9/)		
Delivery Payment Source (%) Medicaid	51.7	43.6
Private	51.7	43.0 44.7
	44.0	
Other	4.4	11.8
Prenatal Care Entry (%)		
First Trimester Prenatal Care	70.1	72.5
Second Trimester Prenatal Care	79.1	21.3
	17.6	
Third Trimester Prenatal Care	2.2	4.5
No Prenatal Care	1.1	1.7
Adverse Birth Outcomes Risk Factors (%)		
Gestational Hypertension	0.7	6.2
Gestational Diabetes  Gestational Diabetes	8.7	4.4
	3.3	
Pre-Pregnancy Obesity	30.4	28.3
Pre-Pregnancy Underweight	3.3	5.1
Smoking During Pregnancy	26.1	25.1
Adverse Birth Outcomes (%)		2.2
Low Birth Weight (<2500g)	6.5	9.3
Very Low Birth Weight (<1500g)	1.1	1.7
Preterm Births (<37 weeks)	8.7	15.1
Late Preterm Births (34-36 weeks)	50.0	71.8
Infant Mortality (Rate per 1,000 live births)	7.8	7.1
Method of Delivery (%)		
Vaginal Deliveries	63.0	65.3
Total C-Section Deliveries	37.0	34.7
Repeat C-Section	9.8	11.5
	7.0	
Post-natal Nutrition		
Breastfeeding initiation (%)	46.7	53.6
WIC Participation (%)	52.2	49.7
	JL.L	12.7
Children Indicators		
# of WIC Children 2-5 years	113	57,117
· · · · · · · · · · · · · · · · · · ·		•
Overweight (85 <sup>th</sup> - <95 <sup>th</sup> ) WIC Children 2-5 years (%)	23.0	16.4

Obese (>=95 <sup>th</sup> ) WIC Children 2-5 years (%)	14.2	15.6
# Children Living in out-of-home Care(i.e. group home, foster	10	12,338
homes, etc.)		
# Children Abused	7	15,518

U.S. Census Bureau, Small Area Estimates Branch, 2007

US Census Bureau, Population Estimates Program, 2007

KY Vital Statistics, Preliminary 2007

PedNSS, 2007 is based on children that receive Women, Infant, and Children Services (WIC)

Kentucky Kids Count, 2007

Notes: 1. Number of children enrolled in Medicaid reflects the average monthly number of those enrolled. 2. Infant mortality rate is number of infants deaths/number of live births from 2004-2006.

### **Top of Page**

## **County Profile: Barren County**

Reporting Period: January 1, 2007 December 31, 2007 Indicator	Barren	KY
Total Live Births	568	59,343
# of Childbearing Women (15-44)	8,123	863,716
# of Children (<18)	9,609	1,004,174
Maternal Race/Ethnicity (%)		
White	91.9	85.5
Black	4.1	9.3
Asian/Pacific Islander	0.2	1.6
Other	3.9	3.7
Hispanic	3.9	5.2
Maternal Characteristics (%)		
Mother's Age <18	4.3	3.8
Mother's Age >=35	3.9	7.1
Mother < High School Education	26.1	21.4
Repeat Births to Teens	3.2	5.1
Repeat births <12months from previous birth	17.3	16.1
MCH SES Indicators		
Children Living in Poverty	25.0	23.6
# of Children Enrolled in Medicaid	3,381	346,798
Median household income	34,121	40,299
Delivery Payment Source (%)		
Medicaid	54.7	43.6
Private	37.0	44.7
Other	8.4	11.8
Prenatal Care Entry (%)		
First Trimester Prenatal Care	64.1	72.5
Second Trimester Prenatal Care	28.1	21.3
Third Trimester Prenatal Care	6.0	4.5
No Prenatal Care	1.8	1.7
Adverse Birth Outcomes Risk Factors (%)		

Gestational Hypertension	2.3	6.2
Gestational Diabetes	4.6	4.4
Pre-Pregnancy Obesity	31.0	28.3
Pre-Pregnancy Underweight	4.3	5.1
Smoking During Pregnancy	23.5	25.1
Adverse Birth Outcomes (%)		
Low Birth Weight (<2500g)	8.5	9.3
Very Low Birth Weight (<1500g)	1.6	1.7
Preterm Births (<37 weeks)	13.2	15.1
Late Preterm Births (34-36 weeks)	60.0	71.8
Infant Mortality (Rate per 1,000 live births)	10.0	7.1
Method of Delivery (%)		
Vaginal Deliveries	69.4	65.3
Total C-Section Deliveries	30.6	34.7
Repeat C-Section	12.7	11.5
Post-natal Nutrition		
Breastfeeding initiation (%)	50.8	53.6
WIC Participation (%)	56.8	49.7
Children Indicators		
# of WIC Children 2-5 years	573	57,117
Overweight (85 <sup>th</sup> - <95 <sup>th</sup> ) WIC Children 2-5 years (%)	16.6	16.4
Obese (>=95 <sup>th</sup> ) WIC Children 2-5 years (%)	18.5	15.6
# Children Living in out-of-home Care(i.e. group home, foster	97	12,338
homes, etc.)		
# Children Abused	285	15,518

U.S. Census Bureau, Small Area Estimates Branch, 2007

US Census Bureau, Population Estimates Program, 2007

KY Vital Statistics, Preliminary 2007

PedNSS, 2007 is based on children that receive Women, Infant, and Children Services (WIC)

Kentucky Kids Count, 2007

Notes: 1. Number of children enrolled in Medicaid reflects the average monthly number of those enrolled. 2. Infant mortality rate is number of infants deaths/number of live births from 2004-2006.

### **Top of Page**

## **County Profile: Bath County**

Indicator	Bath	KY
	<del></del>	
Total Live Births	190	59,343
# of Childbearing Women (15-44)	2,309	863,716
# of Children (<18)	2,787	1,004,174
Maternal Race/Ethnicity (%)		
White	97.3	85.5
Black	1.1	9.3
Asian/Pacific Islander	0.5	1.6
Other	1.1	3.7

Hispanic	1.6	5.2
	-19	
Maternal Characteristics (%)		
Mother's Age <18	6.4	3.8
Mother's Age >=35	6.4	7.1
Mother < High School Education	28.2	21.4
Repeat Births to Teens	1.6	5.1
Repeat births <12months from previous birth	10.6	16.1
MCH SES Indicators		
Children Living in Poverty	36.5	23.6
# of Children Enrolled in Medicaid	1,434	346,798
Median household income	34,121	40,299
Delivery Payment Source (%)		
Medicaid	68.6	43.6
Private	28.7	44.7
Other	2.7	11.8
Provided Core Entry (CC)		
Prenatal Care Entry (%) First Trimester Prenatal Care		72.5
Second Trimester Prenatal Care	76.5	72.5
Third Trimester Prenatal Care Third Trimester Prenatal Care	20.1	21.3 4.5
No Prenatal Care	2.8	4.5
No Flenatai Cale	0.6	1.7
Adverse Birth Outcomes Risk Factors (%)		
Gestational Hypertension	8.1	6.2
Gestational Diabetes	2.2	4.4
Pre-Pregnancy Obesity	33.0	28.3
Pre-Pregnancy Underweight	4.3	5.1
Smoking During Pregnancy	33.7	25.1
Adverse Birth Outcomes (%)		
Low Birth Weight (<2500g)	10.3	9.3
Very Low Birth Weight (<1500g)	1.1	1.7
Preterm Births (<37 weeks)	13.8	15.1
Late Preterm Births (34-36 weeks)	61.5	71.8
Infant Mortality (Rate per 1,000 live births)	23.0	7.1
Method of Delivery (%)		
Vaginal Deliveries	68.7	65.3
Total C-Section Deliveries	31.4	34.7
Repeat C-Section	12.4	11.5
Post-natal Nutrition		
Breastfeeding initiation (%)	35.1	53.6
WIC Participation (%)	68.7	49.7
Children Indicators		
Children Indicators	220	52 112
# of WIC Children 2-5 years	228	57,117
Overweight (85 <sup>th</sup> - <95 <sup>th</sup> ) WIC Children 2-5 years (%)	23.2	16.4
Obese (>=95 <sup>th</sup> ) WIC Children 2-5 years (%)	24.6	15.6
# Children Living in out-of-home Care(i.e. group home, foster homes, etc.)	39	12,338

# Children Abused	57	15 518
π Cilitaren Abusea	31	13,310

U.S. Census Bureau, Small Area Estimates Branch, 2007

US Census Bureau, Population Estimates Program, 2007

KY Vital Statistics, Preliminary 2007

PedNSS, 2007 is based on children that receive Women, Infant, and Children Services (WIC)

Kentucky Kids Count, 2007

Notes: 1. Number of children enrolled in Medicaid reflects the average monthly number of those enrolled. 2. Infant mortality rate is number of infants deaths/number of live births from 2004-2006.

### **Top of Page**

## **County Profile: Bell County**

Indicator	Bell	КҮ
Total Live Births	396	59,343
# of Childbearing Women (15-44)	5,925	863,716
# of Children (<18)	6,496	1,004,174
Maternal Race/Ethnicity (%)		
White	96.7	85.5
Black	2.0	9.3
Asian/Pacific Islander	0.3	1.6
Other	1.0	3.7
Hispanic	0.8	5.2
Maternal Characteristics (%)		
Mother's Age <18	5.2	3.8
Mother's Age >=35	4.1	7.1
Mother < High School Education	33.3	21.4
Repeat Births to Teens	5.1	5.1
Repeat births <12months from previous birth	15.5	16.1
MCH SES Indicators		
Children Living in Poverty	38.7	23.6
# of Children Enrolled in Medicaid	4,220	346,798
Median household income	34,121	40,299
Delivery Payment Source (%)		
Medicaid	76.6	43.6
Private	21.4	44.7
Other	2.7	11.8
Prenatal Care Entry (%)		
First Trimester Prenatal Care	76.3	72.5
Second Trimester Prenatal Care	18.3	21.3
Third Trimester Prenatal Care	4.8	4.5
No Prenatal Care	0.5	1.7
Adverse Birth Outcomes Risk Factors (%)		
Gestational Hypertension	12.8	6.2
Gestational Diabetes	4.4	4.4

Pre-Pregnancy Obesity	34.4	28.3
Pre-Pregnancy Underweight	8.0	5.1
Smoking During Pregnancy	37.4	25.1
Adverse Birth Outcomes (%)		
Low Birth Weight (<2500g)	9.0	9.3
Very Low Birth Weight (<1500g)	0.8	1.7
Preterm Births (<37 weeks)	16.5	15.1
Late Preterm Births (34-36 weeks)	69.2	71.8
Infant Mortality (Rate per 1,000 live births)	7.0	7.1
Method of Delivery (%)		
Vaginal Deliveries	53.8	65.3
Total C-Section Deliveries	46.2	34.7
Repeat C-Section	15.6	11.5
Post-natal Nutrition		
Breastfeeding initiation (%)	32.1	53.6
WIC Participation (%)	83.3	49.7
Children Indicators		
# of WIC Children 2-5 years	846	57,117
Overweight (85 <sup>th</sup> - <95 <sup>th</sup> ) WIC Children 2-5 years (%)	12.9	16.4
Obese (>=95 <sup>th</sup> ) WIC Children 2-5 years (%)	18.2	15.6
# Children Living in out-of-home Care(i.e. group home, foster	62	12,338
homes, etc.)		
# Children Abused	147	15,518

U.S. Census Bureau, Small Area Estimates Branch, 2007

US Census Bureau, Population Estimates Program, 2007

KY Vital Statistics, Preliminary 2007

PedNSS, 2007 is based on children that receive Women, Infant, and Children Services (WIC)

Kentucky Kids Count, 2007

Notes: 1. Number of children enrolled in Medicaid reflects the average monthly number of those enrolled. 2. Infant mortality rate is number of infants deaths/number of live births from 2004-2006.

### **Top of Page**

## **County Profile: Boone County**

Indicator	Boone	KY
Total Live Births # of Childbearing Women (15-44) # of Children (<18)	1,698 24,550 30,918	59,343 863,716 1,004,174
Maternal Race/Ethnicity (%) White	89.2	85.5
Black Asian/Pacific Islander	3.2 3.5	9.3 1.6
Other Hispanic	4.3 5.6	3.7 5.2
-		

Maternal Characteristics (%)       3.8         Mother's Age > 18       2.4       3.8         Mother's Age >= 35       11.6       7.1         Mother < High School Education       12.7       21.4         Repeat Births to Teens       2.1       5.1         Repeat births < 12 months from previous birth       17.7       16.1         MCH SES Indicators         Children Living in Poverty       8.3       23.6         # of Children Enrolled in Medicaid       4,372       346,798         Median household income       34,121       40,299         Delivery Payment Source (%)       28.1       43.6         Medicaid       28.1       43.6         Private       68.9       44.7         Other       3.1       11.8         Prenatal Care Entry (%)         First Trimester Prenatal Care       23.3       21.3         Third Trimester Prenatal Care       23.3       21.3         Third Trimester Prenatal Care       4.6       4.5         No Prenatal Care       2.2       1.7
Mother's Age >=35       11.6       7.1         Mother < High School Education
Mother < High School Education
Repeat Births to Teens       2.1       5.1         Repeat births <12months from previous birth
Repeat births <12months from previous birth
MCH SES Indicators         Children Living in Poverty       8.3       23.6         # of Children Enrolled in Medicaid       4,372       346,798         Median household income       34,121       40,299         Delivery Payment Source (%)         Medicaid       28.1       43.6         Private       68.9       44.7         Other       3.1       11.8         Prenatal Care Entry (%)         First Trimester Prenatal Care       70.0       72.5         Second Trimester Prenatal Care       23.3       21.3         Third Trimester Prenatal Care       4.6       4.5
Children Living in Poverty       8.3       23.6         # of Children Enrolled in Medicaid       4,372       346,798         Median household income       34,121       40,299         Delivery Payment Source (%)         Medicaid       28.1       43.6         Private       68.9       44.7         Other       3.1       11.8         Prenatal Care Entry (%)         First Trimester Prenatal Care       70.0       72.5         Second Trimester Prenatal Care       23.3       21.3         Third Trimester Prenatal Care       4.6       4.5
# of Children Enrolled in Medicaid 4,372 346,798  Median household income 34,121 40,299  Delivery Payment Source (%) Medicaid 28.1 43.6 Private 68.9 44.7 Other 3.1 11.8  Prenatal Care Entry (%) First Trimester Prenatal Care 70.0 72.5 Second Trimester Prenatal Care 23.3 21.3 Third Trimester Prenatal Care 4.6 4.5
Median household income       34,121       40,299         Delivery Payment Source (%)       28.1       43.6         Medicaid       28.1       43.6         Private       68.9       44.7         Other       3.1       11.8         Prenatal Care Entry (%)         First Trimester Prenatal Care       70.0       72.5         Second Trimester Prenatal Care       23.3       21.3         Third Trimester Prenatal Care       4.6       4.5
Delivery Payment Source (%)         Medicaid       28.1       43.6         Private       68.9       44.7         Other       3.1       11.8         Prenatal Care Entry (%)         First Trimester Prenatal Care       70.0       72.5         Second Trimester Prenatal Care       23.3       21.3         Third Trimester Prenatal Care       4.6       4.5
Delivery Payment Source (%)         Medicaid       28.1       43.6         Private       68.9       44.7         Other       3.1       11.8         Prenatal Care Entry (%)         First Trimester Prenatal Care       70.0       72.5         Second Trimester Prenatal Care       23.3       21.3         Third Trimester Prenatal Care       4.6       4.5
Medicaid       28.1       43.6         Private       68.9       44.7         Other       3.1       11.8         Prenatal Care Entry (%)         First Trimester Prenatal Care       70.0       72.5         Second Trimester Prenatal Care       23.3       21.3         Third Trimester Prenatal Care       4.6       4.5
Medicaid       28.1       43.6         Private       68.9       44.7         Other       3.1       11.8         Prenatal Care Entry (%)         First Trimester Prenatal Care       70.0       72.5         Second Trimester Prenatal Care       23.3       21.3         Third Trimester Prenatal Care       4.6       4.5
Private       68.9       44.7         Other       3.1       11.8         Prenatal Care Entry (%)       *** First Trimester Prenatal Care
Other 3.1 11.8  Prenatal Care Entry (%)  First Trimester Prenatal Care 70.0 72.5  Second Trimester Prenatal Care 23.3 21.3  Third Trimester Prenatal Care 4.6 4.5
Prenatal Care Entry (%) First Trimester Prenatal Care 70.0 72.5 Second Trimester Prenatal Care 23.3 21.3 Third Trimester Prenatal Care 4.6 4.5
First Trimester Prenatal Care 70.0 72.5 Second Trimester Prenatal Care 23.3 21.3 Third Trimester Prenatal Care 4.6 4.5
Second Trimester Prenatal Care 23.3 21.3 Third Trimester Prenatal Care 4.6 4.5
Third Trimester Prenatal Care 4.6 4.5
No Prenatal Care 2.2 1.7
Adverse Birth Outcomes Risk Factors (%)
Gestational Hypertension 5.6 6.2
Gestational Diabetes 4.4 4.4
Pre-Pregnancy Obesity 20.9 28.3
Pre-Pregnancy Underweight 4.6 5.1
Smoking During Pregnancy 17.9 25.1
Adverse Birth Outcomes (%)
Low Birth Weight (<2500g) 7.6 9.3
Very Low Birth Weight (<1500g)
, , , , , , , , , , , , , , , , , , , ,
Infant Mortality (Rate per 1,000 live births)  6.0  7.1
Method of Delivery (%)
Vaginal Deliveries 64.9 65.3
Total C-Section Deliveries 35.2 34.7
Repeat C-Section 15.2 11.5
13.2
Post-natal Nutrition
Breastfeeding initiation (%) 53.6
WIC Participation (%) 24.2 49.7
Children Indicators
# of WIC Children 2-5 years 943 57,117
Overweight (85 <sup>th</sup> - <95 <sup>th</sup> ) WIC Children 2-5 years (%) 19.2
Obese (>=95 <sup>th</sup> ) WIC Children 2-5 years (%)  15.6
# Children Living in out-of-home Care(i.e. group home, foster 68 12,338
homes, etc.)
# Children Abused 134 15,518

U.S. Census Bureau, Small Area Estimates Branch, 2007 US Census Bureau, Population Estimates Program, 2007

KY Vital Statistics, Preliminary 2007

PedNSS, 2007 is based on children that receive Women, Infant, and Children Services (WIC)

Kentucky Kids Count, 2007

Notes: 1. Number of children enrolled in Medicaid reflects the average monthly number of those enrolled. 2. Infant mortality rate is number of infants deaths/number of live births from 2004-2006.

### **Top of Page**

## **County Profile: Bourbon County**

Reporting Period: January 1, 2007 December 31, 2007	7	
Indicator	Bourbon	KY
Total Live Births	256	59,343
# of Childbearing Women (15-44)	3,728	863,716
# of Children (<18)	4,616	1,004,174
Maternal Race/Ethnicity (%)		
White	83.3	85.5
Black	6.0	9.3
Asian/Pacific Islander	0.4	1.6
Other	10.3	3.7
Hispanic	11.9	5.2
Maternal Characteristics (%)		
Mother's Age <18	5.2	3.8
Mother's Age >=35	8.7	7.1
Mother < High School Education	25.8	21.4
Repeat Births to Teens	3.1	5.1
Repeat births <12months from previous birth	14.5	16.1
MCH SES Indicators		
Children Living in Poverty	21.6	23.6
# of Children Enrolled in Medicaid	1,491	346,798
Median household income	34,121	40,299
Delivery Payment Source (%)		
Medicaid	44.8	43.6
Private	43.7	44.7
Other	3.1	11.8
Prenatal Care Entry (%)		
First Trimester Prenatal Care	72.9	72.5
Second Trimester Prenatal Care	23.1	21.3
Third Trimester Prenatal Care	2.8	4.5
No Prenatal Care	1.2	1.7
Adverse Birth Outcomes Risk Factors (%)		
Gestational Hypertension	9.5	6.2
Gestational Diabetes	2.4	4.4
Pre-Pregnancy Obesity	27.0	28.3

Pre-Pregnancy Underweight	6.4	5.1
Smoking During Pregnancy	27.0	25.1
Adverse Birth Outcomes (%)		
Low Birth Weight (<2500g)	10.7	9.3
Very Low Birth Weight (<1500g)	1.2	1.7
Preterm Births (<37 weeks)	16.9	15.1
Late Preterm Births (34-36 weeks)	55.8	71.8
Infant Mortality (Rate per 1,000 live births)	6.6	7.1
Method of Delivery (%)		
Vaginal Deliveries	62.3	65.3
Total C-Section Deliveries	37.7	34.7
Repeat C-Section	12.7	11.5
Post-natal Nutrition		
Breastfeeding initiation (%)	52.4	53.6
WIC Participation (%)	55.6	49.7
Children Indicators		
# of WIC Children 2-5 years	216	57,117
Overweight (85 <sup>th</sup> - <95 <sup>th</sup> ) WIC Children 2-5 years (%)	19.4	16.4
Obese (>=95 <sup>th</sup> ) WIC Children 2-5 years (%)	18.5	15.6
# Children Living in out-of-home Care(i.e. group home, foster	68	12,338
homes, etc.)		,
# Children Abused	68	15,518

U.S. Census Bureau, Small Area Estimates Branch, 2007

US Census Bureau, Population Estimates Program, 2007

KY Vital Statistics, Preliminary 2007

PedNSS, 2007 is based on children that receive Women, Infant, and Children Services (WIC)

Kentucky Kids Count, 2007

Notes: 1. Number of children enrolled in Medicaid reflects the average monthly number of those enrolled. 2. Infant mortality rate is number of infants deaths/number of live births from 2004-2006.

### **Top of Page**

## **County Profile: Boyd County**

Indicator	Boyd	KY
Total Live Births	256	59,343
# of Childbearing Women (15-44)	8,658	863,716
# of Children (<18)	10,287	1,004,174
Maternal Race/Ethnicity (%)		
White	97.9	85.5
Black	1.3	9.3
Asian/Pacific Islander	0.6	1.6
Other	0.2	3.7
Hispanic	0.6	5.2

Mother's Age <18	5.2	3.8
Mother's Age >=35	8.7	7.1
Mother < High School Education	25.8	21.4
Repeat Births to Teens	3.1	5.1
Repeat births <12months from previous birth	13.5	16.1
Repeat offths (12months from previous offth	13.3	10.1
MCH SES Indicators		
Children Living in Poverty	21.6	23.6
# of Children Enrolled in Medicaid	1,491	346,798
	,	,
Median household income	34,121	40,299
Delivery Payment Source (%)		12.6
Medicaid	44.8	43.6
Private	43.7	44.7
Other	3.1	11.8
Prenatal Care Entry (%)		
First Trimester Prenatal Care	72.9	72.5
Second Trimester Prenatal Care	23.1	21.3
Third Trimester Prenatal Care	2.8	4.5
No Prenatal Care	1.2	1.7
	1.2	
Adverse Birth Outcomes Risk Factors (%)		
Gestational Hypertension	9.5	6.2
Gestational Diabetes	2.4	4.4
Pre-Pregnancy Obesity	27.0	28.3
Pre-Pregnancy Underweight	6.4	5.1
Smoking During Pregnancy	27.0	25.1
Adverse Birth Outcomes (%)		
Low Birth Weight (<2500g)	10.7	9.3
Very Low Birth Weight (<1500g)	1.2	1.7
Preterm Births (<37 weeks)	22.5	15.1
Late Preterm Births (34-36 weeks)	71.9	71.8
Infant Mortality (Rate per 1,000 live births)	6.7	7.1
Method of Delivery (%)		
Vaginal Deliveries	62.3	65.3
Total C-Section Deliveries	37.7	34.7
Repeat C-Section	12.7	11.5
Post notel Nutrition		
Post-natal Nutrition		52.6
Breastfeeding initiation (%)	52.4	53.6
WIC Participation (%)	55.6	49.7
Children Indicators		
# of WIC Children 2-5 years	587	57 117
Overweight (85 <sup>th</sup> - <95 <sup>th</sup> ) WIC Children 2-5 years (%)		57,117
	13.6	16.4
Obese (>=95 <sup>th</sup> ) WIC Children 2-5 years (%)	15.3	15.6
# Children Living in out-of-home Care(i.e. group home, foster	68	12,338
homes, etc.) # Children Abused	68	15,518
# Ciliureil Abuseu	00	13,318

U.S. Census Bureau, Small Area Estimates Branch, 2007
US Census Bureau, Population Estimates Program, 2007
KY Vital Statistics, Preliminary 2007
PedNSS, 2007 is based on children that receive Women, Infant, and Children Services (WIC)
Kentucky Kids Count, 2007

Notes: 1. Number of children enrolled in Medicaid reflects the average monthly number of those enrolled. 2. Infant mortality rate is number of infants deaths/number of live births from 2004-2006.

### **Top of Page**

## **County Profile: Boyle County**

Indicator	Boyle	KY
	<b></b>	
Total Live Births	337	59,343
# of Childbearing Women (15-44)	5,570	863,716
# of Children (<18)	6,146	1,004,174
Maternal Race/Ethnicity (%)		
White	85.2	85.5
Black	8.3	9.3
Asian/Pacific Islander	0.6	1.6
Other	5.9	3.7
Hispanic	6.9	5.2
Maternal Characteristics (%)		
Mother's Age <18	5.1	3.8
Mother's Age >=35	5.4	7.1
Mother < High School Education	21.7	21.4
Repeat Births to Teens	3.0	5.1
Repeat births <12months from previous birth	16.3	16.1
MCH SES Indicators		
Children Living in Poverty	22.7	23.6
# of Children Enrolled in Medicaid	1,921	346,798
Median household income	34,121	40,299
Delivery Payment Source (%)		
Medicaid	53.3	43.6
Private	42.9	44.7
Other	3.9	11.8
Prenatal Care Entry (%)		
First Trimester Prenatal Care	67.7	72.5
Second Trimester Prenatal Care	27.7	21.3
Third Trimester Prenatal Care	4.3	4.5
No Prenatal Care	0.3	1.7
Adverse Birth Outcomes Risk Factors (%)		
Gestational Hypertension	4.2	6.2
Gestational Diabetes	4.8	4.4
Pre-Pregnancy Obesity	23.3	28.3
Pre-Pregnancy Underweight	4.8	5.1

Smoking During Pregnancy	26.3	25.1
Adverse Birth Outcomes (%)		
Low Birth Weight (<2500g)	6.6	9.3
Very Low Birth Weight (<1500g)	0.3	1.7
Preterm Births (<37 weeks)	9.8	15.1
Late Preterm Births (34-36 weeks)	66.7	71.8
Infant Mortality (Rate per 1,000 live births)	9.4	7.1
Method of Delivery (%)		
Vaginal Deliveries	57.9	65.3
Total C-Section Deliveries	42.1	34.7
Repeat C-Section	12.8	11.5
Post-natal Nutrition		
Breastfeeding initiation (%)	52.2	53.6
WIC Participation (%)	57.3	49.7
Children Indicators		
# of WIC Children 2-5 years	313	57,117
Overweight (85 <sup>th</sup> - <95 <sup>th</sup> ) WIC Children 2-5 years (%)	16.6	16.4
Obese (>=95 <sup>th</sup> ) WIC Children 2-5 years (%)	19.2	15.6
# Children Living in out-of-home Care(i.e. group home, foster	93	12,338
homes, etc.) # Children Abused	78	15,518

U.S. Census Bureau, Small Area Estimates Branch, 2007

US Census Bureau, Population Estimates Program, 2007

KY Vital Statistics, Preliminary 2007

PedNSS, 2007 is based on children that receive Women, Infant, and Children Services (WIC)

Kentucky Kids Count, 2007

Notes: 1. Number of children enrolled in Medicaid reflects the average monthly number of those enrolled. 2. Infant mortality rate is number of infants deaths/number of live births from 2004-2006.

### **Top of Page**

## **County Profile: Bracken County**

Indicator	Bracken	KY
Total Live Births	130	59,343
# of Childbearing Women (15-44)	1,723	863,716
# of Children (<18)	2,076	1,004,174
Maternal Race/Ethnicity (%)		
White	96.9	85.5
Black	1.6	9.3
Asian/Pacific Islander	0	1.6
Other	1.6	3.7
Hispanic	0.8	5.2
Maternal Characteristics (%)		
Mother's Age <18	4.7	3.8

Mother's Age >= 35	6.2	7.1
Mother < High School Education	17.8	21.4
Repeat Births to Teens	3.1	5.1
Repeat births <12months from previous birth	20.0	16.1
MOU OFC In displays		
MCH SES Indicators	20.0	22.6
Children Living in Poverty	20.8	23.6
# of Children Enrolled in Medicaid	797	346,798
Median household income	34,121	40,299
	54,121	,_,,
Delivery Payment Source (%)		
Medicaid	52.7	43.6
Private	45.0	44.7
Other	2.3	11.8
Prenatal Care Entry (%)		
First Trimester Prenatal Care	67.5	72.5
Second Trimester Prenatal Care	24.6	21.3
Third Trimester Prenatal Care	4.8	4.5
No Prenatal Care	3.2	1.7
Adverse Birth Outcomes Risk Factors (%)		
Gestational Hypertension	7.9	6.2
Gestational Diabetes	2.4	4.4
Pre-Pregnancy Obesity	24.6	28.3
Pre-Pregnancy Underweight	8.7	5.1
Smoking During Pregnancy	40.5	25.1
Adverse Birth Outcomes (%)		
Low Birth Weight (<2500g)	11.9	9.3
Very Low Birth Weight (<1500g)	4.0	1.7
Preterm Births (<37 weeks)	20.0	15.1
Late Preterm Births (34-36 weeks)	73.1	71.8
Infant Mortality (Rate per 1,000 live births)	2.8	7.1
intait Mortanty (Nate per 1,000 inve ontills)	· · · · · · · · · · · · · · · · · · ·	
Method of Delivery (%)		
Vaginal Deliveries	63.5	65.3
Total C-Section Deliveries	36.5	34.7
Repeat C-Section	11.9	11.5
The state of the s	11.7	
Post-natal Nutrition		
Breastfeeding initiation (%)	22.2	53.6
WIC Participation (%)	33.3	49.7
Tarucipation (70)	50.8	47.7
Children Indicators		
	116	57,117
# of WIC Children 2-5 years		·
Overweight (85 <sup>th</sup> - <95 <sup>th</sup> ) WIC Children 2-5 years (%)	20.7	16.4
Obese (>=95 <sup>th</sup> ) WIC Children 2-5 years (%)	24.1	15.6
# Children Living in out-of-home Care(i.e. group home, foster	17	12,338
homes, etc.)		15.510
# Children Abused	24	15,518

U.S. Census Bureau, Small Area Estimates Branch, 2007

US Census Bureau, Population Estimates Program, 2007 KY Vital Statistics, Preliminary 2007 PedNSS, 2007 is based on children that receive Women, Infant, and Children Services (WIC) Kentucky Kids Count, 2007

Notes: 1. Number of children enrolled in Medicaid reflects the average monthly number of those enrolled. 2. Infant mortality rate is number of infants deaths/number of live births from 2004-2006.

### **Top of Page**

## **County Profile: Breathitt County**

Reporting Period: January 1, 2007 December 31, 2007	7	
Indicator	Breathitt	KY
Total Live Births	198	59,343
# of Childbearing Women (15-44)	3,193	863,716
# of Children (<18)	3,550	1,004,174
Maternal Race/Ethnicity (%)		
White	98.5	85.5
Black	0	9.3
Asian/Pacific Islander	1.5	1.6
Other	0	3.7
Hispanic	0	5.2
Maternal Characteristics (%)		
Mother's Age <18	3.6	3.8
Mother's Age >=35	6.6	7.1
Mother < High School Education	31.5	21.4
Repeat Births to Teens	6.1	5.1
Repeat births <12months from previous birth	14.1	16.1
MCH SES Indicators		
Children Living in Poverty	45.3	23.6
# of Children Enrolled in Medicaid	2,280	346,798
Median household income	34,121	40,299
Delivery Payment Source (%)		
Medicaid	68.0	43.6
Private	27.6	44.7
Other	4.1	11.8
Prenatal Care Entry (%)		
First Trimester Prenatal Care	70.3	72.5
Second Trimester Prenatal Care	22.9	21.3
Third Trimester Prenatal Care	5.7	4.5
No Prenatal Care	1.0	1.7
Adverse Birth Outcomes Risk Factors (%)		
Gestational Hypertension	8.1	6.2
Gestational Diabetes	8.6	4.4
Pre-Pregnancy Obesity	27.9	28.3
Pre-Pregnancy Underweight	9.1	5.1
Smoking During Pregnancy	37.0	25.1

Adverse Birth Outcomes (%)		
Low Birth Weight (<2500g)	7.6	9.3
Very Low Birth Weight (<1500g)	0.5	1.7
Preterm Births (<37 weeks)	16.2	15.1
Late Preterm Births (34-36 weeks)	68.8	71.8
Infant Mortality (Rate per 1,000 live births)	3.5	7.1
Method of Delivery (%)		
Vaginal Deliveries	64.0	65.3
Total C-Section Deliveries	36.0	34.7
Repeat C-Section	11.7	11.5
Post-natal Nutrition		
Breastfeeding initiation (%)	26.9	53.6
WIC Participation (%)	70.1	49.7
Children Indicators		
# of WIC Children 2-5 years	355	57,117
Overweight (85 <sup>th</sup> - <95 <sup>th</sup> ) WIC Children 2-5 years (%)	19.4	16.4
Obese (>=95 <sup>th</sup> ) WIC Children 2-5 years (%)	18.0	15.6
# Children Living in out-of-home Care(i.e. group home, foster	24	12,338
homes, etc.) # Children Abused	109	15,518

U.S. Census Bureau, Small Area Estimates Branch, 2007

US Census Bureau, Population Estimates Program, 2007

KY Vital Statistics, Preliminary 2007

PedNSS, 2007 is based on children that receive Women, Infant, and Children Services (WIC)

Kentucky Kids Count, 2007

Notes: 1. Number of children enrolled in Medicaid reflects the average monthly number of those enrolled. 2. Infant mortality rate is number of infants deaths/number of live births from 2004-2006.

### **Top of Page**

# **County Profile: Breckinridge County**

Indicator	Breckinridge	KY
Total Live Births	216	56,572
# of Childbearing Women (15-44)	3,732	865,952
# of Children (<18)	4,391	1,003,973
Maternal Race/Ethnicity (%)		
White	97.7	85.5
Black	1.9	9.3
Asian/Pacific Islander	0.5	1.6
Other	0	3.7
Hispanic	0	5.2
Maternal Characteristics (%)		
Mother's Age <18	2.8	3.8

24 2 2 4 2 6		
Mother's Age >=35	6.2	7.1
Mother < High School Education	26.3	21.4
Repeat Births to Teens	3.7	5.1
Repeat births <12months from previous birth	23.7	16.1
MOULOGO In diseases		
MCH SES Indicators		22.6
Children Living in Poverty	24.1	23.6
# of Children Enrolled in Medicaid	1,689	346,798
Median household income	36,621	40,299
	30,021	,_,,
Delivery Payment Source (%)		
Medicaid	16.9	43.6
Private	41.3	44.7
Other	41.8	11.8
	11.0	
Prenatal Care Entry (%)		
First Trimester Prenatal Care	68.8	72.5
Second Trimester Prenatal Care	22.8	21.3
Third Trimester Prenatal Care	7.0	4.5
No Prenatal Care	1.4	1.7
Adverse Birth Outcomes Risk Factors (%)		
Gestational Hypertension	6.1	6.2
Gestational Diabetes	1.9	4.4
Pre-Pregnancy Obesity	32.6	28.3
Pre-Pregnancy Underweight	4.7	5.1
Smoking During Pregnancy	35.4	25.1
	33.4	
Adverse Birth Outcomes (%)		
Low Birth Weight (<2500g)	9.3	9.3
Very Low Birth Weight (<1500g)	1.9	1.7
Preterm Births (<37 weeks)	14.0	15.1
Late Preterm Births (34-36 weeks)	83.3	71.8
Infant Mortality (Rate per 1,000 live births)	10.8	71.8
infant Wortanty (Rate per 1,000 five offths)	10.0	7.1
Method of Delivery (%)		
Vaginal Deliveries	71.6	65.3
Total C-Section Deliveries		34.7
Repeat C-Section	28.4	11.5
Repeat C-Section	12.1	11.5
Post notal Nutrition		
Post-natal Nutrition		52.6
Breastfeeding initiation (%)	47.4	53.6
WIC Participation (%)	47.9	49.7
Children Indicators		
# of WIC Children 2-5 years	313	57,117
Overweight (85 <sup>th</sup> - <95 <sup>th</sup> ) WIC Children 2-5 years (%)	13.4	16.4
Obese (>=95 <sup>th</sup> ) WIC Children 2-5 years (%)	11.2	15.6
# Children Living in out-of-home Care(i.e. group home, foster	83	12,338
homes, etc.)		
# Children Abused	47	15,518

U.S. Census Bureau, Small Area Estimates Branch, 2007

US Census Bureau, Population Estimates Program, 2007 KY Vital Statistics, Preliminary 2007 PedNSS, 2007 is based on children that receive Women, Infant, and Children Services (WIC) Kentucky Kids Count, 2007

Notes: 1. Number of children enrolled in Medicaid reflects the average monthly number of those enrolled. 2. Infant mortality rate is number of infants deaths/number of live births from 2004-2006.

### **Top of Page**

# **County Profile: Bullitt County**

Indicator	Bullitt	KY
Total Live Births	783	59,343
# of Childbearing Women (15-44)	16,235	863,716
# of Children (<18)	17,854	1,004,174
	17,054	, , , ,
Maternal Race/Ethnicity (%)		
White	98.1	85.5
Black	0.8	9.3
Asian/Pacific Islander	0.5	1.6
Other	0.6	3.7
Hispanic	0.9	5.2
Maternal Characteristics (%)		
Mother's Age <18	2.8	3.8
Mother's Age >=35	6.2	7.1
Mother < High School Education	12.4	21.4
Repeat Births to Teens	2.1	5.1
Repeat births <12months from previous birth	16.0	16.1
MCH SES Indicators		
Children Living in Poverty	13.3	23.6
# of Children Enrolled in Medicaid	4,045	346,798
Median household income	34,121	40,299
Delivery Payment Source (%)		
Medicaid	22.7	43.6
Private	68.2	44.7
Other	9.1	11.8
Prenatal Care Entry (%)		
First Trimester Prenatal Care	85.6	72.5
Second Trimester Prenatal Care	11.4	21.3
Third Trimester Prenatal Care	1.7	4.5
No Prenatal Care	1.3	1.7
Adverse Birth Outcomes Risk Factors (%)		
Gestational Hypertension	6.2	6.2
Gestational Diabetes	2.3	4.4
Pre-Pregnancy Obesity	30	28.3
Pre-Pregnancy Underweight	4.3	5.1
Smoking During Pregnancy	23.5	25.1

Adverse Birth Outcomes (%)		
Low Birth Weight (<2500g)	10.3	9.3
Very Low Birth Weight (<1500g)	0.6	1.7
Preterm Births (<37 weeks)	15.2	15.1
Late Preterm Births (34-36 weeks)	75.6	71.8
Infant Mortality (Rate per 1,000 live births)	9.7	7.1
Method of Delivery (%)		
Vaginal Deliveries	67.6	65.3
Total C-Section Deliveries	32.4	34.7
Repeat C-Section	9.7	11.5
Post-natal Nutrition		
Breastfeeding initiation (%)	65.3	53.6
WIC Participation (%)	31.8	49.7
Children Indicators		
# of WIC Children 2-5 years	559	57,117
Overweight (85 <sup>th</sup> - <95 <sup>th</sup> ) WIC Children 2-5 years (%)	17.4	16.4
Obese (>=95 <sup>th</sup> ) WIC Children 2-5 years (%)	14.5	15.6
# Children Living in out-of-home Care(i.e. group home, foster	117	12,338
homes, etc.) # Children Abused	68	15,518

U.S. Census Bureau, Small Area Estimates Branch, 2007

US Census Bureau, Population Estimates Program, 2007

KY Vital Statistics, Preliminary 2007

PedNSS, 2007 is based on children that receive Women, Infant, and Children Services (WIC)

Kentucky Kids Count, 2007

Notes: 1. Number of children enrolled in Medicaid reflects the average monthly number of those enrolled. 2. Infant mortality rate is number of infants deaths/number of live births from 2004-2006.

### **Top of Page**

# **County Profile: Butler County**

Indicator	Butler	KY
T . IV. P. d		50.242
Total Live Births	183	59,343
# of Childbearing Women (15-44)	2,649	863,716
# of Children (<18)	2,986	1,004,174
Maternal Race/Ethnicity (%)		
White	91.3	85.5
Black	0	9.3
Asian/Pacific Islander	1.1	1.6
Other	7.7	3.7
Hispanic	8.7	5.2
Maternal Characteristics (%)		
Mother's Age <18	4.4	3.8

Mother's Age ≥=35       4.9       7.1         Mother < High School Education       19.7       21.4         Repeat Births to Teens       2.7       5.1         Repeat births <12months from previous birth       10.4       16.1         MCH SES Indicators         Children Living in Poverty       26.8       23.6         # of Children Enrolled in Medicaid       1,219       346,798         Median household income       34,121       40,299         Delivery Payment Source (%)         Medicaid       50.3       43.6         Private       43.7       44.7         Other       6.0       11.8         Prenatal Care Entry (%)         First Trimester Prenatal Care       54.1       72.5         Second Trimester Prenatal Care       5.5       4.5         No Prenatal Care       3.9       1.7         Adverse Birth Outcomes Risk Factors (%)         Gestational Diabetes       5.5       6.2         Gestational Diabetes       5.5       4.4         Pre-Pregnancy Obesity       34.1       28.3         Pre-Pregnancy Underweight       2.8       5.1         Smoking During Pregnancy       23.1       25.
Repeat Births to Teens       2.7       5.1         Repeat births <12months from previous birth
Repeat births <12months from previous birth
MCH SES Indicators         Children Living in Poverty       26.8       23.6         # of Children Enrolled in Medicaid       1,219       346,798         Median household income       34,121       40,299         Delivery Payment Source (%)         Medicaid       50.3       43.6         Private       43.7       44.7         Other       6.0       11.8         Prenatal Care Entry (%)         First Trimester Prenatal Care       36.5       21.3         Second Trimester Prenatal Care       36.5       21.3         Third Trimester Prenatal Care       5.5       4.5         No Prenatal Care       3.9       1.7         Adverse Birth Outcomes Risk Factors (%)         Gestational Hypertension       5.5       6.2         Gestational Diabetes       5.5       4.4         Pre-Pregnancy Obesity       34.1       28.3         Pre-Pregnancy Underweight       2.8       5.1
Children Living in Poverty       26.8       23.6         # of Children Enrolled in Medicaid       1,219       346,798         Median household income       34,121       40,299         Delivery Payment Source (%)         Medicaid       50.3       43.6         Private       43.7       44.7         Other       6.0       11.8         Prenatal Care Entry (%)         First Trimester Prenatal Care       54.1       72.5         Second Trimester Prenatal Care       36.5       21.3         Third Trimester Prenatal Care       5.5       4.5         No Prenatal Care       3.9       1.7         Adverse Birth Outcomes Risk Factors (%)         Gestational Hypertension       5.5       6.2         Gestational Diabetes       5.5       4.4         Pre-Pregnancy Obesity       34.1       28.3         Pre-Pregnancy Underweight       2.8       5.1
Children Living in Poverty       26.8       23.6         # of Children Enrolled in Medicaid       1,219       346,798         Median household income       34,121       40,299         Delivery Payment Source (%)         Medicaid       50.3       43.6         Private       43.7       44.7         Other       6.0       11.8         Prenatal Care Entry (%)         First Trimester Prenatal Care       54.1       72.5         Second Trimester Prenatal Care       36.5       21.3         Third Trimester Prenatal Care       5.5       4.5         No Prenatal Care       3.9       1.7         Adverse Birth Outcomes Risk Factors (%)         Gestational Hypertension       5.5       6.2         Gestational Diabetes       5.5       4.4         Pre-Pregnancy Obesity       34.1       28.3         Pre-Pregnancy Underweight       2.8       5.1
# of Children Enrolled in Medicaid  Median household income  34,121  40,299    Delivery Payment Source (%)
Median household income       34,121       40,299         Delivery Payment Source (%)       50.3       43.6         Medicaid       50.3       43.6         Private       43.7       44.7         Other       6.0       11.8         Prenatal Care Entry (%)         First Trimester Prenatal Care       54.1       72.5         Second Trimester Prenatal Care       36.5       21.3         Third Trimester Prenatal Care       5.5       4.5         No Prenatal Care       3.9       1.7         Adverse Birth Outcomes Risk Factors (%)       5.5       6.2         Gestational Hypertension       5.5       6.2         Gestational Diabetes       5.5       4.4         Pre-Pregnancy Obesity       34.1       28.3         Pre-Pregnancy Underweight       2.8       5.1
Delivery Payment Source (%)         Medicaid       50.3       43.6         Private       43.7       44.7         Other       6.0       11.8         Prenatal Care Entry (%)         First Trimester Prenatal Care       54.1       72.5         Second Trimester Prenatal Care       36.5       21.3         Third Trimester Prenatal Care       5.5       4.5         No Prenatal Care       3.9       1.7         Adverse Birth Outcomes Risk Factors (%)       5.5       6.2         Gestational Hypertension       5.5       6.2         Gestational Diabetes       5.5       4.4         Pre-Pregnancy Obesity       34.1       28.3         Pre-Pregnancy Underweight       2.8       5.1
Delivery Payment Source (%)           Medicaid         50.3         43.6           Private         43.7         44.7           Other         6.0         11.8           Prenatal Care Entry (%)           First Trimester Prenatal Care         54.1         72.5           Second Trimester Prenatal Care         36.5         21.3           Third Trimester Prenatal Care         5.5         4.5           No Prenatal Care         3.9         1.7           Adverse Birth Outcomes Risk Factors (%)         5.5         6.2           Gestational Hypertension         5.5         6.2           Gestational Diabetes         5.5         4.4           Pre-Pregnancy Obesity         34.1         28.3           Pre-Pregnancy Underweight         2.8         5.1
Medicaid       50.3       43.6         Private       43.7       44.7         Other       6.0       11.8         Prenatal Care Entry (%)         First Trimester Prenatal Care       54.1       72.5         Second Trimester Prenatal Care       36.5       21.3         Third Trimester Prenatal Care       5.5       4.5         No Prenatal Care       3.9       1.7         Adverse Birth Outcomes Risk Factors (%)       3.9       1.7         Adverse Birth Outcomes Risk Factors (%)       5.5       6.2         Gestational Hypertension       5.5       6.2         Gestational Diabetes       5.5       4.4         Pre-Pregnancy Obesity       34.1       28.3         Pre-Pregnancy Underweight       2.8       5.1
Private       43.7       44.7         Other       6.0       11.8         Prenatal Care Entry (%)         First Trimester Prenatal Care       54.1       72.5         Second Trimester Prenatal Care       36.5       21.3         Third Trimester Prenatal Care       5.5       4.5         No Prenatal Care       3.9       1.7         Adverse Birth Outcomes Risk Factors (%)       3.9       1.7         Adverse Birth Outcomes Risk Factors (%)       5.5       6.2         Gestational Hypertension       5.5       6.2         Gestational Diabetes       5.5       4.4         Pre-Pregnancy Obesity       34.1       28.3         Pre-Pregnancy Underweight       2.8       5.1
Other       6.0       11.8         Prenatal Care Entry (%)         First Trimester Prenatal Care       54.1       72.5         Second Trimester Prenatal Care       36.5       21.3         Third Trimester Prenatal Care       5.5       4.5         No Prenatal Care       3.9       1.7         Adverse Birth Outcomes Risk Factors (%)       3.9       1.7         Adverse Birth Outcomes Risk Factors (%)       5.5       6.2         Gestational Hypertension       5.5       4.4         Pre-Pregnancy Obesity       34.1       28.3         Pre-Pregnancy Underweight       2.8       5.1
Prenatal Care Entry (%)         First Trimester Prenatal Care       54.1       72.5         Second Trimester Prenatal Care       36.5       21.3         Third Trimester Prenatal Care       5.5       4.5         No Prenatal Care       3.9       1.7         Adverse Birth Outcomes Risk Factors (%)       5.5       6.2         Gestational Hypertension       5.5       6.2         Gestational Diabetes       5.5       4.4         Pre-Pregnancy Obesity       34.1       28.3         Pre-Pregnancy Underweight       2.8       5.1
First Trimester Prenatal Care       54.1       72.5         Second Trimester Prenatal Care       36.5       21.3         Third Trimester Prenatal Care       5.5       4.5         No Prenatal Care       3.9       1.7         Adverse Birth Outcomes Risk Factors (%)       5.5       6.2         Gestational Hypertension       5.5       6.2         Gestational Diabetes       5.5       4.4         Pre-Pregnancy Obesity       34.1       28.3         Pre-Pregnancy Underweight       2.8       5.1
First Trimester Prenatal Care       54.1       72.5         Second Trimester Prenatal Care       36.5       21.3         Third Trimester Prenatal Care       5.5       4.5         No Prenatal Care       3.9       1.7         Adverse Birth Outcomes Risk Factors (%)       5.5       6.2         Gestational Hypertension       5.5       6.2         Gestational Diabetes       5.5       4.4         Pre-Pregnancy Obesity       34.1       28.3         Pre-Pregnancy Underweight       2.8       5.1
Second Trimester Prenatal Care       36.5       21.3         Third Trimester Prenatal Care       5.5       4.5         No Prenatal Care       3.9       1.7         Adverse Birth Outcomes Risk Factors (%)       5.5       6.2         Gestational Hypertension       5.5       6.2         Gestational Diabetes       5.5       4.4         Pre-Pregnancy Obesity       34.1       28.3         Pre-Pregnancy Underweight       2.8       5.1
Third Trimester Prenatal Care       5.5       4.5         No Prenatal Care       3.9       1.7         Adverse Birth Outcomes Risk Factors (%)       5.5       6.2         Gestational Hypertension       5.5       6.2         Gestational Diabetes       5.5       4.4         Pre-Pregnancy Obesity       34.1       28.3         Pre-Pregnancy Underweight       2.8       5.1
No Prenatal Care 3.9 1.7  Adverse Birth Outcomes Risk Factors (%) Gestational Hypertension 5.5 6.2 Gestational Diabetes 5.5 4.4 Pre-Pregnancy Obesity 34.1 28.3 Pre-Pregnancy Underweight 2.8 5.1
Adverse Birth Outcomes Risk Factors (%) Gestational Hypertension 5.5 6.2 Gestational Diabetes 5.5 4.4 Pre-Pregnancy Obesity 34.1 28.3 Pre-Pregnancy Underweight 2.8 5.1
Gestational Hypertension5.56.2Gestational Diabetes5.54.4Pre-Pregnancy Obesity34.128.3Pre-Pregnancy Underweight2.85.1
Gestational Hypertension5.56.2Gestational Diabetes5.54.4Pre-Pregnancy Obesity34.128.3Pre-Pregnancy Underweight2.85.1
Gestational Diabetes5.54.4Pre-Pregnancy Obesity34.128.3Pre-Pregnancy Underweight2.85.1
Pre-Pregnancy Obesity 28.3 Pre-Pregnancy Underweight 2.8 5.5 5.1
Pre-Pregnancy Underweight 2.8 5.1
Smoking During Pregnancy 23.1 25.1
2011
Adverse Birth Outcomes (%)
Low Birth Weight (<2500g) 8.8 9.3
Very Low Birth Weight (<1500g) 1.1
Preterm Births (<37 weeks) 20.2 15.1
Late Preterm Births (34-36 weeks) 83.8 71.8
Infant Mortality (Rate per 1,000 live births)  15.9  7.1
Method of Delivery (%)
Vaginal Deliveries 68.7 65.3
Total C-Section Deliveries 31.3
Repeat C-Section 10.4 11.5
Post-natal Nutrition
Breastfeeding initiation (%) 51.1 53.6
WIC Participation (%) 62.6 49.7
Children Indicators
# of WIC Children 2-5 years 242 57,117
Overweight (85 <sup>th</sup> - <95 <sup>th</sup> ) WIC Children 2-5 years (%) 19.4
Obese (>=95 <sup>th</sup> ) WIC Children 2-5 years (%) 21.9 15.6
# Children Living in out-of-home Care(i.e. group home, foster 45 12,338
homes, etc.)
# Children Abused 46 15,518

US Census Bureau, Population Estimates Program, 2007 KY Vital Statistics, Preliminary 2007 PedNSS, 2007 is based on children that receive Women, Infant, and Children Services (WIC) Kentucky Kids Count, 2007

Notes: 1. Number of children enrolled in Medicaid reflects the average monthly number of those enrolled. 2. Infant mortality rate is number of infants deaths/number of live births from 2004-2006.

### **Top of Page**

## **County Profile: Caldwell County**

Indicator	Reporting Period: January 1, 2007 December 31, 2007	7	
# of Childbearing Women (15-44)	Indicator	Caldwell	KY
# of Childbearing Women (15-44)	Total Live Births	128	59.343
# of Children (<18) 2,692 1,004,174  Maternal Race/Ethnicity (%)  White 93.7 85.5 Black 5.5.5 9.3 Asian/Pacific Islander 0.8 1.6 Other 0 0 3.7 Hispanic 0 0 5.2  Maternal Characteristics (%)  Mother's Age <18 3.2 3.8 Mother's Age ≥35 2.4 7.1 Mother <high #="" (%)="" 1.034="" 1.6="" 11.8="" 13.4="" 15.8="" 16.1="" 19.8="" 2.4="" 21.3="" 21.4="" 23.6="" 25.2="" 3.6="" 3.9="" 34,121="" 346,798="" 36.2="" 4.4<="" 4.5="" 40,299="" 43.6="" 44.7="" 5.1="" 6.2="" 61.4="" 72.5="" 75.4="" <12months="" birth="" births="" care="" children="" delivery="" diabtees="" education="" enrolled="" entry="" first="" from="" gestational="" household="" in="" income="" indicators="" living="" mch="" medicaid="" medicand="" no="" of="" other="" payment="" poverty="" prenatal="" previous="" private="" repeat="" school="" second="" ses="" source="" td="" teens="" third="" to="" trimester=""><td></td><td></td><td></td></high>			
Maternal Race/Ethnicity (%)         White       93.7       85.5       81.6         Black       5.5       9.3         Asian/Pacific Islander       0.8       1.6         Other       0       3.7         Hispanic       0       5.2         Maternal Characteristics (%)         Mother's Age <18			
White         93.7         85.5           Black         5.5         9.3           Asian/Pacific Islander         0.8         1.6           Other         0         3.7           Hispanic         0         5.2           Maternal Characteristics (%)           Mother's Age <18	" of children (Cro)	2,092	1,001,171
Black         5.5         9.3           Asian/Pacific Islander         0.8         1.6           Other         0         3.7           Hispanic         0         5.2           Maternal Characteristics (%)           Mother's Age <18	Maternal Race/Ethnicity (%)		
Asian/Pacific Islander	White	93.7	85.5
Other Hispanic         0         3.7 Hispanic           Maternal Characteristics (%)         Second Trimester Prenatal Care         3.2 means           Mother's Age <18 more and the station of t	Black	5.5	9.3
Maternal Characteristics (%)         S.2           Mother's Age <18	Asian/Pacific Islander	0.8	1.6
Maternal Characteristics (%)         Mother's Age <18	Other	0	
Mother's Age <18	Hispanic	0	5.2
Mother's Age <18	Maternal Characteristics (%)		
Mother's Age >=35       2.4       7.1         Mother ≺ High School Education       15.8       21.4         Repeat Births to Teens       1.6       5.1         Repeat births <12months from previous birth		3.2	3.8
Mother < High School Education			
Repeat Births to Teens       1.6       5.1         Repeat births <12months from previous birth			21.4
Repeat births <12months from previous birth       13,4       16.1         MCH SES Indicators         Children Living in Poverty       25,2       23.6         # of Children Enrolled in Medicaid       1,034       346,798         Median household income       34,121       40,299         Delivery Payment Source (%)         Medicaid       61.4       43.6       44.7         Other       36.2       44.7       Other       2.4       11.8         Prenatal Care Entry (%)       First Trimester Prenatal Care       75.4       72.5       Second Trimester Prenatal Care       19.8       21.3         Third Trimester Prenatal Care       2.4       4.5         No Prenatal Care       2.4       4.5         No Prenatal Care       2.4       1.7         Adverse Birth Outcomes Risk Factors (%)         Gestational Hypertension       6.3       6.2         Gestational Diabetes       3.9       4.4			5.1
Children Living in Poverty       25.2       23.6         # of Children Enrolled in Medicaid       1,034       346,798         Median household income       34,121       40,299         Delivery Payment Source (%)         Medicaid       61.4       43.6         Private       36.2       44.7         Other       2.4       11.8         Prenatal Care Entry (%)         First Trimester Prenatal Care       75.4       72.5         Second Trimester Prenatal Care       19.8       21.3         Third Trimester Prenatal Care       2.4       4.5         No Prenatal Care       2.4       4.5         No Prenatal Care       2.4       1.7         Adverse Birth Outcomes Risk Factors (%)         Gestational Hypertension       6.3       6.2         Gestational Diabetes       3.9       4.4			16.1
# of Children Enrolled in Medicaid  1,034  346,798  Median household income  34,121  40,299  Delivery Payment Source (%)  Medicaid 61.4 43.6 Private 36.2 44.7 Other 36.2 44.7 Other 2.4 11.8  Prenatal Care Entry (%) First Trimester Prenatal Care 75.4 72.5 Second Trimester Prenatal Care 19.8 21.3 Third Trimester Prenatal Care 2.4 4.5 No Prenatal Care 2.4 4.5 No Prenatal Care 3.9 4.5  Adverse Birth Outcomes Risk Factors (%) Gestational Hypertension 6.3 6.2 Gestational Diabetes 3.9 4.4	MCH SES Indicators		
Median household income       34,121       40,299         Delivery Payment Source (%)         Medicaid       61.4       43.6         Private       36.2       44.7         Other       2.4       11.8         Prenatal Care Entry (%)         First Trimester Prenatal Care       75.4       72.5         Second Trimester Prenatal Care       19.8       21.3         Third Trimester Prenatal Care       2.4       4.5         No Prenatal Care       2.4       1.7         Adverse Birth Outcomes Risk Factors (%)         Gestational Hypertension       6.3       6.2         Gestational Diabetes       3.9       4.4	Children Living in Poverty	25.2	23.6
Delivery Payment Source (%)   Medicaid   61.4   43.6     Private   36.2   44.7     Other   2.4   11.8     Prenatal Care Entry (%)   First Trimester Prenatal Care   75.4   72.5     Second Trimester Prenatal Care   19.8   21.3     Third Trimester Prenatal Care   2.4   4.5     No Prenatal Care   2.4   1.7     Adverse Birth Outcomes Risk Factors (%)   Gestational Hypertension   6.3   6.2     Gestational Diabetes   3.9   4.4	# of Children Enrolled in Medicaid	1,034	346,798
Medicaid       61.4       43.6         Private       36.2       44.7         Other       2.4       11.8         Prenatal Care Entry (%)         First Trimester Prenatal Care       75.4       72.5         Second Trimester Prenatal Care       19.8       21.3         Third Trimester Prenatal Care       2.4       4.5         No Prenatal Care       2.4       1.7         Adverse Birth Outcomes Risk Factors (%)       Cestational Hypertension       6.3       6.2         Gestational Diabetes       3.9       4.4	Median household income	34,121	40,299
Private       36.2       44.7         Other       2.4       11.8         Prenatal Care Entry (%)         First Trimester Prenatal Care       75.4       72.5         Second Trimester Prenatal Care       19.8       21.3         Third Trimester Prenatal Care       2.4       4.5         No Prenatal Care       2.4       1.7         Adverse Birth Outcomes Risk Factors (%)       6.3       6.2         Gestational Hypertension       6.3       6.2         Gestational Diabetes       3.9       4.4	Delivery Payment Source (%)		
Other 2.4 11.8  Prenatal Care Entry (%) First Trimester Prenatal Care 75.4 72.5 Second Trimester Prenatal Care 19.8 21.3 Third Trimester Prenatal Care 2.4 4.5 No Prenatal Care 2.4 1.7  Adverse Birth Outcomes Risk Factors (%) Gestational Hypertension 6.3 6.2 Gestational Diabetes 3.9 4.4	Medicaid	61.4	43.6
Prenatal Care Entry (%) First Trimester Prenatal Care 75.4 72.5 Second Trimester Prenatal Care 19.8 21.3 Third Trimester Prenatal Care 2.4 4.5 No Prenatal Care 2.4 1.7  Adverse Birth Outcomes Risk Factors (%) Gestational Hypertension 6.3 6.2 Gestational Diabetes 3.9 4.4	Private	36.2	44.7
First Trimester Prenatal Care Second Trimester Prenatal Care 19.8 21.3 Third Trimester Prenatal Care 2.4 No Prenatal Care 2.4 1.7  Adverse Birth Outcomes Risk Factors (%) Gestational Hypertension 6.3 Gestational Diabetes 3.9 4.4	Other	2.4	11.8
Second Trimester Prenatal Care  19.8  Third Trimester Prenatal Care  2.4  No Prenatal Care  2.4  Adverse Birth Outcomes Risk Factors (%)  Gestational Hypertension  6.3  Gestational Diabetes  3.9  4.4	Prenatal Care Entry (%)		
Second Trimester Prenatal Care  Third Trimester Prenatal Care  2.4  No Prenatal Care  2.4  Adverse Birth Outcomes Risk Factors (%)  Gestational Hypertension  6.3  6.2  Gestational Diabetes  3.9  4.4	First Trimester Prenatal Care	75.4	72.5
Third Trimester Prenatal Care  2.4  No Prenatal Care  2.4  1.7  Adverse Birth Outcomes Risk Factors (%)  Gestational Hypertension  6.3  6.2  Gestational Diabetes  3.9  4.4	Second Trimester Prenatal Care		21.3
No Prenatal Care 2.4 1.7  Adverse Birth Outcomes Risk Factors (%) Gestational Hypertension 6.3 6.2 Gestational Diabetes 3.9 4.4	Third Trimester Prenatal Care		4.5
Gestational Hypertension 6.3 6.2 Gestational Diabetes 3.9 4.4	No Prenatal Care		1.7
Gestational Diabetes 3.9 4.4	Adverse Birth Outcomes Risk Factors (%)		
Gestational Diabetes 3.9 4.4	Gestational Hypertension	6.3	6.2
	7 =		4.4
11c-11cgnancy Oucsity 39.4 28.5	Pre-Pregnancy Obesity	39.4	28.3

Pre-Pregnancy Underweight	3.9	5.1
Smoking During Pregnancy	39.4	25.1
Adverse Birth Outcomes (%)		
Low Birth Weight (<2500g)	9.5	9.3
Very Low Birth Weight (<1500g)	0.8	1.7
Preterm Births (<37 weeks)	15.8	15.1
Late Preterm Births (34-36 weeks)	80.0	71.8
Infant Mortality (Rate per 1,000 live births)	4.9	7.1
Method of Delivery (%)		
Vaginal Deliveries	61.4	65.3
Total C-Section Deliveries	38.6	34.7
Repeat C-Section	13.4	11.5
Post-natal Nutrition		
Breastfeeding initiation (%)	44.9	53.6
WIC Participation (%)	66.1	49.7
Children Indicators		
# of WIC Children 2-5 years	196	57,117
Overweight (85 <sup>th</sup> - <95 <sup>th</sup> ) WIC Children 2-5 years (%)	19.9	16.4
Obese (>=95 <sup>th</sup> ) WIC Children 2-5 years (%)	15.8	15.6
# Children Living in out-of-home Care(i.e. group home, foster	8	12,338
homes, etc.)		
# Children Abused	18	15,518

U.S. Census Bureau, Small Area Estimates Branch, 2007

US Census Bureau, Population Estimates Program, 2007

KY Vital Statistics, Preliminary 2007

PedNSS, 2007 is based on children that receive Women, Infant, and Children Services (WIC)

Kentucky Kids Count, 2007

Notes: 1. Number of children enrolled in Medicaid reflects the average monthly number of those enrolled. 2. Infant mortality rate is number of infants deaths/number of live births from 2004-2006.

### **Top of Page**

## **County Profile: Calloway County**

Indicator	Calloway	KY
Total Live Births	371	59,343
# of Childbearing Women (15-44)	8,405	863,716
# of Children (<18)	6,534	1,004,174
Maternal Race/Ethnicity (%)		
White	91.6	85.5
Black	3.2	9.3
Asian/Pacific Islander	2.2	1.6
Other	3.0	3.7
Hispanic	3.3	5.2

Maternal Characteristics (%)		
Mother's Age <18	3.0	3.8
Mother's Age >=35	5.7	7.1
Mother < High School Education	12.0	21.4
Repeat Births to Teens	3.0	5.1
Repeat births <12months from previous birth	12.2	16.1
Tarken and a community by the community of the community	12.2	
MCH SES Indicators		
Children Living in Poverty	22.0	23.6
# of Children Enrolled in Medicaid	1,971	346,798
W.E. I. I.I.		40.200
Median household income	34,121	40,299
Delivery Payment Source (%)		
Medicaid	49.1	43.6
Private	47.1	44.7
Other	3.8	11.8
outer	3.0	11.0
Prenatal Care Entry (%)		
First Trimester Prenatal Care	84.1	72.5
Second Trimester Prenatal Care	12.3	21.3
Third Trimester Prenatal Care	3.0	4.5
No Prenatal Care	0.6	1.7
Adverse Birth Outcomes Risk Factors (%)		
Gestational Hypertension	10.3	6.2
Gestational Diabetes	6.3	4.4
Pre-Pregnancy Obesity	31.0	28.3
Pre-Pregnancy Underweight	6.0	5.1
Smoking During Pregnancy	21.5	25.1
Adverse Birth Outcomes (%)		0.2
Low Birth Weight (<2500g)	5.7	9.3
Very Low Birth Weight (<1500g)	1.4	1.7
Preterm Births (<37 weeks)	8.9	15.1
Late Preterm Births (34-36 weeks)	57.6	71.8
Infant Mortality (Rate per 1,000 live births)	4.8	7.1
Mothed of Polivery (9/)		
Method of Delivery (%) Vaginal Deliveries	<b>21.4</b>	65.3
Total C-Section Deliveries	61.4	65.3 34.7
	38.6	
Repeat C-Section	12.2	11.5
Post-natal Nutrition		
Breastfeeding initiation (%)		53.6
	65.5	
WIC Participation (%)	51.9	49.7
Children Indicators		
# of WIC Children 2-5 years	425	57,117
Overweight (85 <sup>th</sup> - <95 <sup>th</sup> ) WIC Children 2-5 years (%)		· ·
	16.5	16.4
Obese (>=95 <sup>th</sup> ) WIC Children 2-5 years (%)	11.8	15.6
# Children Living in out-of-home Care(i.e. group home, foster	81	12,338
homes, etc.) # Children Abused	92	15 510
# Cilidren Abused	83	15,518

U.S. Census Bureau, Small Area Estimates Branch, 2007 US Census Bureau, Population Estimates Program, 2007

KY Vital Statistics, Preliminary 2007

PedNSS, 2007 is based on children that receive Women, Infant, and Children Services (WIC)

Kentucky Kids Count, 2007

Notes: 1. Number of children enrolled in Medicaid reflects the average monthly number of those enrolled. 2. Infant mortality rate is number of infants deaths/number of live births from 2004-2006.

### **Top of Page**

## **County Profile: Campbell County**

Reporting Period: January 1, 2007 December 31, 2007		
Indicator	Campbell	KY
Total Live Births	1 101	59,343
# of Childbearing Women (15-44)	1,181	863,716
	17,834	
# of Children (<18)	20,756	1,004,174
Maternal Race/Ethnicity (%)		
White	93.9	85.5
Black	2.1	9.3
Asian/Pacific Islander	1.2	1.6
Other	2.8	3.7
Hispanic	2.8	5.2
Maternal Characteristics (%)		
Mother's Age <18	4.0	3.8
Mother's Age >=35	9.1	7.1
Mother < High School Education	16.2	21.4
Repeat Births to Teens	3.7	5.1
Repeat births <12months from previous birth	17.2	16.1
MCH SES Indicators		
Children Living in Poverty	13.9	23.6
# of Children Enrolled in Medicaid	4,655	346,798
Median household income	34,121	40,299
Delivery Payment Source (%)		
Medicaid	40.7	43.6
Private	55.6	44.7
Other	3.7	11.8
Prenatal Care Entry (%)		
First Trimester Prenatal Care	68.7	72.5
Second Trimester Prenatal Care	23.8	21.3
Third Trimester Prenatal Care	4.8	4.5
No Prenatal Care	2.7	1.7
Adverse Birth Outcomes Risk Factors (%)		
Gestational Hypertension	5.1	6.2
Gestational Diabetes	5.1	4.4
Pre-Pregnancy Obesity		28.3
110 110 Gilling Occord	22.4	20.5

Pre-Pregnancy Underweight	6.3	5.1
Smoking During Pregnancy	24.9	25.1
Adverse Birth Outcomes (%)		
Low Birth Weight (<2500g)	7.2	9.3
Very Low Birth Weight (<1500g)	1.2	1.7
Preterm Births (<37 weeks)	13.3	15.1
Late Preterm Births (34-36 weeks)	68.8	71.8
Infant Mortality (Rate per 1,000 live births)	11.6	7.1
Method of Delivery (%)		
Vaginal Deliveries	68.4	65.3
Total C-Section Deliveries	31.6	34.7
Repeat C-Section	11.8	11.5
Post-natal Nutrition		
Breastfeeding initiation (%)	52.0	53.6
WIC Participation (%)	34.3	49.7
Children Indicators		
# of WIC Children 2-5 years	760	57,117
Overweight (85 <sup>th</sup> - <95 <sup>th</sup> ) WIC Children 2-5 years (%)	11.8	16.4
Obese (>=95 <sup>th</sup> ) WIC Children 2-5 years (%)	8.4	15.6
# Children Living in out-of-home Care(i.e. group home, foster	490	12,338
homes, etc.)		
# Children Abused	162	15,518

U.S. Census Bureau, Small Area Estimates Branch, 2007

US Census Bureau, Population Estimates Program, 2007

KY Vital Statistics, Preliminary 2007

PedNSS, 2007 is based on children that receive Women, Infant, and Children Services (WIC)

Kentucky Kids Count, 2007

Notes: 1. Number of children enrolled in Medicaid reflects the average monthly number of those enrolled. 2. Infant mortality rate is number of infants deaths/number of live births from 2004-2006.

### **Top of Page**

## **County Profile: Carlisle County**

Indicator	Carlisle	KY
Total Live Births	66	59,343
# of Childbearing Women (15-44)	917	863,716
# of Children (<18)	1,135	1,004,174
Maternal Race/Ethnicity (%)		
White	98.5	85.5
Black	0	9.3
Asian/Pacific Islander	0	1.6
Other	1.5	3.7
Hispanic	4.6	5.2

Maternal Characteristics (%)		
Maternal Characteristics (%)		2.9
Mother's Age <18	1.5	3.8 7.1
Mother's Age >=35	9.2	21.4
Mother < High School Education	20.0	5.1
Repeat Births to Teens  Repeat births of 2 months from provious birth	1.5	5.1 16.1
Repeat births <12months from previous birth	18.5	10.1
MCH SES Indicators		
Children Living in Poverty	23.6	23.6
# of Children Enrolled in Medicaid	376	346,798
# Of Children Embled in Wedleard	370	340,770
Median household income	34,121	40,299
Delivery Payment Source (%)		
Medicaid	43.1	43.6
Private	49.2	44.7
Other	7.7	11.8
Prenatal Care Entry (%)		
First Trimester Prenatal Care	78.1	72.5
Second Trimester Prenatal Care	15.6	21.3
Third Trimester Prenatal Care	3.1	4.5
No Prenatal Care	3.1	1.7
Adverse Birth Outcomes Biok Foctors (9/)		
Adverse Birth Outcomes Risk Factors (%)	4.5.0	6.2
Gestational Hypertension Gestational Diabetes	16.9	6.2
	1.5	4.4
Pre-Pregnancy Obesity	33.9	28.3
Pre-Pregnancy Underweight	1.5	5.1
Smoking During Pregnancy	13.9	25.1
Adverse Birth Outcomes (%)		
Adverse Birth Outcomes (%) Low Birth Weight (<2500g)	12.2	9.3
Very Low Birth Weight (<1500g)	12.3	
3	0	1.7
Preterm Births (<37 weeks)	21.5	15.1
Late Preterm Births (34-36 weeks)	71.4	71.8
Infant Mortality (Rate per 1,000 live births)	0.0	7.1
Method of Delivery (9/)		
Method of Delivery (%)		(5.2
Vaginal Deliveries	67.7	65.3
Total C-Section Deliveries	32.3	34.7
Repeat C-Section	9.2	11.5
Post notel Nutrition		
Post-natal Nutrition		52.6
Breastfeeding initiation (%)	58.5	53.6
WIC Participation (%)	50.8	49.7
Ol Tillian In Proteins		
Children Indicators		
# of WIC Children 2-5 years	107	57,117
Overweight (85 <sup>th</sup> - <95 <sup>th</sup> ) WIC Children 2-5 years (%)	21.5	16.4
Obese (>=95 <sup>th</sup> ) WIC Children 2-5 years (%)	15.0	15.6
# Children Living in out-of-home Care(i.e. group home, foster	3	12,338
homes, etc.)		
# Children Abused	25	15,518
	·	

U.S. Census Bureau, Small Area Estimates Branch, 2007 US Census Bureau, Population Estimates Program, 2007 KY Vital Statistics, Preliminary 2007

PedNSS, 2007 is based on children that receive Women, Infant, and Children Services (WIC)

Kentucky Kids Count, 2007

Notes: 1. Number of children enrolled in Medicaid reflects the average monthly number of those enrolled. 2. Infant mortality rate is number of infants deaths/number of live births from 2004-2006.

### **Top of Page**

# **County Profile: Carroll County**

Reporting Period: January 1, 2007- December 31, 2007 Indicator	Carroll	KY
Total Live Births	176	59,343
# of Childbearing Women (15-44)	2,072	863,716
# of Children (<18)	2,599	1,004,174
Maternal Race/Ethnicity (%)		
White	88.9	85.5
Black	2.5	9.3
Asian/Pacific Islander	0	1.6
Other	8.6	3.7
Hispanic	11.7	5.2
Maternal Characteristics (%)		
Mother's Age <18	5.6	3.8
Mother's Age >=35	3.7	7.1
Mother < High School Education	30.3	21.4
Repeat Births to Teens	6.6	5.1
Repeat Births <12Months From Previous Birth	19.1	16.1
MCH SES Indicators		
Children Living in Poverty (%)	22.7	23.6
# of Children Enrolled in Medicaid	912	346,798
Median Household Income	42,058	40,299
Delivery Payment Source (%)		
Medicaid	54.9	43.6
Private	35.8	44.7
Other	9.3	11.8
Prenatal Care Entry (%)		
First Trimester Prenatal Care	67.7	72.5
Second Trimester Prenatal Care	26.4	21.3
Third Trimester Prenatal Care	4.8	4.5
No Prenatal Care	1.2	1.7
Adverse Birth Outcomes Risk Factors (%)		
Gestational Hypertension	10.5	6.2
Gestational Diabetes	6.2	4.4
Pre-Pregnancy Obesity	24.7	28.3
Pre-Pregnancy Underweight	8.0	5.1

Smoking During Pregnancy	36.4	25.1
Adverse Birth Outcomes (%)		
Low Birth Weight (<2500g)	9.3	9.3
Very Low Birth Weight (<1500g)	1.2	1.7
Preterm Births (<37 weeks)	17.3	15.1
Late Preterm Births (34-36 weeks)	75.9	71.8
Infant Mortality (Rate per 1,000 live births)	0.0	7.1
Method of Delivery (%)		
Vaginal Deliveries	67.3	65.3
Total C-Section Deliveries	32.7	34.7
Repeat C-Section	13.0	11.5
Post-natal Nutrition		
Breastfeeding initiation (%)	44.4	53.6
WIC Participation (%)	61.1	49.7
Children Indicators		
# of WIC Children 2-5 years	229	57,117
Overweight (85 <sup>th</sup> - <95 <sup>th</sup> ) WIC Children 2-5 years (%)	16.2	16.4
Obese (>=95 <sup>th</sup> ) WIC Children 2-5 years (%)	13.5	15.6
# Children Living in out-of-home Care (i.e. group home, foster homes, etc)	18	12,338
# Children Abused	46	15,518

U.S. Census Bureau, Small Area Estimates Branch, 2007

US Census Bureau, Population Estimates Program, 2007

KY Vital Statistics, Preliminary 2007

PedNSS, 2007 is based on children that receive Women, Infant, and Children Services (WIC)

Kentucky Kids Count, 2007

Notes: 1. Number of children enrolled in Medicaid reflects the average monthly number of those enrolled. 2. Infant mortality rate is number of infants deaths/number of live births from 2004-2006.

### **Top of Page**

# **County Profile: Carter County**

Indicator	Carter	KY
Total Live Births	372	50 242
		59,343
# of Childbearing Women (15-44)	5,740	863,716
# of Children (<18)	6,513	1,004,174
Maternal Race/Ethnicity (%)		
White	96.6	85.5
Black	0.6	9.3
Asian/Pacific Islander	0.3	1.6
Other	2.5	3.7
Hispanic	2.2	5.2
Maternal Characteristics (%)		
Mother's Age <18	4.0	3.8

Mother's Age >=35	4.2	7.1
Mother < High School Education	4.3	7.1 21.4
Repeat Births to Teens	21.8	5.1
Repeat Births <12Months From Previous Birth	3.6	16.1
Repeat Births <12 Months From Previous Birth	14.2	10.1
MCH SES Indicators		
Children Living in Poverty (%)	29.1	23.6
# of Children Enrolled in Medicaid	3,378	346,798
Median Household Income	32,281	40,299
Median Household Income	32,201	10,277
Delivery Payment Source (%)		
Medicaid	68.1	43.6
Private	27.9	44.7
Other	4.0	11.8
Prenatal Care Entry (%)		
First Trimester Prenatal Care	73.1	72.5
Second Trimester Prenatal Care	17.1	21.3
Third Trimester Prenatal Care	6.6	4.5
No Prenatal Care	3.3	1.7
Adverse Birth Outcomes Risk Factors (%)		
Gestational Hypertension	7.3	6.2
Gestational Diabetes	0.9	4.4
Pre-Pregnancy Obesity	32.1	28.3
Pre-Pregnancy Underweight	7.3	5.1
Smoking During Pregnancy	37.6	25.1
Adverse Birth Outcomes (%)		
Low Birth Weight (<2500g)	8.8	9.3
Very Low Birth Weight (<1500g)	0.6	1.7
Preterm Births (<37 weeks)	22.7	15.1
Late Preterm Births (34-36 weeks)	76.0	71.8
Infant Mortality (Rate per 1,000 live births)	8.2	7.1
Method of Delivery (%)		
Vaginal Deliveries	64.6	65.3
Total C-Section Deliveries	35.5	34.7
Repeat C-Section	10.9	11.5
	1017	
Post-natal Nutrition		
Breastfeeding initiation (%)	39.1	53.6
WIC Participation (%)	75.2	49.7
	13.4	
Children Indicators		
# of WIC Children 2-5 years	629	57,117
Overweight (85 <sup>th</sup> - <95 <sup>th</sup> ) WIC Children 2-5 years (%)	16.1	16.4
Obese (>=95 <sup>th</sup> ) WIC Children 2-5 years (%)	17.3	15.6
# Children Living in out-of-home Care (i.e. group home, foster	88	12,338
homes, etc)	00	12,550
# Children Abused	200	15,518
		· · · · · · · · · · · · · · · · · · ·

U.S. Census Bureau, Small Area Estimates Branch, 2007 US Census Bureau, Population Estimates Program, 2007 KY Vital Statistics, Preliminary 2007 PedNSS, 2007 is based on children that receive Women, Infant, and Children Services (WIC) Kentucky Kids Count, 2007

Notes: 1. Number of children enrolled in Medicaid reflects the average monthly number of those enrolled. 2. Infant mortality rate is number of infants deaths/number of live births from 2004-2006.

### **Top of Page**

# **County Profile: Casey County**

Reporting Period: January 1, 2007- December 31, 2007		
Indicator	Casey	KY
Total Live Births	181	59,343
# of Childbearing Women (15-44)	3,229	863,716
# of Children (<18)	3,724	1,004,174
Maternal Race/Ethnicity (%)		
White	95.6	85.5
Black	0	9.3
Asian/Pacific Islander	0	1.6
Other	4.4	3.7
Hispanic	5.6	5.2
Maternal Characteristics (%)		
Mother's Age <18	5.0	3.8
Mother's Age >=35	6.1	7.1
Mother < High School Education	36.7	21.4
Repeat Births to Teens	3.9	5.1
Repeat Births <12Months From Previous Birth	19.9	16.1
MCH SES Indicators		
Children Living in Poverty (%)	36.0	23.6
# of Children Enrolled in Medicaid	1,776	346,798
Median Household Income	27,366	40,299
Delivery Payment Source (%)		
Medicaid	59.4	43.6
Private	22.2	44.7
Other	18.3	11.8
Prenatal Care Entry (%)		
First Trimester Prenatal Care	64.7	72.5
Second Trimester Prenatal Care	24.9	21.3
Third Trimester Prenatal Care	8.7	4.5
No Prenatal Care	1.7	1.7
Adverse Birth Outcomes Risk Factors (%)		
Gestational Hypertension	4.5	6.2
Gestational Diabetes	4.5	4.4
Pre-Pregnancy Obesity	22.4	28.3
Pre-Pregnancy Underweight	11.2	5.1
Smoking During Pregnancy	30.7	25.1
Adverse Birth Outcomes (%)		
Low Birth Weight (<2500g)	10.6	9.3

Very Low Birth Weight (<1500g)	2.2	1.7
Preterm Births (<37 weeks)	15.5	15.1
Late Preterm Births (34-36 weeks)	67.9	71.8
Infant Mortality (Rate per 1,000 live births)	10.7	7.1
Method of Delivery (%)		
Vaginal Deliveries	64.8	65.3
Total C-Section Deliveries	35.2	34.7
Repeat C-Section	9.5	11.5
Post-natal Nutrition		
Breastfeeding initiation (%)	45.8	53.6
WIC Participation (%)	64.8	49.7
Children Indicators		
# of WIC Children 2-5 years	290	57,117
Overweight (85 <sup>th</sup> - <95 <sup>th</sup> ) WIC Children 2-5 years (%)	20.7	16.4
Obese (>=95 <sup>th</sup> ) WIC Children 2-5 years (%)	15.2	15.6
# Children Living in out-of-home Care (i.e. group home, foster	5	12,338
homes, etc)	40	15 510
# Children Abused	48	15,518

U.S. Census Bureau, Small Area Estimates Branch, 2007

US Census Bureau, Population Estimates Program, 2007

KY Vital Statistics, Preliminary 2007

PedNSS, 2007 is based on children that receive Women, Infant, and Children Services (WIC)

Kentucky Kids Count, 2007

Notes: 1. Number of children enrolled in Medicaid reflects the average monthly number of those enrolled. 2. Infant mortality rate is number of infants deaths/number of live births from 2004-2006.

### **Top of Page**

## **County Profile: Christian County**

Indicator	Christian	KY
Total Live Births	1,665	59,343
# of Childbearing Women (15-44)	16,369	863,716
# of Children (<18)	25,705	1,004,174
Maternal Race/Ethnicity (%)		
White	71.9	85.5
Black	19.7	9.3
Asian/Pacific Islander	1.8	1.6
Other	6.6	3.7
Hispanic	8.7	5.2
Maternal Characteristics (%)		
Mother's Age <18	3.0	3.8
Mother's Age >=35	4.1	7.1
Mother < High School Education	16.2	21.4
Repeat Births to Teens	4.3	5.1
Repeat Births <12Months From Previous Birth	18.5	16.1

MCH SES Indicators Children Living in Poverty (%)	27.4	23.6
# of Children Enrolled in Medicaid	5,733	346,798
Median Household Income	37,632	40,299
	,	
Delivery Payment Source (%)		
Medicaid	28.8	43.6
Private	17.9	44.7
Other	53.3	11.8
Prenatal Care Entry (%)		
First Trimester Prenatal Care	75.7	72.5
Second Trimester Prenatal Care	19.3	21.3
Third Trimester Prenatal Care	4.5	4.5
No Prenatal Care	0.6	1.7
	0.0	
Adverse Birth Outcomes Risk Factors (%)		
Gestational Hypertension	4.7	6.2
Gestational Diabetes	4.1	4.4
Pre-Pregnancy Obesity	26.9	28.3
Pre-Pregnancy Underweight	5.3	5.1
Smoking During Pregnancy	18.8	25.1
Adverse Birth Outcomes (%)		
Low Birth Weight (<2500g)	9.0	9.3
Very Low Birth Weight (<1500g)	1.9	1.7
Preterm Births (<37 weeks)	16.2	15.1
Late Preterm Births (34-36 weeks)	75.0	71.8
Infant Mortality (Rate per 1,000 live births)	6.0	7.1
,		
Method of Delivery (%)		
Vaginal Deliveries	68.1	65.3
Total C-Section Deliveries	31.9	34.7
Repeat C-Section	8.8	11.5
Post-natal Nutrition		
Breastfeeding initiation (%)	39.3	53.6
WIC Participation (%)	64.3	49.7
Children Indicators		
# of WIC Children 2-5 years	1,962	57,117
Overweight (85 <sup>th</sup> - <95 <sup>th</sup> ) WIC Children 2-5 years (%)	11.3	16.4
Obese (>=95 <sup>th</sup> ) WIC Children 2-5 years (%)	7.7	15.6
# Children Living in out-of-home Care (i.e. group home, foster	105	12,338
homes, etc)	103	12,550
# Children Abused	145	15,518

U.S. Census Bureau, Small Area Estimates Branch, 2007

US Census Bureau, Population Estimates Program, 2007

KY Vital Statistics, Preliminary 2007

PedNSS, 2007 is based on children that receive Women, Infant, and Children Services (WIC)

Kentucky Kids Count, 2007

Notes: 1. Number of children enrolled in Medicaid reflects the average monthly number of those enrolled. 2. Infant mortality rate is number of infants deaths/number of live births from 2004-2006.

#### **Top of Page**

# **County Profile: Clark County**

Indicator	Clark	KY
Total Live Births	460	59,343
# of Childbearing Women (15-44)	7,382	863,716
# of Children (<18)		1,004,174
# Of Children (<10)	8,351	1,004,174
Maternal Race/Ethnicity (%)		
White	91.9	85.5
Black	4.4	9.3
Asian/Pacific Islander	0.9	1.6
Other	2.8	3.7
Hispanic	3.5	5.2
Maternal Characteristics (%)		
Mother's Age <18	2.8	3.8
Mother's Age >=35	6.6	7.1
Mother < High School Education	21.4	21.4
Repeat Births to Teens	3.7	5.1
Repeat Births <12Months From Previous Birth	21.3	16.1
MCH SES Indicators		
Children Living in Poverty (%)	21.8	23.6
# of Children Enrolled in Medicaid	2,938	346,798
Median Household Income	46,190	40,299
Delivery Payment Source (%)		
Medicaid	48.7	43.6
Private	48.7	44.7
Other	2.6	11.8
Prenatal Care Entry (%)		
First Trimester Prenatal Care	83.4	72.5
Second Trimester Prenatal Care	13.7	21.3
Third Trimester Prenatal Care	2.7	4.5
No Prenatal Care	0.2	1.7
Adverse Birth Outcomes Risk Factors (%)		
Gestational Hypertension	6.6	6.2
Gestational Diabetes	6.8	4.4
Pre-Pregnancy Obesity	30.3	28.3
Pre-Pregnancy Underweight	5.5	5.1
Smoking During Pregnancy	27.0	25.1
Adverse Birth Outcomes (%)		
Low Birth Weight (<2500g)	12.2	9.3
Very Low Birth Weight (<1500g)	12.3	1.7
Preterm Births (<37 weeks)	2.4	15.1
1 ICICIIII DIIIIIS ( > / WCCAS)	20.4	13.1

Late Preterm Births (34-36 weeks)	75.5	71.8
Infant Mortality (Rate per 1,000 live births)	8.9	7.1
Method of Delivery (%)		
Vaginal Deliveries	62.9	65.3
Total C-Section Deliveries	37.1	34.7
Repeat C-Section	12.8	11.5
Post-natal Nutrition		
Breastfeeding initiation (%)	16.1	53.6
	46.4	
WIC Participation (%)	52.1	49.7
Children Indicators		
# of WIC Children 2-5 years	415	57,117
Overweight (85 <sup>th</sup> - <95 <sup>th</sup> ) WIC Children 2-5 years (%)	22.4	16.4
Obese (>=95 <sup>th</sup> ) WIC Children 2-5 years (%)	21.2	15.6
# Children Living in out-of-home Care (i.e. group home, foster	94	12,338
homes, etc)		
# Children Abused	79	15,518

U.S. Census Bureau, Small Area Estimates Branch, 2007

US Census Bureau, Population Estimates Program, 2007

KY Vital Statistics, Preliminary 2007

PedNSS, 2007 is based on children that receive Women, Infant, and Children Services (WIC)

Kentucky Kids Count, 2007

Notes: 1. Number of children enrolled in Medicaid reflects the average monthly number of those enrolled. 2. Infant mortality rate is number of infants deaths/number of live births from 2004-2006.

#### **Top of Page**

## **County Profile: Clay County**

Indicator	Clay	KY
Total Live Births	307	59,343
# of Childbearing Women (15-44)	4,742	863,716
# of Children (<18)	5,372	1,004,174
Maternal Race/Ethnicity (%)		
White	99.0	85.5
Black	0.3	9.3
Asian/Pacific Islander	0	1.6
Other	0.7	3.7
Hispanic	0.7	5.2
Maternal Characteristics (%)		
Mother's Age <18	7.2	3.8
Mother's Age >=35	6.3	7.1
Mother < High School Education	42.4	21.4
Repeat Births to Teens	5.9	5.1
Repeat Births <12Months From Previous Birth	11.5	16.1
MCH SES Indicators		

Children Living in Poverty (%)	50.0	23.6
# of Children Enrolled in Medicaid	3,475	346,798
Median Household Income	20,999	40,299
Delivery Payment Source (%)		
Medicaid	80.8	43.6
Private	16.9	44.7
Other	2.3	11.8
Prenatal Care Entry (%)		
First Trimester Prenatal Care	74.0	72.5
Second Trimester Prenatal Care	20.9	21.3
Third Trimester Prenatal Care	3.4	4.5
No Prenatal Care	1.7	1.7
110 Fichatal Care	1.7	1.,
Adverse Birth Outcomes Risk Factors (%)		
Gestational Hypertension	11.9	6.2
Gestational Diabetes	6.3	4.4
Pre-Pregnancy Obesity	33.0	28.3
Pre-Pregnancy Underweight	5.6	5.1
Smoking During Pregnancy	47.9	25.1
Adverse Birth Outcomes (%)		
Low Birth Weight (<2500g)	12.9	9.3
Very Low Birth Weight (<1500g)	1.3	1.7
Preterm Births (<37 weeks)	21.0	15.1
Late Preterm Births (34-36 weeks)	82.8	71.8
Infant Mortality (Rate per 1,000 live births)	7.0	7.1
Method of Delivery (%)		
Vaginal Deliveries	53.1	65.3
Total C-Section Deliveries	46.9	34.7
Repeat C-Section		11.5
repetit & Section	17.5	11.5
Post-natal Nutrition		
Breastfeeding initiation (%)	19.5	53.6
WIC Participation (%)	84.8	49.7
1 ,	01.0	
Children Indicators		
# of WIC Children 2-5 years	593	57,117
Overweight (85 <sup>th</sup> - <95 <sup>th</sup> ) WIC Children 2-5 years (%)	21.4	16.4
Obese (>=95 <sup>th</sup> ) WIC Children 2-5 years (%)	21.1	15.6
# Children Living in out-of-home Care (i.e. group home, foster	185	12,338
homes, etc)	127	15.510
# Children Abused	137	15,518

U.S. Census Bureau, Small Area Estimates Branch, 2007

US Census Bureau, Population Estimates Program, 2007

KY Vital Statistics, Preliminary 2007

PedNSS, 2007 is based on children that receive Women, Infant, and Children Services (WIC)

Kentucky Kids Count, 2007

# **County Profile: Clinton County**

Indicator	Clinton	KY
Total Live Births	154	59,343
# of Childbearing Women (15-44)	1,798	863,716
# of Children (<18)	2,105	1,004,174
Maternal Race/Ethnicity (%)		
White	87.5	85.5
Black	3.3	9.3
Asian/Pacific Islander	0.7	1.6
Other	8.6	3.7
Hispanic	9.2	5.2
Maternal Characteristics (%)		
Mother's Age < 18	4.6	3.8
Mother's Age >=35	7.2	7.1
Mother < High School Education	35.5	21.4
Repeat Births to Teens	5.9	5.1
Repeat Births <12Months From Previous Birth	11.1	16.1
MCH SES Indicators		
Children Living in Poverty (%)	36.8	23.6
# of Children Enrolled in Medicaid	1,299	346,798
Median Household Income	25,677	40,299
Delivery Payment Source (%)		
Medicaid	71.1	43.6
Private	17.8	44.7
Other	11.2	11.8
Prenatal Care Entry (%)		
First Trimester Prenatal Care	74.0	72.5
Second Trimester Prenatal Care	20.6	21.3
Third Trimester Prenatal Care	4.8	4.5
No Prenatal Care	0.7	1.7
Adverse Birth Outcomes Risk Factors (%)		
Gestational Hypertension	4.7	6.2
Gestational Diabetes	4.0	4.4
Pre-Pregnancy Obesity	30.2	28.3
Pre-Pregnancy Underweight	8.7	5.1
Smoking During Pregnancy	35.6	25.1
Adverse Birth Outcomes (%)		
Low Birth Weight (<2500g)	10.1	9.3
Very Low Birth Weight (<1500g)	0	1.7
Preterm Births (<37 weeks)	12.4	15.1
Late Preterm Births (34-36 weeks)	89.5	71.8
Infant Mortality (Rate per 1,000 live births)	2.6	7.1

Method of Delivery (%)		
Vaginal Deliveries	72.5	65.3
Total C-Section Deliveries	27.5	34.7
Repeat C-Section	10.7	11.5
Post-natal Nutrition		
Breastfeeding initiation (%)	34.9	53.6
WIC Participation (%)	81.9	49.7
Children Indicators		
# of WIC Children 2-5 years	272	57,117
Overweight (85 <sup>th</sup> - <95 <sup>th</sup> ) WIC Children 2-5 years (%)	19.1	16.4
Obese (>=95 <sup>th</sup> ) WIC Children 2-5 years (%)	21.0	15.6
# Children Living in out-of-home Care (i.e. group home, foster	37	12,338
homes, etc)		
# Children Abused	27	15,518

U.S. Census Bureau, Small Area Estimates Branch, 2007

US Census Bureau, Population Estimates Program, 2007

KY Vital Statistics, Preliminary 2007

PedNSS, 2007 is based on children that receive Women, Infant, and Children Services (WIC)

Kentucky Kids Count, 2007

Notes: 1. Number of children enrolled in Medicaid reflects the average monthly number of those enrolled. 2. Infant mortality rate is number of infants deaths/number of live births from 2004-2006.

### **Top of Page**

## **County Profile: Crittenden County**

Indicator	Crittenden	KY
The Late Control of the Control of t	120	50.242
Total Live Births	120	59,343
# of Childbearing Women (15-44)	1,685	863,716
# of Children (<18)	1,919	1,004,174
Maternal Race/Ethnicity (%)		
White	99.2	85.5
Black	0	9.3
Asian/Pacific Islander	0	1.6
Other	0.8	3.7
Hispanic	0	5.2
Maternal Characteristics (%)		
Mother's Age <18	3.3	3.8
Mother's Age >=35	8.3	7.1
Mother < High School Education	26.7	21.4
Repeat Births to Teens	4.2	5.1
Repeat Births <12Months From Previous Birth	23.3	16.1
MCH SES Indicators		
Children Living in Poverty (%)	31.3	23.6
# of Children Enrolled in Medicaid	668	346,798
Median Household Income	33,804	40,299

Delivery Payment Source (%)		
Medicaid	56.7	43.6
Private	31.7	44.7
Other	1.7	11.8
Prenatal Care Entry (%)		
First Trimester Prenatal Care	68.9	72.5
Second Trimester Prenatal Care	17.7	21.3
Third Trimester Prenatal Care	8.4	4.5
No Prenatal Care	5.0	1.7
Adverse Birth Outcomes Risk Factors (%)		
Gestational Hypertension	3.3	6.2
Gestational Diabetes	5.8	4.4
Pre-Pregnancy Obesity	30.8	28.3
Pre-Pregnancy Underweight	5.0	5.1
Smoking During Pregnancy	30.8	25.1
Adverse Birth Outcomes (%)		
Low Birth Weight (<2500g)	9.2	9.3
Very Low Birth Weight (<1500g)	2.5	1.7
Preterm Births (<37 weeks)	18.3	15.1
Late Preterm Births (34-36 weeks)	68.2	71.8
Infant Mortality (Rate per 1,000 live births)	6.2	7.1
Method of Delivery (%)		
Vaginal Deliveries	69.2	65.3
Total C-Section Deliveries	30.8	34.7
Repeat C-Section	13.3	11.5
Post-natal Nutrition		
Breastfeeding initiation (%)	52.5	53.6
WIC Participation (%)	56.7	49.7
Children Indicators		
# of WIC Children 2-5 years	143	57,117
Overweight (85 <sup>th</sup> - <95 <sup>th</sup> ) WIC Children 2-5 years (%)	18.2	16.4
Obese (>=95 <sup>th</sup> ) WIC Children 2-5 years (%)	9.8	15.6
# Children Living in out-of-home Care (i.e. group home, foster	14	12,338
homes, etc)		
# Children Abused	40	15,518

U.S. Census Bureau, Small Area Estimates Branch, 2007

US Census Bureau, Population Estimates Program, 2007

KY Vital Statistics, Preliminary 2007

PedNSS, 2007 is based on children that receive Women, Infant, and Children Services (WIC)

Kentucky Kids Count, 2007

# **County Profile: Cumberland County**

Indicator	Cumberland	KY
Total Live Births	100	59,343
# of Childbearing Women (15-44)	1,274	863,716
# of Children (<18)	1,475	1,004,174
" of Children (NTO)	1,473	1,004,174
Maternal Race/Ethnicity (%)		
White	95.7	85.5
Black	2.1	9.3
Asian/Pacific Islander	0	1.6
Other	2.1	3.7
Hispanic	2.1	5.2
Maternal Characteristics (%)		
Mother's Age <18	8.5	3.8
Mother's Age >=35	2.1	7.1
Mother < High School Education	25.5	21.4
Repeat Births to Teens	7.5	5.1
Repeat Births <12Months From Previous Birth	14.9	16.1
MCH SES Indicators		
Children Living in Poverty (%)	36.0	23.6
# of Children Enrolled in Medicaid	742	346,798
Median Household Income	26,584	40,299
Delivery Payment Source (%)		
Medicaid	72.3	43.6
Private	22.3	44.7
Other	5.3	11.8
Prenatal Care Entry (%)		
First Trimester Prenatal Care	63.4	72.5
Second Trimester Prenatal Care	34.4	21.3
Third Trimester Prenatal Care	1.1	4.5
No Prenatal Care	1.1	1.7
Adverse Birth Outcomes Risk Factors (%)		
Gestational Hypertension	4.3	6.2
Gestational Diabetes		4.4
Pre-Pregnancy Obesity	7.5	28.3
Pre-Pregnancy Underweight	34.0	5.1
Smoking During Pregnancy	5.3 26.6	25.1
Adverse Birth Outcomes (%)		
Low Birth Weight (<2500g)	18.1	9.3
Very Low Birth Weight (<1500g)	1.1	1.7
Preterm Births (<37 weeks)	18.1	15.1
Late Preterm Births (34-36 weeks)	82.4	71.8
Infant Mortality (Rate per 1,000 live births)	16.3	7.1

Method of Delivery (%)		
Vaginal Deliveries	72.3	65.3
Total C-Section Deliveries	27.7	34.7
Repeat C-Section	8.5	11.5
Post-natal Nutrition		
Breastfeeding initiation (%)	35.1	53.6
WIC Participation (%)	80.9	49.7
Children Indicators		
# of WIC Children 2-5 years	162	57,117
Overweight (85 <sup>th</sup> - <95 <sup>th</sup> ) WIC Children 2-5 years (%)	11.7	16.4
Obese (>=95 <sup>th</sup> ) WIC Children 2-5 years (%)	16.0	15.6
# Children Living in out-of-home Care (i.e. group home, foster	6	12,338
homes, etc)		
# Children Abused	21	15,518

U.S. Census Bureau, Small Area Estimates Branch, 2007

US Census Bureau, Population Estimates Program, 2007

KY Vital Statistics, Preliminary 2007

PedNSS, 2007 is based on children that receive Women, Infant, and Children Services (WIC)

Kentucky Kids Count, 2007

Notes: 1. Number of children enrolled in Medicaid reflects the average monthly number of those enrolled. 2. Infant mortality rate is number of infants deaths/number of live births from 2004-2006.

### **Top of Page**

## **County Profile: Daviess County**

Indicator	Daviess	KY
Total Live Births	1,393	59,343
# of Childbearing Women (15-44)	18,052	863,716
# of Children (<18)	23,060	1,004,174
Maternal Race/Ethnicity (%)		
White	89.5	85.5
Black	6.3	9.3
Asian/Pacific Islander	0.8	1.6
Other	3.4	3.7
Hispanic	4.0	5.2
Maternal Characteristics (%)		
Mother's Age <18	4.2	3.8
Mother's Age >=35	5.9	7.1
Mother < High School Education	16.5	21.4
Repeat Births to Teens	4.3	5.1
Repeat Births <12Months From Previous Birth	19.1	16.1
MCH SES Indicators		
Children Living in Poverty (%)	22.8	23.6
# of Children Enrolled in Medicaid	7,673	346,798
Median Household Income	42,586	40,299

Medicaid       46.1       43.6         Private       47.7       44.7         Other       6.2       11.8         Prenatal Care Entry (%)         First Trimester Prenatal Care       61.0       72.5         Second Trimester Prenatal Care       33.8       21.3         Third Trimester Prenatal Care       4.4       4.5         No Prenatal Care       0.7       1.7         Adverse Birth Outcomes Risk Factors (%)       8.7       6.2         Gestational Diabetes       4.6       4.4         Pre-Pregnancy Obesity       25.9       28.3         Pre-Pregnancy Underweight       5.2       5.1         Smoking During Pregnancy       23.7       25.1         Adverse Birth Outcomes (%)       8.2       9.3         Low Birth Weight (<500g)       8.2       9.3         Very Low Birth Weight (<1500g)       1.1       1.7         Preterm Births (<37 weeks)       16.1       15.1         Late Preterm Births (<37 weeks)       79.3       71.8         Infant Mortality (Rate per 1,000 live births)       6.7       7.1         Method of Delivery (%)         Vaginal Deliveries       38.9       34.7         Repeat C-Section Deliveries </th <th>Delivery Payment Source (%)</th> <th></th> <th></th>	Delivery Payment Source (%)		
Private         47.7         44.7           Other         6.2         11.8           Prenatal Care Entry (%)		46.1	43.6
Other	Private		44.7
First Trimester Prenatal Care Second Trimester Prenatal Care Second Trimester Prenatal Care Second Trimester Prenatal Care 33.8 21.3 Third Trimester Prenatal Care 4.4 4.5 No Prenatal Care 0.7 1.7  Adverse Birth Outcomes Risk Factors (%) Gestational Hypertension 8.7 6.2 Gestational Diabetes 4.6 4.4 Pre-Pregnancy Obesity 25.9 28.3 Pre-Pregnancy Underweight 5.2 5.1 Smoking During Pregnancy 23.7 25.1  Adverse Birth Outcomes (%) Low Birth Weight (<2500g) 8.2 Very Low Birth Weight (<1500g) 1.1 1.7 Preterm Births (≺37 weeks) 16.1 15.1 Late Preterm Births (≺37 weeks) 17.1  Method of Delivery (%) Vaginal Deliveries 61.1 65.3 Total C-Section Deliveries 38.9 34.7 Repeat C-Section Deliveries 38.9  Post-natal Nutrition Breastfeeding initiation (%) 54.3 S3.6 WIC Participation (%) 54.3 S3.6 WIC Participation (%) 54.3 S3.6 VIC Children Indicators # of WIC Children 2-5 years (%) 18.7 16.4 Obese (>=95th) WIC Children 2-5 years (%) 14.6  15.6	Other		11.8
First Trimester Prenatal Care Second Trimester Prenatal Care Second Trimester Prenatal Care Second Trimester Prenatal Care 33.8 21.3 Third Trimester Prenatal Care 4.4 4.5 No Prenatal Care 0.7 1.7  Adverse Birth Outcomes Risk Factors (%) Gestational Hypertension 8.7 6.2 Gestational Diabetes 4.6 4.4 Pre-Pregnancy Obesity 25.9 28.3 Pre-Pregnancy Underweight 5.2 5.1 Smoking During Pregnancy 23.7 25.1  Adverse Birth Outcomes (%) Low Birth Weight (<2500g) 8.2 Very Low Birth Weight (<1500g) 1.1 1.7 Preterm Births (≺37 weeks) 16.1 15.1 Late Preterm Births (≺37 weeks) 17.1  Method of Delivery (%) Vaginal Deliveries 61.1 65.3 Total C-Section Deliveries 38.9 34.7 Repeat C-Section Deliveries 38.9  Post-natal Nutrition Breastfeeding initiation (%) 54.3 S3.6 WIC Participation (%) 54.3 S3.6 WIC Participation (%) 54.3 S3.6 VIC Children Indicators # of WIC Children 2-5 years (%) 18.7 16.4 Obese (>=95th) WIC Children 2-5 years (%) 14.6  15.6			
Second Trimester Prenatal Care   33.8   21.3   Third Trimester Prenatal Care   4.4   4.5   No Prenatal Care   0.7   1.7	Prenatal Care Entry (%)		
Third Trimester Prenatal Care 4.4.4 4.5 No Prenatal Care 0.7 1.7  Adverse Birth Outcomes Risk Factors (%) Gestational Hypertension 8.7 6.2 Gestational Diabetes 4.6 4.6 4.4 Pre-Pregnancy Obesity 25.9 28.3 Pre-Pregnancy Underweight 5.2 5.1 Smoking During Pregnancy 23.7 25.1  Adverse Birth Outcomes (%) Low Birth Weight (<2500g) 8.2 9.3 Very Low Birth Weight (<1500g) 1.1 1.7 Preterm Births (<37 weeks) 16.1 15.1 Late Preterm Births (34-36 weeks) 79.3 71.8 Infant Mortality (Rate per 1,000 live births) 6.7 7.1  Method of Delivery (%) Vaginal Deliveries 61.1 65.3 Total C-Section Deliveries 38.9 34.7 Repeat C-Section Deliveries 38.9 34.7 Repeat C-Section Universe 52.2 49.7  Children Indicators # of WIC Children 2-5 years (%) 18.7 16.4 Obese (>=95 <sup>th</sup> ) WIC Children 2-5 years (%) 18.7 16.4 Obese (>=95 <sup>th</sup> ) WIC Children 2-5 years (%) 14.6 15.6		61.0	72.5
No Prenatal Care       0.7       1.7         Adverse Birth Outcomes Risk Factors (%)       6.2         Gestational Hypertension       8.7       6.2         Gestational Diabetes       4.6       4.4         Pre-Pregnancy Obesity       25.9       28.3         Pre-Pregnancy Underweight       5.2       5.1         Smoking During Pregnancy       23.7       25.1         Adverse Birth Outcomes (%)           Low Birth Weight (<2500g)		33.8	
Adverse Birth Outcomes Risk Factors (%) Gestational Hypertension Gestational Diabetes 4.6 4.4 Pre-Pregnancy Obesity 25.9 28.3 Pre-Pregnancy Underweight 5.2 5.1 Smoking During Pregnancy 23.7 25.1  Adverse Birth Outcomes (%) Low Birth Weight (<2500g) 8.2 9.3 Very Low Birth Weight (<1500g) 1.1 1.7 Preterm Births (<37 weeks) 16.1 15.1 Late Preterm Births (<37 weeks) 17.3 Infant Mortality (Rate per 1,000 live births) 6.7 7.1  Method of Delivery (%) Vaginal Deliveries 38.9 Total C-Section Deliveries 38.9 Total C-Section Deliveries 38.9 Breastfeeding initiation (%) Breastfeeding initiation (%) WC Participation (%)  Children Indicators # of WIC Children 2-5 years WIC Children 2-5 years (%) 18.7 16.4 Obese (>=95th) WIC Children 2-5 years (%) 14.6 15.6		4.4	
Gestational Hypertension       8.7       6.2         Gestational Diabetes       4.6       4.4         Pre-Pregnancy Obesity       25.9       28.3         Pre-Pregnancy Underweight       5.2       5.1         Smoking During Pregnancy       23.7       25.1         Adverse Birth Outcomes (%)       23.7       25.1         Low Birth Weight (<2500g)	No Prenatal Care	0.7	1.7
Gestational Hypertension       8.7       6.2         Gestational Diabetes       4.6       4.4         Pre-Pregnancy Obesity       25.9       28.3         Pre-Pregnancy Underweight       5.2       5.1         Smoking During Pregnancy       23.7       25.1         Adverse Birth Outcomes (%)       23.7       25.1         Low Birth Weight (<2500g)	Adverse Birth Outcomes Risk Factors (%)		
Gestational Diabetes       4.6       4.4         Pre-Pregnancy Obesity       25.9       28.3         Pre-Pregnancy Underweight       5.2       5.1         Smoking During Pregnancy       23.7       25.1         Adverse Birth Outcomes (%)       Low Birth Weight (<2500g)	· · · · · · · · · · · · · · · · · · ·	8.7	6.2
Pre-Pregnancy Obesity       25.9       28.3         Pre-Pregnancy Underweight       5.2       5.1         Smoking During Pregnancy       23.7       25.1         Adverse Birth Outcomes (%)         Low Birth Weight (<2500g)	* <del>*</del>		4.4
Pre-Pregnancy Underweight       5.2       5.1         Smoking During Pregnancy       23.7       25.1         Adverse Birth Outcomes (%)       Low Birth Weight (<2500g)	Pre-Pregnancy Obesity		
Smoking During Pregnancy       23.7       25.1         Adverse Birth Outcomes (%)       3         Low Birth Weight (<2500g)			5.1
Adverse Birth Outcomes (%)  Low Birth Weight (<2500g)  Very Low Birth Weight (<1500g)  1.1  Preterm Births (<37 weeks)  Late Preterm Births (34-36 weeks)  Infant Mortality (Rate per 1,000 live births)  Method of Delivery (%)  Vaginal Deliveries  70.1  Method of Deliveries  61.1  65.3  Total C-Section Deliveries  38.9  34.7  Repeat C-Section  Breastfeeding initiation (%)  Fost-natal Nutrition  Breastfeeding initiation (%)  Breastfeeding initiation (%)  Children Indicators  # of WIC Children 2-5 years  Overweight (85th - <95th) WIC Children 2-5 years (%)  Dese (>=95th) WIC Children 2-5 years (%)  14.6  Dese (>=95th) WIC Children 2-5 years (%)  14.6			
Low Birth Weight (<2500g)			
Very Low Birth Weight (<1500g)	Adverse Birth Outcomes (%)		
Very Low Birth Weight (<1500g)	Low Birth Weight (<2500g)	8.2	9.3
Preterm Births (<37 weeks)			1.7
Late Preterm Births (34-36 weeks)       79.3       71.8         Infant Mortality (Rate per 1,000 live births)       6.7       7.1         Method of Delivery (%)         Vaginal Deliveries       61.1       65.3         Total C-Section Deliveries       38.9       34.7         Repeat C-Section       15.9       11.5         Post-natal Nutrition         Breastfeeding initiation (%)       54.3       53.6         WIC Participation (%)       52.2       49.7         Children Indicators         # of WIC Children 2-5 years       1,306       57,117         Overweight (85th - <95th) WIC Children 2-5 years (%)	Preterm Births (<37 weeks)		15.1
Infant Mortality (Rate per 1,000 live births)       6.7       7.1         Method of Delivery (%)	Late Preterm Births (34-36 weeks)		
Method of Delivery (%)         Vaginal Deliveries       61.1       65.3         Total C-Section Deliveries       38.9       34.7         Repeat C-Section       15.9       11.5         Post-natal Nutrition         Breastfeeding initiation (%)       54.3       53.6         WIC Participation (%)       52.2       49.7         Children Indicators         # of WIC Children 2-5 years       1,306       57,117         Overweight (85th - <95th) WIC Children 2-5 years (%)	Infant Mortality (Rate per 1.000 live births)		
Vaginal Deliveries       61.1       65.3         Total C-Section Deliveries       38.9       34.7         Repeat C-Section       15.9       11.5         Post-natal Nutrition         Breastfeeding initiation (%)       54.3       53.6         WIC Participation (%)       52.2       49.7         Children Indicators         # of WIC Children 2-5 years       1,306       57,117         Overweight (85th - <95th) WIC Children 2-5 years (%)			
Total C-Section Deliveries       38.9       34.7         Repeat C-Section       15.9       11.5         Post-natal Nutrition         Breastfeeding initiation (%)       54.3       53.6         WIC Participation (%)       52.2       49.7         Children Indicators         # of WIC Children 2-5 years       1,306       57,117         Overweight (85th - <95th) WIC Children 2-5 years (%)	Method of Delivery (%)		
Total C-Section Deliveries       38.9       34.7         Repeat C-Section       15.9       11.5         Post-natal Nutrition         Breastfeeding initiation (%)       54.3       53.6         WIC Participation (%)       52.2       49.7         Children Indicators         # of WIC Children 2-5 years       1,306       57,117         Overweight (85th - <95th) WIC Children 2-5 years (%)	Vaginal Deliveries	61.1	65.3
Repeat C-Section       15.9       11.5         Post-natal Nutrition         Breastfeeding initiation (%)       54.3       53.6         WIC Participation (%)       52.2       49.7         Children Indicators         # of WIC Children 2-5 years       1,306       57,117         Overweight (85 <sup>th</sup> - <95 <sup>th</sup> ) WIC Children 2-5 years (%)       18.7       16.4         Obese (>=95 <sup>th</sup> ) WIC Children 2-5 years (%)       14.6       15.6	Total C-Section Deliveries		34.7
Post-natal Nutrition         Breastfeeding initiation (%)       54.3       53.6         WIC Participation (%)       52.2       49.7         Children Indicators         # of WIC Children 2-5 years       1,306       57,117         Overweight (85th - <95th) WIC Children 2-5 years (%)	Repeat C-Section		11.5
Breastfeeding initiation (%)       54.3       53.6         WIC Participation (%)       52.2       49.7         Children Indicators         # of WIC Children 2-5 years       1,306       57,117         Overweight (85th - <95th) WIC Children 2-5 years (%)			
WIC Participation (%)       52.2       49.7         Children Indicators       # of WIC Children 2-5 years       1,306       57,117         Overweight (85 <sup>th</sup> - <95 <sup>th</sup> ) WIC Children 2-5 years (%)       18.7       16.4         Obese (>=95 <sup>th</sup> ) WIC Children 2-5 years (%)       14.6       15.6	Post-natal Nutrition		
WIC Participation (%)       52.2       49.7         Children Indicators       **         # of WIC Children 2-5 years       1,306       57,117         Overweight (85th - <95th) WIC Children 2-5 years (%)	Breastfeeding initiation (%)	54.3	53.6
Children Indicators         # of WIC Children 2-5 years       1,306       57,117         Overweight (85 <sup>th</sup> - <95 <sup>th</sup> ) WIC Children 2-5 years (%)       18.7       16.4         Obese (>=95 <sup>th</sup> ) WIC Children 2-5 years (%)       14.6       15.6	WIC Participation (%)		49.7
# of WIC Children 2-5 years  Overweight (85 <sup>th</sup> - <95 <sup>th</sup> ) WIC Children 2-5 years (%)  Obese (>=95 <sup>th</sup> ) WIC Children 2-5 years (%)  1,306  57,117  16.4  15.6			
Overweight (85th - <95th)	Children Indicators		
Overweight (85th - <95th)	# of WIC Children 2-5 years	1,306	57,117
Obese (>=95 <sup>th</sup> ) WIC Children 2-5 years (%) 14.6			16.4
		14.6	15.6
# Children Living in out-of-home Care (i.e. group home, foster 327 12,338	# Children Living in out-of-home Care (i.e. group home, foster	327	12,338
homes, etc)	homes, etc)		
# Children Abused 560 15,518	# Children Abused	560	15,518

U.S. Census Bureau, Small Area Estimates Branch, 2007

US Census Bureau, Population Estimates Program, 2007

KY Vital Statistics, Preliminary 2007

PedNSS, 2007 is based on children that receive Women, Infant, and Children Services (WIC)

Kentucky Kids Count, 2007

# **County Profile: Edmonson County**

Reporting Period: January 1, 2007- December 31, 2007 Indicator	Edmondson	KY
Total Live Births	128	59,343
# of Childbearing Women (15-44)	2,412	863,716
# of Children (<18)	2,587	1,004,174
Maternal Race/Ethnicity (%)		
White	98.4	85.5
Black	0	9.3
Asian/Pacific Islander	0.8	1.6
Other	0.8	3.7
Hispanic	0.8	5.2
Maternal Characteristics (%)		
Mother's Age <18	2.3	3.8
Mother's Age >=35	4.7	7.1
Mother < High School Education	10.2	21.4
Repeat Births to Teens	2.3	5.1
Repeat Births <12Months From Previous Birth	12.5	16.1
MCH SES Indicators		
Children Living in Poverty (%)	26.2	23.6
# of Children Enrolled in Medicaid	980	346,798
Median Household Income	34,449	40,299
Delivery Payment Source (%)		
Medicaid	43.8	43.6
Private	50.0	44.7
Other	6.25	11.8
Prenatal Care Entry (%)		
First Trimester Prenatal Care	57.1	72.5
Second Trimester Prenatal Care	34.9	21.3
Third Trimester Prenatal Care	5.6	4.5
No Prenatal Care	2.4	1.7
Adverse Birth Outcomes Risk Factors (%)		
Gestational Hypertension	9.4	6.2
Gestational Diabetes	2.3	4.4
Pre-Pregnancy Obesity	34.4	28.3
Pre-Pregnancy Underweight	3.9	5.1
Smoking During Pregnancy	27.3	25.1
Adverse Birth Outcomes (%)		
Low Birth Weight (<2500g)	9.4	9.3
Very Low Birth Weight (<1500g)	1.6	1.7
Preterm Births (<37 weeks)	19.5	15.1
Late Preterm Births (34-36 weeks)	76.0	71.8
Infant Mortality (Rate per 1,000 live births)	2.8	7.1

Method of Delivery (%)		
Vaginal Deliveries	70.3	65.3
Total C-Section Deliveries	29.7	34.7
Repeat C-Section	8.6	11.5
Post-natal Nutrition		
Breastfeeding initiation (%)	58.6	53.6
WIC Participation (%)	60.2	49.7
Children Indicators		
# of WIC Children 2-5 years	184	57,117
Overweight (85 <sup>th</sup> - <95 <sup>th</sup> ) WIC Children 2-5 years (%)	21.2	16.4
Obese (>=95 <sup>th</sup> ) WIC Children 2-5 years (%)	13.0	15.6
# Children Living in out-of-home Care (i.e. group home, foster	60	12,338
homes, etc)		
# Children Abused	77	15,518

U.S. Census Bureau, Small Area Estimates Branch, 2007

US Census Bureau, Population Estimates Program, 2007

KY Vital Statistics, Preliminary 2007

PedNSS, 2007 is based on children that receive Women, Infant, and Children Services (WIC)

Kentucky Kids Count, 2007

Notes: 1. Number of children enrolled in Medicaid reflects the average monthly number of those enrolled. 2. Infant mortality rate is number of infants deaths/number of live births from 2004-2006.

### **Top of Page**

## **County Profile: Elliott County**

Indicator	Elliott	KY
Total Live Births	82	59,343
# of Childbearing Women (15-44)	1,402	863,716
# of Children (<18)	1,553	1,004,174
Maternal Race/Ethnicity (%)		
White	100.0	85.5
Black	0	9.3
Asian/Pacific Islander	0	1.6
Other	0	3.7
Hispanic	1.3	5.2
Maternal Characteristics (%)		
Mother's Age <18	5.1	3.8
Mother's Age >=35	1.3	7.1
Mother < High School Education	32.1	21.4
Repeat Births to Teens	6.4	5.1
Repeat Births <12Months From Previous Birth	21.8	16.1
MCH SES Indicators		
Children Living in Poverty (%)	37.9	23.6
# of Children Enrolled in Medicaid	892	346,798
Median Household Income	27,215	40,299

Delivery Payment Source (%)		
Medicaid	75.6	43.6
Private	20.5	44.7
Other	3.9	11.8
Prenatal Care Entry (%)		
First Trimester Prenatal Care	68.0	72.5
Second Trimester Prenatal Care	28.0	21.3
Third Trimester Prenatal Care	4.0	4.5
No Prenatal Care	0	1.7
Adverse Birth Outcomes Risk Factors (%)		
Gestational Hypertension	10.3	6.2
Gestational Diabetes	0	4.4
Pre-Pregnancy Obesity	35.9	28.3
Pre-Pregnancy Underweight	7.7	5.1
Smoking During Pregnancy	47.4	25.1
Adverse Birth Outcomes (%)		
Low Birth Weight (<2500g)	19.2	9.3
Very Low Birth Weight (<1500g)	3.9	1.7
Preterm Births (<37 weeks)	21.8	15.1
Late Preterm Births (34-36 weeks)	52.9	71.8
Infant Mortality (Rate per 1,000 live births)	8.2	7.1
Method of Delivery (%)		
Vaginal Deliveries	57.7	65.3
Total C-Section Deliveries	42.3	34.7
Repeat C-Section	16.7	11.5
Post-natal Nutrition		
Breastfeeding initiation (%)	32.1	53.6
WIC Participation (%)	88.5	49.7
. ,	00.5	
Children Indicators		
# of WIC Children 2-5 years	195	57,117
Overweight (85 <sup>th</sup> - <95 <sup>th</sup> ) WIC Children 2-5 years (%)	20.5	16.4
Obese (>=95 <sup>th</sup> ) WIC Children 2-5 years (%)	13.3	15.6
# Children Living in out-of-home Care (i.e. group home, foster	30	12,338
homes, etc)		,= -
# Children Abused	41	15,518

U.S. Census Bureau, Small Area Estimates Branch, 2007

US Census Bureau, Population Estimates Program, 2007

KY Vital Statistics, Preliminary 2007

PedNSS, 2007 is based on children that receive Women, Infant, and Children Services (WIC)

Kentucky Kids Count, 2007

# **County Profile: Estill County**

Reporting Period: January 1, 2007- December 31, 2007 Indicator	Estill	KY
Total Live Births	197	59,343
# of Childbearing Women (15-44)	3,004	863,716
# of Children (<18)	3,474	1,004,174
Maternal Race/Ethnicity (%)		
White	99.5	85.5
Black	0.5	9.3
Asian/Pacific Islander	0	1.6
Other	0	3.7
Hispanic	0	5.2
Maternal Characteristics (%)		
Mother's Age <18	7.1	3.8
Mother's Age >=35	4.1	7.1
Mother < High School Education	31.1	21.4
Repeat Births to Teens	5.1	5.1
Repeat Births <12Months From Previous Birth	13.2	16.1
MCH SES Indicators		
Children Living in Poverty (%)	36.2	23.6
# of Children Enrolled in Medicaid	1,830	346,798
Median Household Income	28,797	40,299
Delivery Payment Source (%)		
Medicaid	66.8	43.6
Private	29.1	44.7
Other	4.1	11.8
Prenatal Care Entry (%)		
First Trimester Prenatal Care	74.0	72.5
Second Trimester Prenatal Care	21.4	21.3
Third Trimester Prenatal Care	3.7	4.5
No Prenatal Care	1.0	1.7
Adverse Birth Outcomes Risk Factors (%)		
Gestational Hypertension	7.6	6.2
Gestational Diabetes	7.1	4.4
Pre-Pregnancy Obesity	31.5	28.3
Pre-Pregnancy Underweight	7.6	5.1
Smoking During Pregnancy	38.1	25.1
Adverse Birth Outcomes (%)		
Low Birth Weight (<2500g)	12.7	9.3
Very Low Birth Weight (<1500g)	2.0	1.7
Preterm Births (<37 weeks)	25.9	15.1
Late Preterm Births (34-36 weeks)	64.7	71.8
Infant Mortality (Rate per 1,000 live births)	10.4	7.1

Method of Delivery (%)		
Vaginal Deliveries	59.9	65.3
Total C-Section Deliveries	40.1	34.7
Repeat C-Section	12.7	11.5
Post-natal Nutrition		
Breastfeeding initiation (%)	33.0	53.6
WIC Participation (%)	66.0	49.7
Children Indicators		
# of WIC Children 2-5 years	320	57,117
Overweight (85 <sup>th</sup> - <95 <sup>th</sup> ) WIC Children 2-5 years (%)	21.3	16.4
Obese (>=95 <sup>th</sup> ) WIC Children 2-5 years (%)	16.9	15.6
# Children Living in out-of-home Care (i.e. group home, foster	50	12,338
homes, etc)		
# Children Abused	47	15,518

Sources:

U.S. Census Bureau, Small Area Estimates Branch, 2005

US Census Bureau, Population Estimates Program, 2006

Vital Statistics, 2006

PedNSS, 2007 is based on children that receive Women, Infant, and Children Services (WIC)

Kentucky Kids Count, 2007

Notes: 1. Median household income and children living in poverty represents the year 2005. 2. Infant mortality rate is number of infants deaths/number of live births from 2004-2006. 3. Overweight percentage is coming from WIC data. 4. Kentucky Kids Count uses data from 2006.

#### **Top of Page**

## **County Profile: Fayette County**

Indicator	Fayette	KY
Total Live Births	4,052	59,343
# of Childbearing Women (15-44)	62,718	863,716
# of Children (<18)	61,164	1,004,174
Maternal Race/Ethnicity (%)		
White	77.0	85.5
Black	17.1	9.3
Asian/Pacific Islander	4.2	1.6
Other	1.7	3.7
Hispanic	13.3	5.2
Maternal Characteristics (%)		
Mother's Age <18	3.3	3.8
Mother's Age >=35	9.3	7.1
Mother < High School Education	20.9	21.4
Repeat Births to Teens	2.9	5.1
Repeat Births <12Months From Previous Birth	13.1	16.1
MCH SES Indicators		
Children Living in Poverty (%)	19.5	23.6
# of Children Enrolled in Medicaid	15,523	346,798
Median Household Income	46,726	40,299

Delivery Payment Source (%)		
Medicaid	33.2	43.6
Private	56.6	44.7
Other	10.3	11.8
Prenatal Care Entry (%)		
First Trimester Prenatal Care	71.2	72.5
Second Trimester Prenatal Care	22.4	21.3
Third Trimester Prenatal Care	5.2	4.5
No Prenatal Care	1.3	1.7
Adverse Birth Outcomes Risk Factors (%)		
Gestational Hypertension	9.4	6.2
Gestational Diabetes	6.4	4.4
Pre-Pregnancy Obesity	21.5	28.3
Pre-Pregnancy Underweight	4.9	5.1
Smoking During Pregnancy	15.4	25.1
Adverse Birth Outcomes (%)		
Low Birth Weight (<2500g)	9.4	9.3
Very Low Birth Weight (<1500g)	1.4	1.7
Preterm Births (<37 weeks)	17.4	15.1
Late Preterm Births (34-36 weeks)	72.0	71.8
Infant Mortality (Rate per 1,000 live births)	7.5	7.1
Method of Delivery (%)		
Vaginal Deliveries	63.6	65.3
Total C-Section Deliveries	36.4	34.7
Repeat C-Section	11.7	11.5
Trepout & Southern	11./	11.0
Post-natal Nutrition		
Breastfeeding initiation (%)	71.0	53.6
WIC Participation (%)	30.2	49.7
• , ,	30.2	
Children Indicators		
# of WIC Children 2-5 years	2,462	57,117
Overweight (85 <sup>th</sup> - <95 <sup>th</sup> ) WIC Children 2-5 years (%)	17.9	16.4
Obese (>=95 <sup>th</sup> ) WIC Children 2-5 years (%)	18.4	15.6
# Children Living in out-of-home Care (i.e. group home, foster	1,006	12,338
homes, etc)		
# Children Abused	884	15,518

U.S. Census Bureau, Small Area Estimates Branch, 2007

US Census Bureau, Population Estimates Program, 2007

KY Vital Statistics, Preliminary 2007

PedNSS, 2007 is based on children that receive Women, Infant, and Children Services (WIC)

Kentucky Kids Count, 2007

# **County Profile: Fleming County**

Reporting Period: January 1, 2007- December 31, 2007 Indicator	Fleming	KY
Total Live Births	209	59,343
# of Childbearing Women (15-44)	3,022	863,716
# of Children (<18)	3,504	1,004,174
Maternal Race/Ethnicity (%)		
White	96.1	85.5
Black	1.5	9.3
Asian/Pacific Islander	1.0	1.6
Other	1.5	3.7
Hispanic	1.9	5.2
Maternal Characteristics (%)		
Mother's Age <18	2.4	3.8
Mother's Age >=35	5.8	7.1
Mother < High School Education	22.2	21.4
Repeat Births to Teens	1.4	5.1
Repeat Births <12Months From Previous Birth	14.9	16.1
MCH SES Indicators		
Children Living in Poverty (%)	27.3	23.6
# of Children Enrolled in Medicaid	1,269	346,798
Median Household Income	33,815	40,299
Delivery Payment Source (%)		
Medicaid	57.0	43.6
Private	30.9	44.7
Other	12.1	11.8
Prenatal Care Entry (%)		
First Trimester Prenatal Care	74.5	72.5
Second Trimester Prenatal Care	16.2	21.3
Third Trimester Prenatal Care	8.8	4.5
No Prenatal Care	0.5	1.7
Adverse Birth Outcomes Risk Factors (%)		
Gestational Hypertension	7.7	6.2
Gestational Diabetes	7.3	4.4
Pre-Pregnancy Obesity	32.9	28.3
Pre-Pregnancy Underweight	4.8	5.1
Smoking During Pregnancy	34.8	25.1
Adverse Birth Outcomes (%)		
Low Birth Weight (<2500g)	9.7	9.3
Very Low Birth Weight (<1500g)	0.5	1.7
Preterm Births (<37 weeks)	14.4	15.1
Late Preterm Births (34-36 weeks)	80.0	71.8
Infant Mortality (Rate per 1,000 live births)	5.4	7.1

Method of Delivery (%)		
Vaginal Deliveries	67.2	65.3
Total C-Section Deliveries	32.9	34.7
Repeat C-Section	11.1	11.5
Part and all Netwition		
Post-natal Nutrition		
Breastfeeding initiation (%)	44.0	53.6
WIC Participation (%)	65.7	49.7
Children Indicators		
# of WIC Children 2-5 years	291	57,117
Overweight (85 <sup>th</sup> - <95 <sup>th</sup> ) WIC Children 2-5 years (%)	15.5	16.4
Obese (>=95 <sup>th</sup> ) WIC Children 2-5 years (%)	14.8	15.6
# Children Living in out-of-home Care (i.e. group home, foster	49	12,338
homes, etc)		
# Children Abused	66	15,518

U.S. Census Bureau, Small Area Estimates Branch, 2007

US Census Bureau, Population Estimates Program, 2007

KY Vital Statistics, Preliminary 2007

PedNSS, 2007 is based on children that receive Women, Infant, and Children Services (WIC)

Kentucky Kids Count, 2007

Notes: 1. Number of children enrolled in Medicaid reflects the average monthly number of those enrolled. 2. Infant mortality rate is number of infants deaths/number of live births from 2004-2006.

### **Top of Page**

### **County Profile: Floyd County**

Indicator	Floyd	KY
Total Live Births	563	59,343
# of Childbearing Women (15-44)	8,389	863,716
# of Children (<18)	9,298	1,004,174
Maternal Race/Ethnicity (%)		
White	98.7	85.5
Black	0.9	9.3
Asian/Pacific Islander	0.4	1.6
Other	0	3.7
Hispanic	0	5.2
Maternal Characteristics (%)		
Mother's Age <18	5.4	3.8
Mother's Age >=35	5.9	7.1
Mother < High School Education	30.8	21.4
Repeat Births to Teens	3.4	5.1
Repeat Births <12Months From Previous Birth	15.0	16.1
MCH SES Indicators		
Children Living in Poverty (%)	44.4	23.6
# of Children Enrolled in Medicaid	5,585	346,798
Median Household Income	26,293	40,299

Delivery Payment Source (%)		
Medicaid	70.5	43.6
Private	24.6	44.7
Other	4.9	11.8
Prenatal Care Entry (%)		
First Trimester Prenatal Care	66.1	72.5
Second Trimester Prenatal Care	26.2	21.3
Third Trimester Prenatal Care	7.1	4.5
No Prenatal Care	0.7	1.7
Adverse Birth Outcomes Risk Factors (%)		
Gestational Hypertension	3.6	6.2
Gestational Diabetes	4.3	4.4
Pre-Pregnancy Obesity	32.8	28.3
Pre-Pregnancy Underweight	5.9	5.1
Smoking During Pregnancy	38.0	25.1
Adverse Birth Outcomes (%)		
Low Birth Weight (<2500g)	10.2	9.3
Very Low Birth Weight (<1500g)	1.1	1.7
Preterm Births (<37 weeks)	19.3	15.1
Late Preterm Births (34-36 weeks)	77.8	71.8
Infant Mortality (Rate per 1,000 live births)	10.1	7.1
Method of Delivery (%)		
Vaginal Deliveries	59.9	65.3
Total C-Section Deliveries	40.1	34.7
Repeat C-Section	15.4	11.5
Post-natal Nutrition		
Breastfeeding initiation (%)	27.4	53.6
WIC Participation (%)	68.8	49.7
(17)	00.0	.5.,
Children Indicators		
# of WIC Children 2-5 years	920	57,117
Overweight (85 <sup>th</sup> - <95 <sup>th</sup> ) WIC Children 2-5 years (%)	11.8	16.4
Obese (>=95 <sup>th</sup> ) WIC Children 2-5 years (%)	15.2	15.6
# Children Living in out-of-home Care (i.e. group home, foster	94	12,338
homes, etc)	20.5	4.5.00
# Children Abused	326	15,518

U.S. Census Bureau, Small Area Estimates Branch, 2007

US Census Bureau, Population Estimates Program, 2007

KY Vital Statistics, Preliminary 2007

PedNSS, 2007 is based on children that receive Women, Infant, and Children Services (WIC)

Kentucky Kids Count, 2007

# **County Profile: Franklin County**

Indicator	Franklin	KY
Total Live Births	656	59,343
# of Childbearing Women (15-44)	9,710	863,716
# of Children (<18)	10,585	1,004,174
a of Cimulen (x10)	10,383	1,001,171
Maternal Race/Ethnicity (%)		
White	84.5	85.5
Black	10.1	9.3
Asian/Pacific Islander	2.0	1.6
Other	3.4	3.7
Hispanic	3.8	5.2
Maternal Characteristics (%)		
Mother's Age <18	3.2	3.8
Mother's Age >=35	6.8	7.1
Mother < High School Education	15.8	21.4
Repeat Births to Teens	3.5	5.1
Repeat Births <12Months From Previous Birth	15.3	16.1
MCH SES Indicators		
Children Living in Poverty (%)	17.8	23.6
# of Children Enrolled in Medicaid	2,974	346,798
Median Household Income	48,025	40,299
Delivery Payment Source (%)		
Medicaid	46.9	43.6
Private	51.6	44.7
Other	1.5	11.8
Prenatal Care Entry (%)		
First Trimester Prenatal Care	78.0	72.5
Second Trimester Prenatal Care	16.5	21.3
Third Trimester Prenatal Care	5.3	4.5
No Prenatal Care	0.2	1.7
Adverse Birth Outcomes Risk Factors (%)		
Gestational Hypertension	5.2	6.2
Gestational Diabetes		4.4
Pre-Pregnancy Obesity	4.8	28.3
Pre-Pregnancy Underweight	33.9 4.1	5.1
Smoking During Pregnancy	30.7	25.1
Advarca Rirth Outcomes (9/)		
Adverse Birth Outcomes (%) Low Birth Weight (<2500g)	0.2	9.3
Very Low Birth Weight (<1500g)	9.2	9.5 1.7
Preterm Births (<37 weeks)	1.7	
Late Preterm Births (34-36 weeks)	17.7	15.1
	73.3	71.8
Infant Mortality (Rate per 1,000 live births)	6.4	7.1

Method of Delivery (%)		
Vaginal Deliveries	62.4	65.3
Total C-Section Deliveries	37.6	34.7
Repeat C-Section	10.0	11.5
Post-natal Nutrition		
Breastfeeding initiation (%)	61.4	53.6
WIC Participation (%)	46.0	49.7
Children Indicators		
# of WIC Children 2-5 years	442	57,117
Overweight (85 <sup>th</sup> - <95 <sup>th</sup> ) WIC Children 2-5 years (%)	20.8	16.4
Obese (>=95 <sup>th</sup> ) WIC Children 2-5 years (%)	21.5	15.6
# Children Living in out-of-home Care (i.e. group home, foster	91	12,338
homes, etc)		
# Children Abused	159	15,518

U.S. Census Bureau, Small Area Estimates Branch, 2007

US Census Bureau, Population Estimates Program, 2007

KY Vital Statistics, Preliminary 2007

PedNSS, 2007 is based on children that receive Women, Infant, and Children Services (WIC)

Kentucky Kids Count, 2007

Notes: 1. Number of children enrolled in Medicaid reflects the average monthly number of those enrolled. 2. Infant mortality rate is number of infants deaths/number of live births from 2004-2006.

### **Top of Page**

### **County Profile: Fulton County**

Indicator	Fulton	KY
Total Live Births	99	59,343
# of Childbearing Women (15-44)		863,716
# of Children (<18)	1,281	1,004,174
# of Children (<16)	1,528	1,004,174
Maternal Race/Ethnicity (%)		
White	59.0	85.5
Black	37.9	9.3
Asian/Pacific Islander	1.1	1.6
Other	2.1	3.7
Hispanic	3.2	5.2
Maternal Characteristics (%)		
Mother's Age <18	3.2	3.8
Mother's Age >=35	3.2	7.1
Mother < High School Education	27.4	21.4
Repeat Births to Teens	6.1	5.1
Repeat Births <12Months From Previous Birth	14.3	16.1
MCH SES Indicators		
Children Living in Poverty (%)	42.8	23.6
# of Children Enrolled in Medicaid	895	346,798
Median Household Income	28,749	40,299

Delivery Payment Source (%)		
Medicaid	74.7	43.6
Private	22.1	44.7
Other	3.2	11.8
Prenatal Care Entry (%)		
First Trimester Prenatal Care	69.9	72.5
Second Trimester Prenatal Care	21.5	21.3
Third Trimester Prenatal Care	5.4	4.5
No Prenatal Care	3.2	1.7
Adverse Birth Outcomes Risk Factors (%)		
Gestational Hypertension	7.6	6.2
Gestational Diabetes	8.7	4.4
Pre-Pregnancy Obesity	43.5	28.3
Pre-Pregnancy Underweight	43.3	5.1
Smoking During Pregnancy	27.2	25.1
Smound 2 arms 1 regiment)	21.2	20.1
Adverse Birth Outcomes (%)		
Low Birth Weight (<2500g)	10.9	9.3
Very Low Birth Weight (<1500g)	3.3	1.7
Preterm Births (<37 weeks)	30.0	15.1
Late Preterm Births (34-36 weeks)	65.5	71.8
Infant Mortality (Rate per 1,000 live births)	7.7	7.1
Method of Delivery (%)		
Vaginal Deliveries	66.3	65.3
Total C-Section Deliveries	33.7	34.7
Repeat C-Section	15.2	11.5
Repeat & Section	13.2	11.5
Post-natal Nutrition		
Breastfeeding initiation (%)	31.5	53.6
WIC Participation (%)	77.2	49.7
• , ,	, , 2	
Children Indicators		
# of WIC Children 2-5 years	194	57,117
Overweight (85 <sup>th</sup> - <95 <sup>th</sup> ) WIC Children 2-5 years (%)	18.0	16.4
Obese (>=95 <sup>th</sup> ) WIC Children 2-5 years (%)	16.5	15.6
# Children Living in out-of-home Care (i.e. group home, foster	37	12,338
homes, etc)	2.4	15.510
# Children Abused	34	15,518

U.S. Census Bureau, Small Area Estimates Branch, 2007

US Census Bureau, Population Estimates Program, 2007

KY Vital Statistics, Preliminary 2007

PedNSS, 2007 is based on children that receive Women, Infant, and Children Services (WIC)

Kentucky Kids Count, 2007

# **County Profile: Gallatin County**

Reporting Period: January 1, 2007- December 31, 2007		
Indicator	Gallatin	KY
Total Live Births	142	59,343
# of Childbearing Women (15-44)		863,716
# of Children (<18)	1,598	1,004,174
# Of Children (<18)	2,231	1,004,174
Maternal Race/Ethnicity (%)		
White	89.3	85.5
Black	0	9.3
Asian/Pacific Islander	1.4	1.6
Other	9.3	3.7
Hispanic	10.0	5.2
Maternal Characteristics (%)		
Mother's Age <18	5.0	3.8
Mother's Age >=35	6.4	7.1
Mother < High School Education	33.6	21.4
Repeat Births to Teens	3.6	5.1
Repeat Births <12Months From Previous Birth	15.7	16.1
	2.1	
MCH SES Indicators		
Children Living in Poverty (%)	24.5	23.6
# of Children Enrolled in Medicaid	777	346,798
Median Household Income	42,143	40,299
Delivery Payment Source (%)		
Medicaid	57.9	43.6
Private	37.1	44.7
Other	5.0	11.8
Prenatal Care Entry (%)		
First Trimester Prenatal Care	65.5	72.5
Second Trimester Prenatal Care	28.8	21.3
Third Trimester Prenatal Care	3.6	4.5
No Prenatal Care	2.2	1.7
Advance Birth Outcomes Birly Fraters (0/)		
Adverse Birth Outcomes Risk Factors (%)	<b>5</b> 0	6.2
Gestational Hypertension	5.8	6.2
Gestational Diabetes	7.9	4.4
Pre-Pregnancy Obesity	31.7	28.3
Pre-Pregnancy Underweight	9.4	5.1
Smoking During Pregnancy	33.1	25.1
Adverse Birth Outcomes (%)		
Low Birth Weight (<2500g)	5.8	9.3
Very Low Birth Weight (<1500g)	0.7	1.7
Preterm Births (<37 weeks)	12.9	15.1
Late Preterm Births (34-36 weeks)	83.3	71.8
Infant Mortality (Rate per 1,000 live births)	2.3	7.1

Method of Delivery (%)		
Vaginal Deliveries	59.7	65.3
Total C-Section Deliveries	40.3	34.7
Repeat C-Section	14.4	11.5
Post-natal Nutrition		
Breastfeeding initiation (%)	45.3	53.6
WIC Participation (%)	72.7	49.7
Children Indicators		
# of WIC Children 2-5 years	172	57,117
Overweight (85 <sup>th</sup> - <95 <sup>th</sup> ) WIC Children 2-5 years (%)	18.6	16.4
Obese (>=95 <sup>th</sup> ) WIC Children 2-5 years (%)	19.2	15.6
# Children Living in out-of-home Care (i.e. group home, foster	8	12,338
homes, etc)		
# Children Abused	19	15,518

U.S. Census Bureau, Small Area Estimates Branch, 2007

US Census Bureau, Population Estimates Program, 2007

KY Vital Statistics, Preliminary 2007

PedNSS, 2007 is based on children that receive Women, Infant, and Children Services (WIC)

Kentucky Kids Count, 2007

Notes: 1. Number of children enrolled in Medicaid reflects the average monthly number of those enrolled. 2. Infant mortality rate is number of infants deaths/number of live births from 2004-2006.

### **Top of Page**

# **County Profile: Garrard County**

Indicator	Garrard	KY
Total Live Births	206	59,343
# of Childbearing Women (15-44)	3,610	863,716
# of Children (<18)	3,841	1,004,174
Maternal Race/Ethnicity (%)		
White	98.5	85.5
Black	0.5	9.3
Asian/Pacific Islander	0.5	1.6
Other	0.5	3.7
Hispanic	1.46	5.2
Maternal Characteristics (%)		
Mother's Age <18	5.9	3.8
Mother's Age >=35	4.9	7.1
Mother < High School Education	20.0	21.4
Repeat Births to Teens	1.5	5.1
Repeat Births <12Months From Previous Birth	17.5	16.1
MCH SES Indicators		
Children Living in Poverty (%)	24.8	23.6
# of Children Enrolled in Medicaid	1,272	346,798
Median Household Income	40,653	40,299

Delivery Payment Source (%)		
Medicaid	48.3	43.6
Private	48.3	44.7
Other	3.4	11.8
Prenatal Care Entry (%)		
First Trimester Prenatal Care	76.5	72.5
Second Trimester Prenatal Care	16.5	21.3
Third Trimester Prenatal Care	6.5	4.5
No Prenatal Care	0.5	1.7
Adverse Birth Outcomes Risk Factors (%)		
Gestational Hypertension	10.7	6.2
Gestational Diabetes	5.4	4.4
Pre-Pregnancy Obesity	24.9	28.3
Pre-Pregnancy Underweight	6.8	5.1
Smoking During Pregnancy	31.7	25.1
	31.,	
Adverse Birth Outcomes (%)		
Low Birth Weight (<2500g)	7.8	9.3
Very Low Birth Weight (<1500g)	1.0	1.7
Preterm Births (<37 weeks)	14.6	15.1
Late Preterm Births (34-36 weeks)	76.7	71.8
Infant Mortality (Rate per 1,000 live births)	1.9	7.1
Method of Delivery (%)		
Vaginal Deliveries	61.0	65.3
Total C-Section Deliveries	39.0	34.7
Repeat C-Section	14.6	11.5
Post-natal Nutrition		
Breastfeeding initiation (%)	53.2	53.6
WIC Participation (%)	52.2	49.7
Children Indicators		
# of WIC Children 2-5 years	288	57,117
Overweight (85 <sup>th</sup> - <95 <sup>th</sup> ) WIC Children 2-5 years (%)	10.8	16.4
Obese (>=95 <sup>th</sup> ) WIC Children 2-5 years (%)	17.0	15.6
# Children Living in out-of-home Care (i.e. group home, foster	61	12,338
homes, etc)	<b>5</b> 0	15.510
# Children Abused	58	15,518

U.S. Census Bureau, Small Area Estimates Branch, 2007

US Census Bureau, Population Estimates Program, 2007

KY Vital Statistics, Preliminary 2007

PedNSS, 2007 is based on children that receive Women, Infant, and Children Services (WIC)

Kentucky Kids Count, 2007

# **County Profile: Grant County**

KY
59,343
863,716
1,004,174
85.5
9.3
1.6
3.7
5.2
3.8
7.1
21.4
5.1
16.1
23.6
346,798
40,299
43.6
44.7
11.8
72.5
21.3
4.5
1.7
6.2
4.4
28.3
5.1
25.1
9.3
1.7
15.1
71.8
7.1

Method of Delivery (%)		
Vaginal Deliveries	64.2	65.3
Total C-Section Deliveries	35.8	34.7
Repeat C-Section	15.2	11.5
Part and Natistan		
Post-natal Nutrition		
Breastfeeding initiation (%)	47.8	53.6
WIC Participation (%)	51.2	49.7
Children Indicators		
# of WIC Children 2-5 years	506	57,117
Overweight (85 <sup>th</sup> - <95 <sup>th</sup> ) WIC Children 2-5 years (%)	16.2	16.4
Obese (>=95 <sup>th</sup> ) WIC Children 2-5 years (%)	11.5	15.6
# Children Living in out-of-home Care (i.e. group home, foster	30	12,338
homes, etc)		
# Children Abused	63	15,518

U.S. Census Bureau, Small Area Estimates Branch, 2007

US Census Bureau, Population Estimates Program, 2007

KY Vital Statistics, Preliminary 2007

PedNSS, 2007 is based on children that receive Women, Infant, and Children Services (WIC)

Kentucky Kids Count, 2007

Notes: 1. Number of children enrolled in Medicaid reflects the average monthly number of those enrolled. 2. Infant mortality rate is number of infants deaths/number of live births from 2004-2006.

### **Top of Page**

## **County Profile: Graves County**

Indicator	Graves	KY
Total Live Births	508	59,343
# of Childbearing Women (15-44)	7,004	863,716
# of Children (<18)	8,836	1,004,174
Maternal Race/Ethnicity (%)		
White	79.8	85.5
Black	5.9	9.3
Asian/Pacific Islander	1.8	1.6
Other	12.5	3.7
Hispanic	13.3	5.2
Maternal Characteristics (%)		
Mother's Age <18	3.6	3.8
Mother's Age >=35	5.0	7.1
Mother < High School Education	29.0	21.4
Repeat Births to Teens	3.2	5.1
Repeat Births <12Months From Previous Birth	13.3	16.1
MCH SES Indicators		
Children Living in Poverty (%)	24.8	23.6
# of Children Enrolled in Medicaid	3,275	346,798
Median Household Income	36,345	40,299

Delivery Payment Source (%)		
Medicaid	47.6	43.6
Private	40.5	44.7
Other	11.9	11.8
Prenatal Care Entry (%)		
First Trimester Prenatal Care	74.7	72.5
Second Trimester Prenatal Care	16.8	21.3
Third Trimester Prenatal Care	6.5	4.5
No Prenatal Care	2.0	1.7
Adverse Birth Outcomes Risk Factors (%)		
Gestational Hypertension	6.4	6.2
Gestational Diabetes	4.3	4.4
Pre-Pregnancy Obesity	34.2	28.3
Pre-Pregnancy Underweight	3.0	5.1
Smoking During Pregnancy	21.7	25.1
	-1	
Adverse Birth Outcomes (%)		
Low Birth Weight (<2500g)	5.9	9.3
Very Low Birth Weight (<1500g)	1.3	1.7
Preterm Births (<37 weeks)	12.1	15.1
Late Preterm Births (34-36 weeks)	68.9	71.8
Infant Mortality (Rate per 1,000 live births)	7.0	7.1
, , , , , , , , , , , , , , , , , , ,		
Method of Delivery (%)		
Vaginal Deliveries	65.4	65.3
Total C-Section Deliveries	34.6	34.7
Repeat C-Section	11.5	11.5
Post-natal Nutrition		
Breastfeeding initiation (%)	57.3	53.6
WIC Participation (%)	52.9	49.7
•	32.7	
Children Indicators		
# of WIC Children 2-5 years	626	57,117
Overweight (85 <sup>th</sup> - <95 <sup>th</sup> ) WIC Children 2-5 years (%)	19.2	16.4
Obese (>=95 <sup>th</sup> ) WIC Children 2-5 years (%)	17.4	15.6
# Children Living in out-of-home Care (i.e. group home, foster	132	12,338
homes, etc)		,
# Children Abused	108	15,518

U.S. Census Bureau, Small Area Estimates Branch, 2007

US Census Bureau, Population Estimates Program, 2007

KY Vital Statistics, Preliminary 2007

PedNSS, 2007 is based on children that receive Women, Infant, and Children Services (WIC)

Kentucky Kids Count, 2007

# **County Profile: Grayson County**

Reporting Period: January 1, 2007- December 31, 2007	0	101
Indicator	Grayson	KY
Total Live Births	374	59,343
# of Childbearing Women (15-44)		863,716
# of Children (<18)	4,975	1,004,174
# Of Children (<16)	5,873	1,004,174
Maternal Race/Ethnicity (%)		
White	98.7	85.5
Black	0.5	9.3
Asian/Pacific Islander	0.5	1.6
Other	0.3	3.7
Hispanic	0.5	5.2
Maternal Characteristics (%)		
Mother's Age <18	4.1	3.8
Mother's Age >=35	4.1 3.2	5.8 7.1
Mother < High School Education	3.2 20.3	21.4
Repeat Births to Teens	20.3	5.1
Repeat Births <12Months From Previous Birth		16.1
Repeat Dituis \12000itiis 110iii 110vious Ditui	17.7	10.1
MCH SES Indicators		
Children Living in Poverty (%)	29.3	23.6
# of Children Enrolled in Medicaid	2,548	346,798
Median Household Income	32,905	40,299
Delivery Payment Source (%)		
Medicaid	12.2	43.6
Private	43.0	44.7
Other	44.9	11.8
Prenatal Care Entry (%)		
First Trimester Prenatal Care	75.7	72.5
Second Trimester Prenatal Care	21.4	21.3
Third Trimester Prenatal Care	2.1	4.5
No Prenatal Care	0.8	1.7
Adverse Birth Outcomes Birk Feetars (9/)		
Adverse Birth Outcomes Risk Factors (%)	40.	6.2
Gestational Hypertension Gestational Diabetes	10.4	6.2
	5.4	4.4
Pre-Pregnancy Obesity	31.8	28.3
Pre-Pregnancy Underweight	5.9	5.1
Smoking During Pregnancy	37.2	25.1
Adverse Birth Outcomes (%)		
Low Birth Weight (<2500g)	7.5	9.3
Very Low Birth Weight (<1500g)	1.1	1.7
Preterm Births (<37 weeks)	15.8	15.1
Late Preterm Births (34-36 weeks)	69.5	71.8
Infant Mortality (Rate per 1,000 live births)	7.0	7.1
mant morally (rate per 1,000 five offins)		

Method of Delivery (%)		
Vaginal Deliveries	62.3	65.3
Total C-Section Deliveries	37.7	34.7
Repeat C-Section	13.9	11.5
Part retal Nutrition		
Post-natal Nutrition		
Breastfeeding initiation (%)	44.1	53.6
WIC Participation (%)	62.0	49.7
Children Indicators		
# of WIC Children 2-5 years	543	57,117
Overweight (85 <sup>th</sup> - <95 <sup>th</sup> ) WIC Children 2-5 years (%)	16.4	16.4
Obese (>=95 <sup>th</sup> ) WIC Children 2-5 years (%)	15.8	15.6
# Children Living in out-of-home Care (i.e. group home, foster	172	12,338
homes, etc)		
# Children Abused	58	15,518

U.S. Census Bureau, Small Area Estimates Branch, 2007

US Census Bureau, Population Estimates Program, 2007

KY Vital Statistics, Preliminary 2007

PedNSS, 2007 is based on children that receive Women, Infant, and Children Services (WIC)

Kentucky Kids Count, 2007

Notes: 1. Number of children enrolled in Medicaid reflects the average monthly number of those enrolled. 2. Infant mortality rate is number of infants deaths/number of live births from 2004-2006.

### **Top of Page**

### **County Profile: Green County**

Indicator	Green	KY
Total Live Births	132	59,343
# of Childbearing Women (15-44)	2,146	863,716
# of Children (<18)	2,411	1,004,174
Maternal Race/Ethnicity (%)		
White	97.7	85.5
Black	0.8	9.3
Asian/Pacific Islander	0	1.6
Other	1.5	3.7
Hispanic	0.8	5.2
Maternal Characteristics (%)		
Mother's Age <18	0.8	3.8
Mother's Age >=35	7.6	7.1
Mother < High School Education	21.2	21.4
Repeat Births to Teens	0.8	5.1
Repeat Births <12Months From Previous Birth	16.7	16.1
MCH SES Indicators		
Children Living in Poverty (%)	27.8	23.6
# of Children Enrolled in Medicaid	915	346,798
Median Household Income	31,546	40,299

Delivery Payment Source (%)		
Medicaid	61.4	43.6
Private	32.6	44.7
Other	6.1	11.8
Prenatal Care Entry (%)		
First Trimester Prenatal Care	72.5	72.5
Second Trimester Prenatal Care	21.4	21.3
Third Trimester Prenatal Care	6.1	4.5
No Prenatal Care	0	1.7
Adverse Birth Outcomes Risk Factors (%)		
Gestational Hypertension	4.6	6.2
Gestational Diabetes	4.6	4.4
Pre-Pregnancy Obesity	28.8	28.3
Pre-Pregnancy Underweight	3.8	5.1
Smoking During Pregnancy	27.3	25.1
Adverse Birth Outcomes (%)		
Low Birth Weight (<2500g)	8.3	9.3
Very Low Birth Weight (<1500g)	0.8	1.7
Preterm Births (<37 weeks)	8.3	15.1
Late Preterm Births (34-36 weeks)	81.8	71.8
Infant Mortality (Rate per 1,000 live births)	10.6	7.1
2		
Method of Delivery (%)		
Vaginal Deliveries	56.8	65.3
Total C-Section Deliveries	43.2	34.7
Repeat C-Section	15.2	11.5
Post-natal Nutrition		
Breastfeeding initiation (%)	51.5	53.6
WIC Participation (%)	65.9	49.7
r	03.7	
Children Indicators		
# of WIC Children 2-5 years	227	57,117
Overweight (85 <sup>th</sup> - <95 <sup>th</sup> ) WIC Children 2-5 years (%)	18.9	16.4
Obese (>=95 <sup>th</sup> ) WIC Children 2-5 years (%)	11.9	15.6
# Children Living in out-of-home Care (i.e. group home, foster	18	12,338
homes, etc)		4.5.00
# Children Abused	50	15,518

U.S. Census Bureau, Small Area Estimates Branch, 2007

US Census Bureau, Population Estimates Program, 2007

KY Vital Statistics, Preliminary 2007

PedNSS, 2007 is based on children that receive Women, Infant, and Children Services (WIC)

Kentucky Kids Count, 2007

# **County Profile: Greenup County**

Reporting Period: January 1, 2007- December 31, 2007 Indicator	Greenup	KY
Total Live Births	455	59,343
# of Childbearing Women (15-44)	7,027	863,716
# of Children (<18)	7,947	1,004,174
of Cimulen (XIO)	1,741	1,001,171
Maternal Race/Ethnicity (%)		
White	98.3	85.5
Black	0.2	9.3
Asian/Pacific Islander	0.7	1.6
Other	0.7	3.7
Hispanic	0.5	5.2
Maternal Characteristics (%)		
Mother's Age < 18	1.9	3.8
Mother's Age >=35	5.5	7.1
Mother < High School Education	16.4	21.4
Repeat Births to Teens	1.9	5.1
Repeat Births <12Months From Previous Birth	14.1	16.1
MCH SES Indicators		
Children Living in Poverty (%)	22.5	23.6
# of Children Enrolled in Medicaid	3,096	346,798
Median Household Income	40,642	40,299
Wedian Household meome	40,042	40,299
Delivery Payment Source (%)		
Medicaid	59.9	43.6
Private	38.9	44.7
Other	1.2	11.8
Prenatal Care Entry (%)		
First Trimester Prenatal Care	76.4	72.5
Second Trimester Prenatal Care	14.5	21.3
Third Trimester Prenatal Care	5.3	4.5
No Prenatal Care	3.8	1.7
Adverse Birth Outcomes Risk Factors (%)		
Gestational Hypertension	6.8	6.2
Gestational Diabetes	2.4	4.4
Pre-Pregnancy Obesity	30.7	28.3
Pre-Pregnancy Underweight	6.0	5.1
Smoking During Pregnancy	28.0	25.1
Adverse Birth Outcomes (%)		
Low Birth Weight (<2500g)	9.7	9.3
Very Low Birth Weight (<1500g)		1.7
Preterm Births (<37 weeks)	1.9	
Late Preterm Births (34-36 weeks)	19.1	15.1
	75.3 8.3	71.8 7.1
Infant Mortality (Rate per 1,000 live births)	8.3	/.1

Method of Delivery (%)		
Vaginal Deliveries	59.7	65.3
Total C-Section Deliveries	40.3	34.7
Repeat C-Section	8.5	11.5
Post-natal Nutrition		
Breastfeeding initiation (%)	47.3	53.6
WIC Participation (%)	55.8	49.7
Children Indicators		
# of WIC Children 2-5 years	471	57,117
Overweight (85 <sup>th</sup> - <95 <sup>th</sup> ) WIC Children 2-5 years (%)	15.3	16.4
Obese (>=95 <sup>th</sup> ) WIC Children 2-5 years (%)	16.6	15.6
# Children Living in out-of-home Care (i.e. group home, foster	122	12,338
homes, etc)		
# Children Abused	76	15,518

U.S. Census Bureau, Small Area Estimates Branch, 2007

US Census Bureau, Population Estimates Program, 2007

KY Vital Statistics, Preliminary 2007

PedNSS, 2007 is based on children that receive Women, Infant, and Children Services (WIC)

Kentucky Kids Count, 2007

Notes: 1. Number of children enrolled in Medicaid reflects the average monthly number of those enrolled. 2. Infant mortality rate is number of infants deaths/number of live births from 2004-2006.

### **Top of Page**

## **County Profile: Hancock County**

Indicator	Hancock	KY
Total Live Births	114	59,343
# of Childbearing Women (15-44)	1,669	863,716
# of Children (<18)	2,212	1,004,174
Maternal Race/Ethnicity (%)		
White	98.0	85.5
Black	2.0	9.3
Asian/Pacific Islander	0	1.6
Other	0	3.7
Hispanic	2.0	5.2
Maternal Characteristics (%)		
Mother's Age <18	4.0	3.8
Mother's Age >=35	0	7.1
Mother < High School Education	16.0	21.4
Repeat Births to Teens	2.9	5.1
Repeat Births <12Months From Previous Birth	15.5	16.1
MCH SES Indicators		
Children Living in Poverty (%)	17.7	23.6
# of Children Enrolled in Medicaid	572	346,798
Median Household Income	47,558	40,299

Delivery Payment Source (%)		
Medicaid	37.0	43.6
Private	55.0	44.7
Other	8.0	11.8
Prenatal Care Entry (%)		
First Trimester Prenatal Care	59.2	72.5
Second Trimester Prenatal Care	34.0	21.3
Third Trimester Prenatal Care	4.9	4.5
No Prenatal Care	1.9	1.7
Adverse Birth Outcomes Risk Factors (%)		
Gestational Hypertension	7.9	6.2
Gestational Diabetes	3.0	4.4
Pre-Pregnancy Obesity	30.7	28.3
Pre-Pregnancy Underweight	4.0	5.1
Smoking During Pregnancy	27.7	25.1
Adverse Birth Outcomes (%)		
Low Birth Weight (<2500g)	6.9	9.3
Very Low Birth Weight (<1500g)	1.0	1.7
Preterm Births (<37 weeks)	20.4	15.1
Late Preterm Births (34-36 weeks)	76.2	71.8
Infant Mortality (Rate per 1,000 live births)	11.8	7.1
Method of Delivery (%)		
Vaginal Deliveries	60.4	65.3
Total C-Section Deliveries	39.6	34.7
Repeat C-Section	10.9	11.5
Post-natal Nutrition		
Breastfeeding initiation (%)	46.5	53.6
WIC Participation (%)	46.5	49.7
Children Indicators		
# of WIC Children 2-5 years	131	57,117
Overweight (85 <sup>th</sup> - <95 <sup>th</sup> ) WIC Children 2-5 years (%)	21.4	16.4
Obese (>=95 <sup>th</sup> ) WIC Children 2-5 years (%)	16.8	15.6
# Children Living in out-of-home Care (i.e. group home, foster	15	12,338
homes, etc)		,
# Children Abused	27	15,518

U.S. Census Bureau, Small Area Estimates Branch, 2007

US Census Bureau, Population Estimates Program, 2007

KY Vital Statistics, Preliminary 2007

PedNSS, 2007 is based on children that receive Women, Infant, and Children Services (WIC)

Kentucky Kids Count, 2007

# **County Profile: Hardin County**

Reporting Period: January 1, 2007- December 31, 2007		
Indicator	Hardin	KY
Total Liva Dintha	1.550	50.242
Total Live Births	1,559	59,343
# of Children (<18)	19,282	863,716
# of Children (<18)	25,392	1,004,174
Maternal Race/Ethnicity (%)		
White	82.6	85.5
Black	9.7	9.3
Asian/Pacific Islander	3.6	1.6
Other	4.1	3.7
Hispanic	6.4	5.2
Maternal Characteristics (%)		
Mother's Age <18	2.4	3.8
Mother's Age >=35	5.8	7.1
Mother < High School Education	13.4	21.4
Repeat Births to Teens	2.9	5.1
Repeat Births <12Months From Previous Birth	14.3	16.1
MOU OFO In Product		
MCH SES Indicators		22.6
Children Living in Poverty (%)	16.4	23.6
# of Children Enrolled in Medicaid	6,530	346,798
Median Household Income	47,958	40,299
Delivery Payment Source (%)		
Medicaid	17.7	43.6
Private	34.3	44.7
Other	48.1	11.8
Prenatal Care Entry (%)		
First Trimester Prenatal Care	63.3	72.5
Second Trimester Prenatal Care	27.6	21.3
Third Trimester Prenatal Care	8.2	4.5
No Prenatal Care	0.8	1.7
Adverse Birth Outcomes Risk Factors (%)		
Gestational Hypertension	5.1	6.2
Gestational Diabetes	4.8	4.4
Pre-Pregnancy Obesity	36.4	28.3
Pre-Pregnancy Underweight	3.8	5.1
Smoking During Pregnancy	22.1	25.1
Adverse Birth Outcomes (%)		
Low Birth Weight (<2500g)	8.1	9.3
Very Low Birth Weight (<1500g)	1.6	1.7
Preterm Births (<37 weeks)	18.3	15.1
Late Preterm Births (34-36 weeks)	78.2	71.8
Infant Mortality (Rate per 1,000 live births)	6.5	71.8 7.1
mant worthing (Rate per 1,000 live offices)	0.5	,

Method of Delivery (%)		
Vaginal Deliveries	73.4	65.3
Total C-Section Deliveries	26.6	34.7
Repeat C-Section	6.9	11.5
Post-natal Nutrition		
Breastfeeding initiation (%)	52.9	53.6
WIC Participation (%)	49.3	49.7
Old han by Pastana		
Children Indicators		
# of WIC Children 2-5 years	1,389	57,117
Overweight (85 <sup>th</sup> - <95 <sup>th</sup> ) WIC Children 2-5 years (%)	18.1	16.4
Obese (>=95 <sup>th</sup> ) WIC Children 2-5 years (%)	12.5	15.6
# Children Living in out-of-home Care (i.e. group home, foster	340	12,338
homes, etc)		
# Children Abused	250	15,518

U.S. Census Bureau, Small Area Estimates Branch, 2007

US Census Bureau, Population Estimates Program, 2007

KY Vital Statistics, Preliminary 2007

PedNSS, 2007 is based on children that receive Women, Infant, and Children Services (WIC)

Kentucky Kids Count, 2007

Notes: 1. Number of children enrolled in Medicaid reflects the average monthly number of those enrolled. 2. Infant mortality rate is number of infants deaths/number of live births from 2004-2006.

### **Top of Page**

## **County Profile: Harlan County**

Indicator	Harlan	KY
Total Live Births	430	59,343
# of Childbearing Women (15-44)	6,112	863,716
# of Children (<18)	7,181	1,004,174
Maternal Race/Ethnicity (%)		
White	97.8	85.5
Black	1.7	9.3
Asian/Pacific Islander	0	1.6
Other	0.5	3.7
Hispanic	0.3	5.2
Maternal Characteristics (%)		
Mother's Age <18	7.1	3.8
Mother's Age >=35	4.2	7.1
Mother < High School Education	29.7	21.4
Repeat Births to Teens	7.3	5.1
Repeat Births <12Months From Previous Birth	22.0	16.1
MCH SES Indicators		
Children Living in Poverty (%)	39.9	23.6
# of Children Enrolled in Medicaid	4,298	346,798
Median Household Income	25,939	40,299

Delivery Payment Source (%)		
Medicaid	76.7	43.6
Private	21.6	44.7
Other	1.7	11.8
Prenatal Care Entry (%)		
First Trimester Prenatal Care	62.0	72.5
Second Trimester Prenatal Care	25.7	21.3
Third Trimester Prenatal Care	8.9	4.5
No Prenatal Care	3.5	1.7
Adverse Birth Outcomes Risk Factors (%)		
Gestational Hypertension	2.0	6.2
Gestational Diabetes	3.2	4.4
Pre-Pregnancy Obesity	27.6	28.3
Pre-Pregnancy Underweight	8.3	5.1
Smoking During Pregnancy	39.5	25.1
Adverse Birth Outcomes (%)		
Low Birth Weight (<2500g)	8.1	9.3
Very Low Birth Weight (<1500g)	1.2	1.7
Preterm Births (<37 weeks)	11.4	15.1
Late Preterm Births (34-36 weeks)	66.0	71.8
Infant Mortality (Rate per 1,000 live births)	7.5	7.1
Method of Delivery (%)		
Vaginal Deliveries	59.8	65.3
Total C-Section Deliveries	40.2	34.7
Repeat C-Section	14.6	11.5
Post-natal Nutrition		
Breastfeeding initiation (%)	23.7	53.6
WIC Participation (%)	72.4	49.7
r ()	14.4	
Children Indicators		
# of WIC Children 2-5 years	771	57,117
Overweight (85 <sup>th</sup> - <95 <sup>th</sup> ) WIC Children 2-5 years (%)	17.5	16.4
Obese (>=95 <sup>th</sup> ) WIC Children 2-5 years (%)	20.1	15.6
# Children Living in out-of-home Care (i.e. group home, foster	128	12,338
homes, etc)	105	4.5.00
# Children Abused	137	15,518

U.S. Census Bureau, Small Area Estimates Branch, 2007

US Census Bureau, Population Estimates Program, 2007

KY Vital Statistics, Preliminary 2007

PedNSS, 2007 is based on children that receive Women, Infant, and Children Services (WIC)

Kentucky Kids Count, 2007

## **County Profile: Harrison County**

Indicator	Harrison	KY
Total Live Births	280	59,343
# of Childbearing Women (15-44)	3,641	863,716
# of Children (<18)	4,333	1,004,174
Maternal Race/Ethnicity (%)		
White	96.0	85.5
Black	1.1	9.3
Asian/Pacific Islander	0	1.6
Other	2.9	3.7
Hispanic	2.2	5.2
Maternal Characteristics (%)		
Mother's Age <18	5.8	3.8
Mother's Age >=35	5.4	7.1
Mother < High School Education	21.4	21.4
Repeat Births to Teens	5.4	5.1
Repeat Births <12Months From Previous Birth	16.5	16.1
MCH SES Indicators		
Children Living in Poverty (%)	19.9	23.6
# of Children Enrolled in Medicaid	1,466	346,798
Median Household Income	41,423	40,299
Delivery Payment Source (%)		
Medicaid	55.4	43.6
Private	41.3	44.7
Other	3.3	11.8
Prenatal Care Entry (%)		
First Trimester Prenatal Care	71.2	72.5
Second Trimester Prenatal Care	20.1	21.3
Third Trimester Prenatal Care	8.4	4.5
No Prenatal Care	0.4	1.7
Adverse Birth Outcomes Risk Factors (%)		- 0
Gestational Hypertension	7.5	6.2
Gestational Diabetes	2.5	4.4
Pre-Pregnancy Obesity	27.2	28.3
Pre-Pregnancy Underweight	2.9	5.1
Smoking During Pregnancy	34.4	25.1
Adverse Birth Outcomes (%)		
Low Birth Weight (<2500g)	9.0	9.3
Very Low Birth Weight (<1500g)	0.7	1.7
Preterm Births (<37 weeks)	14.3	15.1
Late Preterm Births (34-36 weeks)	65.0	71.8
Infant Mortality (Rate per 1,000 live births)	10.4	7.1

Method of Delivery (%)		
Vaginal Deliveries	68.8	65.3
Total C-Section Deliveries	31.2	34.7
Repeat C-Section	9.0	11.5
Post-natal Nutrition		
Breastfeeding initiation (%)	51.3	53.6
WIC Participation (%)	57.7	49.7
Children Indicators		
Children Indicators		
# of WIC Children 2-5 years	270	57,117
Overweight (85 <sup>th</sup> - <95 <sup>th</sup> ) WIC Children 2-5 years (%)	11.9	16.4
Obese (>=95 <sup>th</sup> ) WIC Children 2-5 years (%)	15.2	15.6
# Children Living in out-of-home Care (i.e. group home, foster	11	12,338
homes, etc)		
# Children Abused	25	15,518

U.S. Census Bureau, Small Area Estimates Branch, 2007

US Census Bureau, Population Estimates Program, 2007

KY Vital Statistics, Preliminary 2007

PedNSS, 2007 is based on children that receive Women, Infant, and Children Services (WIC)

Kentucky Kids Count, 2007

Notes: 1. Number of children enrolled in Medicaid reflects the average monthly number of those enrolled. 2. Infant mortality rate is number of infants deaths/number of live births from 2004-2006.

### **Top of Page**

## **County Profile: Hart County**

Indicator	Hart	KY
Total Live Births	254	59,343
# of Childbearing Women (15-44)	3,676	863,716
# of Children (<18)	4,394	1,004,174
Maternal Race/Ethnicity (%)		
White	94.8	85.5
Black	4.8	9.3
Asian/Pacific Islander	0	1.6
Other	0.4	3.7
Hispanic	0.4	5.2
Maternal Characteristics (%)		
Mother's Age <18	2.4	3.8
Mother's Age >=35	6.8	7.1
Mother < High School Education	41.7	21.4
Repeat Births to Teens	3.2	5.1
Repeat Births <12Months From Previous Birth	18.2	16.1
MCH SES Indicators		
Children Living in Poverty (%)	33.1	23.6
# of Children Enrolled in Medicaid	1,723	346,798
Median Household Income	30,604	40,299

Delivery Payment Source (%)		
Medicaid	55.6	43.6
Private	23.4	44.7
Other	21.0	11.8
Prenatal Care Entry (%)		
First Trimester Prenatal Care	59.6	72.5
Second Trimester Prenatal Care	34.0	21.3
Third Trimester Prenatal Care	5.6	4.5
No Prenatal Care	0.8	1.7
Adverse Birth Outcomes Risk Factors (%)		
Gestational Hypertension	4.0	6.2
Gestational Diabetes	2.4	4.4
Pre-Pregnancy Obesity	31.6	28.3
Pre-Pregnancy Underweight	4.7	5.1
Smoking During Pregnancy	28.5	25.1
Adverse Birth Outcomes (%)		
Low Birth Weight (<2500g)	8.3	9.3
Very Low Birth Weight (<1500g)	1.2	1.7
Preterm Births (<37 weeks)	13.0	15.1
Late Preterm Births (34-36 weeks)	69.7	71.8
Infant Mortality (Rate per 1,000 live births)	4.2	7.1
, , , , , , , , , , , , , , , , , , , ,		
Method of Delivery (%)		
Vaginal Deliveries	70.4	65.3
Total C-Section Deliveries	29.6	34.7
Repeat C-Section	9.1	11.5
Post-natal Nutrition		
Breastfeeding initiation (%)	54.6	53.6
WIC Participation (%)	57.7	49.7
	2	
Children Indicators		
# of WIC Children 2-5 years	310	57,117
Overweight (85 <sup>th</sup> - <95 <sup>th</sup> ) WIC Children 2-5 years (%)	16.8	16.4
Obese (>=95 <sup>th</sup> ) WIC Children 2-5 years (%)	18.7	15.6
# Children Living in out-of-home Care (i.e. group home, foster	46	12,338
homes, etc)		
# Children Abused	48	15,518

U.S. Census Bureau, Small Area Estimates Branch, 2007

US Census Bureau, Population Estimates Program, 2007

KY Vital Statistics, Preliminary 2007

PedNSS, 2007 is based on children that receive Women, Infant, and Children Services (WIC)

Kentucky Kids Count, 2007

## **County Profile: Henderson County**

Indicator	Henderson	KY
Total Live Births	670	59,343
# of Childbearing Women (15-44)	8,832	863,716
# of Children (<18)	10,517	1,004,174
" of Children (<10)	10,317	1,004,174
Maternal Race/Ethnicity (%)		
White	88.5	85.5
Black	6.2	9.3
Asian/Pacific Islander	0.6	1.6
Other	4.7	3.7
Hispanic	4.5	5.2
Maternal Characteristics (%)		
Mother's Age <18	7.0	3.8
Mother's Age >=35	3.6	7.1
Mother < High School Education	27.2	21.4
Repeat Births to Teens	5.2	5.1
Repeat Births <12Months From Previous Birth	21.0	16.1
MCH SES Indicators		
Children Living in Poverty (%)	19.3	23.6
# of Children Enrolled in Medicaid	3,665	346,798
Median Household Income	41,692	40,299
Delivery Payment Source (%)		
Medicaid	76.2	43.6
Private	21.9	44.7
Other	1.9	11.8
	1.7	
Prenatal Care Entry (%)		
First Trimester Prenatal Care	57.4	72.5
Second Trimester Prenatal Care	36.6	21.3
Third Trimester Prenatal Care	4.4	4.5
No Prenatal Care	1.5	1.7
Adverse Birth Outcomes Risk Factors (%)		
Gestational Hypertension	1.5	6.2
Gestational Diabetes	1.3	4.4
Pre-Pregnancy Obesity	27.4	28.3
Pre-Pregnancy Underweight	6.4	5.1
Smoking During Pregnancy	32.5	25.1
Adverse Birth Outcomes (%)		
Low Birth Weight (<2500g)	15.1	9.3
Very Low Birth Weight (<1500g)	15.1	1.7
Preterm Births (<37 weeks)	1.9	15.1
Late Preterm Births (34-36 weeks)		
Infant Mortality (Rate per 1,000 live births)	71.1 11.3	71.8 7.1
THE AND INTO LIVER A REPORT FOR THE PROPERTY OF THE PROPERTY O	11.5	7.1

Method of Delivery (%)		
Vaginal Deliveries	60.7	65.3
Total C-Section Deliveries	39.3	34.7
Repeat C-Section	15.1	11.5
Post-natal Nutrition		
Breastfeeding initiation (%)	37.2	53.6
WIC Participation (%)	71.3	49.7
Ol II lead to Parkers		
Children Indicators		
# of WIC Children 2-5 years	573	57,117
Overweight (85 <sup>th</sup> - <95 <sup>th</sup> ) WIC Children 2-5 years (%)	15.0	16.4
Obese (>=95 <sup>th</sup> ) WIC Children 2-5 years (%)	15.7	15.6
# Children Living in out-of-home Care (i.e. group home, foster	97	12,338
homes, etc)		
# Children Abused	216	15,518

U.S. Census Bureau, Small Area Estimates Branch, 2007

US Census Bureau, Population Estimates Program, 2007

KY Vital Statistics, Preliminary 2007

PedNSS, 2007 is based on children that receive Women, Infant, and Children Services (WIC)

Kentucky Kids Count, 2007

Notes: 1. Number of children enrolled in Medicaid reflects the average monthly number of those enrolled. 2. Infant mortality rate is number of infants deaths/number of live births from 2004-2006.

### **Top of Page**

## **County Profile: Henry County**

Indicator	Henry	KY
Total Live Births	219	59,343
# of Childbearing Women (15-44)		863,716
# of Children (<18)	3,021	1,004,174
# Of Children (C10)	3,824	1,004,174
Maternal Race/Ethnicity (%)		
White	94.4	85.5
Black	1.4	9.3
Asian/Pacific Islander	0	1.6
Other	4.2	3.7
Hispanic	5.1	5.2
Maternal Characteristics (%)		
Mother's Age <18	4.7	3.8
Mother's Age >=35	4.7	7.1
Mother < High School Education	21.9	21.4
Repeat Births to Teens	3.2	5.1
Repeat Births <12Months From Previous Birth	16.9	16.1
MCH SES Indicators		
Children Living in Poverty (%)	21.6	23.6
# of Children Enrolled in Medicaid	1,150	346,798
Median Household Income	44,209	40,299

Delivery Payment Source (%)		
Medicaid	35.8	43.6
Private	51.6	44.7
Other	12.6	11.8
Prenatal Care Entry (%)		
First Trimester Prenatal Care	79.0	72.5
Second Trimester Prenatal Care	46.0	21.3
Third Trimester Prenatal Care	3.2	4.5
No Prenatal Care	1.8	1.7
Adverse Birth Outcomes Risk Factors (%)		
Gestational Hypertension	6.0	6.2
Gestational Diabetes	6.0	4.4
Pre-Pregnancy Obesity	33.8	28.3
Pre-Pregnancy Underweight	3.7	5.1
Smoking During Pregnancy	31.5	25.1
Adverse Birth Outcomes (%)		
Low Birth Weight (<2500g)	6.0	9.3
Very Low Birth Weight (<1500g)	0.9	1.7
Preterm Births (<37 weeks)	17.4	15.1
Late Preterm Births (34-36 weeks)	89.5	71.8
Infant Mortality (Rate per 1,000 live births)	8.4	7.1
Method of Delivery (%)		
Vaginal Deliveries	60.7	65.3
Total C-Section Deliveries	39.4	34.7
Repeat C-Section	11.1	11.5
Post-natal Nutrition		
Breastfeeding initiation (%)	59.3	53.6
WIC Participation (%)	44.0	49.7
Children Indicators		
# of WIC Children 2-5 years	185	57,117
Overweight (85 <sup>th</sup> - <95 <sup>th</sup> ) WIC Children 2-5 years (%)	17.8	16.4
Obese (>=95 <sup>th</sup> ) WIC Children 2-5 years (%)	18.4	15.6
# Children Living in out-of-home Care (i.e. group home, foster	19	12,338
homes, etc)		,- 2 5
# Children Abused	78	15,518

U.S. Census Bureau, Small Area Estimates Branch, 2007

US Census Bureau, Population Estimates Program, 2007

KY Vital Statistics, Preliminary 2007

PedNSS, 2007 is based on children that receive Women, Infant, and Children Services (WIC)

Kentucky Kids Count, 2007

# County Profile: Hickman County Reporting Period: January 1, 2007- December 31, 2007

Reporting Period: January 1, 2007- December 31, 2007 Indicator	Hickman	KY
Total Live Births	56	59,343
# of Childbearing Women (15-44)	898	863,716
# of Children (<18)	981	1,004,174
Maternal Race/Ethnicity (%)		
White	87.5	85.5
Black	12.5	9.3
Asian/Pacific Islander	0	1.6
Other	0	3.7
Hispanic	0	5.2
Maternal Characteristics (%)		
Mother's Age < 18	1.8	3.8
Mother's Age >=35	5.4	7.1
Mother < High School Education	16.1	21.4
Repeat Births to Teens	3.6	5.1
Repeat Births <12Months From Previous Birth	8.9	16.1
MCH SES Indicators		
Children Living in Poverty (%)	28.7	23.6
# of Children Enrolled in Medicaid	353	346,798
Median Household Income	37,001	40,299
Delivery Payment Source (%)		40.6
Medicaid	48.2	43.6
Private	48.2	44.7
Other	3.6	11.8
Prenatal Care Entry (%)		<b>50.5</b>
First Trimester Prenatal Care	82.1	72.5
Second Trimester Prenatal Care	16.1	21.3
Third Trimester Prenatal Care	1.8	4.5
No Prenatal Care	0	1.7
Adverse Birth Outcomes Risk Factors (%)		
Gestational Hypertension	3.6	6.2
Gestational Diabetes	1.8	4.4
Pre-Pregnancy Obesity	32.7	28.3
Pre-Pregnancy Underweight Smoking During Pregnancy	1.8 27.3	5.1 25.1
omorning During Frequency	21.3	23.1
Adverse Birth Outcomes (%)		0.2
Low Birth Weight (<2500g)	5.5	9.3
Very Low Birth Weight (<1500g)	0	1.7
Preterm Births (<37 weeks)	16.1	15.1
Late Preterm Births (34-36 weeks)	88.9	71.8
Infant Mortality (Rate per 1,000 live births)	14.6	7.1

Method of Delivery (%)		
Vaginal Deliveries	69.1	65.3
Total C-Section Deliveries	30.9	34.7
Repeat C-Section	9.1	11.5
Post-natal Nutrition		
Breastfeeding initiation (%)	45.5	53.6
WIC Participation (%)	61.8	49.7
Children Indicators		
# of WIC Children 2-5 years	61	57,117
Overweight (85 <sup>th</sup> - <95 <sup>th</sup> ) WIC Children 2-5 years (%)	Missing: # too low	16.4
Obese (>=95 <sup>th</sup> ) WIC Children 2-5 years (%)	Missing: # too low	15.6
# Children Living in out-of-home Care (i.e. group home, foster	16	12,338
homes, etc)		
# Children Abused	9	15,518

U.S. Census Bureau, Small Area Estimates Branch, 2007

US Census Bureau, Population Estimates Program, 2007

KY Vital Statistics, Preliminary 2007

PedNSS, 2007 is based on children that receive Women, Infant, and Children Services (WIC)

Kentucky Kids Count, 2007

Notes: 1. Number of children enrolled in Medicaid reflects the average monthly number of those enrolled. 2. Infant mortality rate is number of infants deaths/number of live births from 2004-2006.

### **Top of Page**

## **County Profile: Hopkins County**

Indicator	Hopkins	KY
Total Live Births	664	59,343
# of Childbearing Women (15-44)	8,877	863,716
# of Children (<18)	10,575	1,004,174
Maternal Race/Ethnicity (%)		
White	89.3	85.5
Black	8.5	9.3
Asian/Pacific Islander	0.8	1.6
Other	1.4	3.7
Hispanic	2.5	5.2
Maternal Characteristics (%)		
Mother's Age <18	3.5	3.8
Mother's Age >=35	5.1	7.1
Mother < High School Education	21.6	21.4
Repeat Births to Teens	5.0	5.1
Repeat Births <12Months From Previous Birth	16.7	16.1
MCH SES Indicators		
Children Living in Poverty (%)	26.7	23.6
# of Children Enrolled in Medicaid	3,876	346,798
Median Household Income	36,611	40,299

Delivery Payment Source (%)		
Medicaid	51.6	43.6
Private	45.6	44.7
Other	2.8	11.8
Prenatal Care Entry (%)		
First Trimester Prenatal Care	73.5	72.5
Second Trimester Prenatal Care	21.9	21.3
Third Trimester Prenatal Care	3.4	4.5
No Prenatal Care	1.2	1.7
Adverse Birth Outcomes Risk Factors (%)		
Gestational Hypertension	5.6	6.2
Gestational Diabetes	3.1	4.4
Pre-Pregnancy Obesity	33.2	28.3
Pre-Pregnancy Underweight	3.8	5.1
Smoking During Pregnancy	31.0	25.1
Adverse Birth Outcomes (%)		
Low Birth Weight (<2500g)	10.0	9.3
Very Low Birth Weight (<1500g)	2.4	1.7
Preterm Births (<37 weeks)	19.8	15.1
Late Preterm Births (34-36 weeks)	73.4	71.8
Infant Mortality (Rate per 1,000 live births)	7.7	7.1
Method of Delivery (%)		
Vaginal Deliveries	56.3	65.3
Total C-Section Deliveries	43.7	34.7
Repeat C-Section	16.9	11.5
Post-natal Nutrition		
Breastfeeding initiation (%)	50.9	53.6
WIC Participation (%)	57.3	49.7
1 , ,	51.5	
Children Indicators		
# of WIC Children 2-5 years	678	57,117
Overweight (85 <sup>th</sup> - <95 <sup>th</sup> ) WIC Children 2-5 years (%)	16.5	16.4
Obese (>=95 <sup>th</sup> ) WIC Children 2-5 years (%)	17.6	15.6
# Children Living in out-of-home Care (i.e. group home, foster	110	12,338
homes, etc)		
# Children Abused	110	15,518

U.S. Census Bureau, Small Area Estimates Branch, 2007

US Census Bureau, Population Estimates Program, 2007

KY Vital Statistics, Preliminary 2007

PedNSS, 2007 is based on children that receive Women, Infant, and Children Services (WIC)

Kentucky Kids Count, 2007

## **County Profile: Jackson County**

Indicator	Jackson	KY
Total Live Births	182	59,343
# of Childbearing Women (15-44)	2,855	863,716
# of Children (<18)	3,161	1,004,174
Maternal Race/Ethnicity (%)		
White	97.2	85.5
Black	0	9.3
Asian/Pacific Islander	0.6	1.6
Other	2.2	3.7
Hispanic	2.8	5.2
Maternal Characteristics (%)		
Mother's Age <18	3.1	3.8
Mother's Age >=35	1.8	7.1
Mother < High School Education	22.8	21.4
Repeat Births to Teens	3.9	5.1
Repeat Births <12Months From Previous Birth	14.3	16.1
MCH SES Indicators		
Children Living in Poverty (%)	43.0	23.6
# of Children Enrolled in Medicaid	1,697	346,798
Median Household Income	25,653	40,299
Delivery Payment Source (%)		
Medicaid	65.6	43.6
Private	31.1	44.7
Other	3.3	11.8
Prenatal Care Entry (%)		
First Trimester Prenatal Care	71.8	72.5
Second Trimester Prenatal Care	23.7	21.3
Third Trimester Prenatal Care	4.0	4.5
No Prenatal Care	0.6	1.7
Adverse Birth Outcomes Risk Factors (%)		
Gestational Hypertension	3.9	6.2
Gestational Diabetes	5.5	4.4
Pre-Pregnancy Obesity	34.8	28.3
Pre-Pregnancy Underweight	7.7	5.1
Smoking During Pregnancy	40.3	25.1
Adverse Birth Outcomes (%)		
Low Birth Weight (<2500g)	13.3	9.3
Very Low Birth Weight (<1500g)	2.8	1.7
Preterm Births (<37 weeks)	18.7	15.1
Late Preterm Births (34-36 weeks)	61.8	71.8
Infant Mortality (Rate per 1,000 live births)	11.0	7.1

Method of Delivery (%)		
Vaginal Deliveries	58.6	65.3
Total C-Section Deliveries	41.4	34.7
Repeat C-Section	11.1	11.5
Post-natal Nutrition		
Breastfeeding initiation (%)	43.1	53.6
WIC Participation (%)	71.8	49.7
Children Indicators		
# of WIC Children 2-5 years	294	57,117
Overweight (85 <sup>th</sup> - <95 <sup>th</sup> ) WIC Children 2-5 years (%)	15.3	16.4
Obese (>=95 <sup>th</sup> ) WIC Children 2-5 years (%)	20.4	15.6
# Children Living in out-of-home Care (i.e. group home, foster	45	12,338
homes, etc)		
# Children Abused	51	15,518

U.S. Census Bureau, Small Area Estimates Branch, 2007

US Census Bureau, Population Estimates Program, 2007

KY Vital Statistics, Preliminary 2007

PedNSS, 2007 is based on children that receive Women, Infant, and Children Services (WIC)

Kentucky Kids Count, 2007

Notes: 1. Number of children enrolled in Medicaid reflects the average monthly number of those enrolled. 2. Infant mortality rate is number of infants deaths/number of live births from 2004-2006.

### **Top of Page**

## **County Profile: Jefferson County**

Indicator	Jefferson	KY
Total Live Births	10,603	59,343
# of Childbearing Women (15-44)	139,839	863,716
# of Children (<18)	170,967	1,004,174
Maternal Race/Ethnicity (%)		
White	65.6	85.5
Black	25.9	9.3
Asian/Pacific Islander	2.9	1.6
Other	5.7	3.7
Hispanic	7.2	5.2
Maternal Characteristics (%)		
Mother's Age <18	3.4	3.8
Mother's Age >=35	8.7	7.1
Mother < High School Education	19.3	21.4
Repeat Births to Teens	2.7	5.1
Repeat Births <12Months From Previous Birth	18.5	16.1
MCH SES Indicators		
Children Living in Poverty (%)	21.0	23.6
# of Children Enrolled in Medicaid	55,145	346,798
Median Household Income	43,677	40,299

Delivery Payment Source (%)		
Medicaid	27.8	43.6
Private	52.7	44.7
Other	19.6	11.8
Prenatal Care Entry (%)		
First Trimester Prenatal Care	79.6	72.5
Second Trimester Prenatal Care	15.2	21.3
Third Trimester Prenatal Care	2.6	4.5
No Prenatal Care	2.7	1.7
Adverse Birth Outcomes Risk Factors (%)		
Gestational Hypertension	4.7	6.2
Gestational Diabetes	2.9	4.4
Pre-Pregnancy Obesity	27.4	28.3
Pre-Pregnancy Underweight	4.5	5.1
Smoking During Pregnancy	17.7	25.1
	1,.,	
Adverse Birth Outcomes (%)		
Low Birth Weight (<2500g)	9.4	9.3
Very Low Birth Weight (<1500g)	2.0	1.7
Preterm Births (<37 weeks)	16.6	15.1
Late Preterm Births (34-36 weeks)	69.3	71.8
Infant Mortality (Rate per 1,000 live births)	7.1	7.1
Method of Delivery (%)		
Vaginal Deliveries	68.5	65.3
Total C-Section Deliveries	31.5	34.7
Repeat C-Section	9.6	11.5
Post-natal Nutrition		
Breastfeeding initiation (%)	64.8	53.6
WIC Participation (%)	38.7	49.7
-		
Children Indicators		
# of WIC Children 2-5 years	6,454	57,117
Overweight (85 <sup>th</sup> - <95 <sup>th</sup> ) WIC Children 2-5 years (%)	14.8	16.4
Obese (>=95 <sup>th</sup> ) WIC Children 2-5 years (%)	12.6	15.6
# Children Living in out-of-home Care (i.e. group home, foster	1,808	12,338
homes, etc)		
# Children Abused	2,959	15,518

U.S. Census Bureau, Small Area Estimates Branch, 2007

US Census Bureau, Population Estimates Program, 2007

KY Vital Statistics, Preliminary 2007

PedNSS, 2007 is based on children that receive Women, Infant, and Children Services (WIC)

Kentucky Kids Count, 2007

## **County Profile: Jessamine County**

Reporting Period: January 1, 2007- December 31, 2007 Indicator	Jessamine	KY
Total Live Births	704	59,343
# of Childbearing Women (15-44)	10,237	863,716
# of Children (<18)	11,519	1,004,174
Maternal Race/Ethnicity (%)		
White	94.9	85.5
Black	3.7	9.3
Asian/Pacific Islander	0.4	1.6
Other	1.0	3.7
Hispanic	3.9	5.2
Maternal Characteristics (%)		
Mother's Age < 18	3.7	3.8
Mother's Age >=35	5.9	7.1
Mother < High School Education	18.5	21.4
Repeat Births to Teens	2.4	5.1
Repeat Births <12Months From Previous Birth	14.4	16.1
MCH SES Indicators		
Children Living in Poverty (%)	19.2	23.6
# of Children Enrolled in Medicaid	3,319	346,798
Median Household Income	47,324	40,299
Delivery Payment Source (%)		
Medicaid	42.2	43.6
Private	54.1	44.7
Other	3.7	11.8
Prenatal Care Entry (%)		
First Trimester Prenatal Care	73.4	72.5
Second Trimester Prenatal Care	21.1	21.3
Third Trimester Prenatal Care	4.7	4.5
No Prenatal Care	0.9	1.7
Adverse Birth Outcomes Risk Factors (%)		
Gestational Hypertension	9.4	6.2
Gestational Diabetes	5.7	4.4
Pre-Pregnancy Obesity	25.9	28.3
Pre-Pregnancy Underweight	5.7	5.1
Smoking During Pregnancy	25.3	25.1
Adverse Birth Outcomes (%)		
Low Birth Weight (<2500g)	9.2	9.3
Very Low Birth Weight (<1500g)	1.9	1.7
Preterm Births (<37 weeks)	16.6	15.1
Late Preterm Births (34-36 weeks)	74.4	71.8
Infant Mortality (Rate per 1,000 live births)	7.2	7.1

Method of Delivery (%)		
Vaginal Deliveries	64.5	65.3
Total C-Section Deliveries	35.5	34.7
Repeat C-Section	12.6	11.5
Post-natal Nutrition		
Breastfeeding initiation (%)	68.0	53.6
WIC Participation (%)	42.7	49.7
Children Indicators		
# of WIC Children 2-5 years	613	57,117
Overweight (85 <sup>th</sup> - <95 <sup>th</sup> ) WIC Children 2-5 years (%)	12.1	16.4
Obese (>=95 <sup>th</sup> ) WIC Children 2-5 years (%)	11.3	15.6
# Children Living in out-of-home Care (i.e. group home, foster	63	12,338
homes, etc)		
# Children Abused	114	15,518

U.S. Census Bureau, Small Area Estimates Branch, 2007

US Census Bureau, Population Estimates Program, 2007

KY Vital Statistics, Preliminary 2007

PedNSS, 2007 is based on children that receive Women, Infant, and Children Services (WIC)

Kentucky Kids Count, 2007

Notes: 1. Number of children enrolled in Medicaid reflects the average monthly number of those enrolled. 2. Infant mortality rate is number of infants deaths/number of live births from 2004-2006.

### **Top of Page**

## **County Profile: Johnson County**

Indicator	Johnson	KY
Total Live Births	288	59,343
# of Childbearing Women (15-44)	4,869	863,716
# of Children (<18)	5,411	1,004,174
Material Base (Ethericity (97)		
Maternal Race/Ethnicity (%)		2.5
White	100.0	85.5
Black	0	9.3
Asian/Pacific Islander	0	1.6
Other	0	3.7
Hispanic	0	5.2
Maternal Characteristics (%)		
Mother's Age <18	3.6	3.8
Mother's Age >=35	5.0	7.1
Mother < High School Education	28.6	21.4
Repeat Births to Teens	1.1	5.1
Repeat Births <12Months From Previous Birth	15.3	16.1
MCH SES Indicators		
Children Living in Poverty (%)	32.8	23.6
# of Children Enrolled in Medicaid	2,837	346,798
Median Household Income	32,706	40,299

Medicaid       68.6       43.6         Private       24.6       44.7         Other       6.8       11.8	
Other 6.8 11.8	
Other 6.8 11.8	
Prenatal Care Entry (%)	
First Trimester Prenatal Care 75.3 72.5	
Second Trimester Prenatal Care 17.6 21.3	
Third Trimester Prenatal Care 4.9 4.5	
No Prenatal Care 2.3 1.7	
Adverse Birth Outcomes Risk Factors (%)	
Gestational Hypertension 5.0 6.2	
Gestational Diabetes 4.3 4.4	
Pre-Pregnancy Obesity 33.2 28.3	
Pre-Pregnancy Underweight 6.1 5.1	
Smoking During Pregnancy 34.3 25.1	
Adverse Birth Outcomes (%)	
Low Birth Weight (<2500g) 9.3	
Very Low Birth Weight (<1500g) 3.9	
Preterm Births (<37 weeks) 18.2 15.1	
Late Preterm Births (34-36 weeks) 64.7 71.8	
Infant Mortality (Rate per 1,000 live births) 6.6 7.1	
Method of Delivery (%)	
Vaginal Deliveries 58.9 65.3	
Total C-Section Deliveries 41.1 34.7	
Repeat C-Section 15.4 11.5	
Post-natal Nutrition	
Breastfeeding initiation (%) 32.1 53.6	
WIC Participation (%) 65.7 49.7	
Children Indicators	
# of WIC Children 2-5 years 547 57,117	
Overweight (85 <sup>th</sup> - <95 <sup>th</sup> ) WIC Children 2-5 years (%) 14.4	
Obese (>=95 <sup>th</sup> ) WIC Children 2-5 years (%) 21.6	
# Children Living in out-of-home Care (i.e. group home, foster 319 12,338	
homes, etc)	
# Children Abused 245 15,518	

U.S. Census Bureau, Small Area Estimates Branch, 2007

US Census Bureau, Population Estimates Program, 2007

KY Vital Statistics, Preliminary 2007

PedNSS, 2007 is based on children that receive Women, Infant, and Children Services (WIC)

Kentucky Kids Count, 2007

## **County Profile: Kenton County**

Reporting Period: January 1, 2007- December 31, 2007 Indicator	Kenton	KY
Total Live Births	2,559	59,343
# of Childbearing Women (15-44)	31,883	863,716
# of Children (<18)	40,463	1,004,174
Maternal Race/Ethnicity (%)		
White	87.5	85.5
Black	6.6	9.3
Asian/Pacific Islander	1.2	1.6
Other	4.7	3.7
Hispanic	5.3	5.2
Maternal Characteristics (%)		
Mother's Age <18	4.2	3.8
Mother's Age >=35	8.1	7.1
Mother < High School Education	19.3	21.4
Repeat Births to Teens	3.5	5.1
Repeat Births <12Months From Previous Birth	15.6	16.1
MCH SES Indicators		
Children Living in Poverty (%)	16.7	23.6
# of Children Enrolled in Medicaid	10,213	346,798
Median Household Income	50,734	40,299
Delivery Payment Source (%)		
Medicaid	40.9	43.6
Private	55.9	44.7
Other	3.2	11.8
Prenatal Care Entry (%)		
First Trimester Prenatal Care	66.4	72.5
Second Trimester Prenatal Care	26.0	21.3
Third Trimester Prenatal Care	5.0	4.5
No Prenatal Care	2.7	1.7
Adverse Birth Outcomes Risk Factors (%)		
Gestational Hypertension	5.5	6.2
Gestational Diabetes	4.5	4.4
Pre-Pregnancy Obesity	22.9	28.3
Pre-Pregnancy Underweight	5.5	5.1
Smoking During Pregnancy	24.7	25.1
Adverse Birth Outcomes (%)		
Low Birth Weight (<2500g)	8.4	9.3
Very Low Birth Weight (<1500g)	1.6	1.7
Preterm Births (<37 weeks)	14.5	15.1
Late Preterm Births (34-36 weeks)	71.3	71.8
Infant Mortality (Rate per 1,000 live births)	11.5	7.1

Method of Delivery (%)		
Vaginal Deliveries	65.7	65.3
Total C-Section Deliveries	34.3	34.7
Repeat C-Section	13.9	11.5
Post-natal Nutrition		
Breastfeeding initiation (%)	57.1	53.6
WIC Participation (%)	32.7	49.7
Children Indicators		
# of WIC Children 2-5 years	925	57,117
Overweight (85 <sup>th</sup> - <95 <sup>th</sup> ) WIC Children 2-5 years (%)	17.5	16.4
Obese (>=95 <sup>th</sup> ) WIC Children 2-5 years (%)	17.1	15.6
# Children Living in out-of-home Care (i.e. group home, foster	490	12,338
homes, etc)		
# Children Abused	527	15,518

U.S. Census Bureau, Small Area Estimates Branch, 2007

US Census Bureau, Population Estimates Program, 2007

KY Vital Statistics, Preliminary 2007

PedNSS, 2007 is based on children that receive Women, Infant, and Children Services (WIC)

Kentucky Kids Count, 2007

Notes: 1. Number of children enrolled in Medicaid reflects the average monthly number of those enrolled. 2. Infant mortality rate is number of infants deaths/number of live births from 2004-2006.

### **Top of Page**

## **County Profile: Knott County**

Indicator	Knott	KY
Total Live Births	199	59,343
# of Childbearing Women (15-44)	3,636	863,716
# of Children (<18)	3,618	1,004,174
Maternal Race/Ethnicity (%)		
White	99.5	85.5
Black	0.5	9.3
Asian/Pacific Islander	0	1.6
Other	0	3.7
Hispanic	0	5.2
Maternal Characteristics (%)		
Mother's Age <18	3.0	3.8
Mother's Age >=35	4.0	7.1
Mother < High School Education	33.3	21.4
Repeat Births to Teens	2.5	5.1
Repeat Births <12Months From Previous Birth	20.6	16.1
MCH SES Indicators		
Children Living in Poverty (%)	39.5	23.6
# of Children Enrolled in Medicaid	2,099	346,798
Median Household Income	27,999	40,299

Delivery Payment Source (%)		
Medicaid	69.7	43.6
Private	22.7	44.7
Other	7.6	11.8
Prenatal Care Entry (%)		
First Trimester Prenatal Care	49.7	72.5
Second Trimester Prenatal Care	39.7	21.3
Third Trimester Prenatal Care	7.9	4.5
No Prenatal Care	2.7	1.7
Adverse Birth Outcomes Risk Factors (%)		
Gestational Hypertension	5.0	6.2
Gestational Diabetes	3.5	4.4
Pre-Pregnancy Obesity	33.2	28.3
Pre-Pregnancy Underweight	6.5	5.1
Smoking During Pregnancy	34.7	25.1
	<i>5</i> ,	
Adverse Birth Outcomes (%)		
Low Birth Weight (<2500g)	7.0	9.3
Very Low Birth Weight (<1500g)	1.5	1.7
Preterm Births (<37 weeks)	16.1	15.1
Late Preterm Births (34-36 weeks)	78.1	71.8
Infant Mortality (Rate per 1,000 live births)	5.4	7.1
Method of Delivery (%)		
Vaginal Deliveries	63.8	65.3
Total C-Section Deliveries	36.2	34.7
Repeat C-Section	13.1	11.5
Post-natal Nutrition		
Breastfeeding initiation (%)	20.1	53.6
WIC Participation (%)	66.8	49.7
•	00.0	
Children Indicators		
# of WIC Children 2-5 years	312	57,117
Overweight (85 <sup>th</sup> - <95 <sup>th</sup> ) WIC Children 2-5 years (%)	14.4	16.4
Obese (>=95 <sup>th</sup> ) WIC Children 2-5 years (%)	21.5	15.6
# Children Living in out-of-home Care (i.e. group home, foster	36	12,338
homes, etc)		,
# Children Abused	126	15,518

U.S. Census Bureau, Small Area Estimates Branch, 2007

US Census Bureau, Population Estimates Program, 2007

KY Vital Statistics, Preliminary 2007

PedNSS, 2007 is based on children that receive Women, Infant, and Children Services (WIC)

Kentucky Kids Count, 2007

## **County Profile: Knox County**

Indicator	Knox	KY
Total Live Births	455	59,343
# of Childbearing Women (15-44)	6,572	863,716
# of Children (<18)	8,304	1,004,174
Maternal Race/Ethnicity (%)		
White	98.7	85.5
Black	0.9	9.3
Asian/Pacific Islander		1.6
Other	0.4	3.7
Hispanic	0.7	5.2
Maternal Characteristics (%)		
Mother's Age <18	6.2	3.8
Mother's Age >=35	5.3	7.1
Mother < High School Education	33.6	21.4
Repeat Births to Teens	4.9	5.1
Repeat Births <12Months From Previous Birth	12.6	16.1
MCH SES Indicators		
Children Living in Poverty (%)	39.5	23.6
# of Children Enrolled in Medicaid	4,995	346,798
Median Household Income	24,881	40,299
Delivery Payment Source (%)		

Medicaid	76.77	43.6
Private	23.23	44.7
Other	0	11.8
Prenatal Care Entry (%)		
First Trimester Prenatal Care	74.3	72.5
Second Trimester Prenatal Care	20	21.3
Third Trimester Prenatal Care	4.9	4.5
No Prenatal Care	1.2	1.7
Adverse Birth Outcomes Risk Factors (%)		
Gestational Hypertension	4.2	6.2
Gestational Diabetes	6.0	4.4
Pre-Pregnancy Obesity	28.5	28.3
Pre-Pregnancy Underweight	8.3	5.1
Smoking During Pregnancy	39.6	25.1
Adverse Birth Outcomes (%)		
Low Birth Weight (<2500g)	8	9.3
Very Low Birth Weight (<1500g)	1.1	1.7
Preterm Births (<37 weeks)	12.3	15.1
Late Preterm Births (34-36 weeks)	66.1	71.8
Infant Mortality (Rate per 1,000 live births)	8.8	7.1
Method of Delivery (%)		
Vaginal Deliveries	66.4	65.3
Total C-Section Deliveries	33.7	34.7
Repeat C-Section	12.6	11.5

Post-natal Nutrition		
Breastfeeding initiation (%)	33.9	53.6
WIC Participation (%)	86.3	49.7
Children Indicators		
# of WIC Children 2-5 years	755	57,117
Overweight (85 <sup>th</sup> - <95 <sup>th</sup> ) WIC Children 2-5 years (%)	17.5	16.4
Obese (>=95 <sup>th</sup> ) WIC Children 2-5 years (%)	18.8	15.6
# Children Living in out-of-home Care (i.e. group home, foster homes, etc)	64	12,338
# Children Abused	91	15,518

U.S. Census Bureau, Small Area Estimates Branch, 2007

US Census Bureau, Population Estimates Program, 2007

KY Vital Statistics, Preliminary 2007

PedNSS, 2007 is based on children that receive Women, Infant, and Children Services (WIC)

Kentucky Kids Count, 2007

Notes: 1. Number of children enrolled in Medicaid reflects the average monthly number of those enrolled. 2. Infant mortality rate is number of infants deaths/number of live births from 2004-2006.

### **Top of Page**

## **County Profile: Larue County**

Indicator	Larue	KY
Total Live Births	163	59,343
# of Childbearing Women (15-44)	2,603	863,716
# of Children (<18)	3,102	1,004,174
Maternal Race/Ethnicity (%)		
White	92	85.5
Black	3.7	9.3

Asian/Pacific Islander	1.2	1.6
Other	3.1	3.7
Hispanic	6.8	5.2
Maternal Characteristics (%)		
Mother's Age <18	3.7	3.8
Mother's Age >=35	5.6	7.1
Mother < High School Education	21.6	21.4
Repeat Births to Teens	3.1	5.1
Repeat Births <12Months From Previous Birth	11.7	16.1
MCH SES Indicators		
Children Living in Poverty (%)	22.4	23.6
# of Children Enrolled in Medicaid	1,163	346,798
Median Household Income	39,435	40,299
Delivery Payment Source (%)		
Medicaid	27.2	43.6
Private	43.8	44.7
Other	29.0	11.8
Prenatal Care Entry (%)		
First Trimester Prenatal Care	63.0	72.5
Second Trimester Prenatal Care	28.4	21.3
Third Trimester Prenatal Care	7.4	4.5
No Prenatal Care	1.2	1.7
Adverse Birth Outcomes Risk Factors (%)		

Gestational Hypertension	6.8	6.2
Gestational Diabetes	2.5	4.4
Pre-Pregnancy Obesity	39.9	28.3
Pre-Pregnancy Underweight	4.9	5.1
Smoking During Pregnancy	27.6	25.1
Adverse Birth Outcomes (%)		
Low Birth Weight (<2500g)	9.0	9.3
Very Low Birth Weight (<1500g)	0.6	1.7
Preterm Births (<37 weeks)	12.3	15.1
Late Preterm Births (34-36 weeks)	75.0	71.8
Infant Mortality (Rate per 1,000 live births)	2.0	7.1
Method of Delivery (%)		
Vaginal Deliveries	59.5	65.3
Total C-Section Deliveries	40.5	34.7
Repeat C-Section	12.3	11.5
Post-natal Nutrition		
Breastfeeding initiation (%)	59.5	53.6
WIC Participation (%)	55.2	49.7
Children Indicators		
# of WIC Children 2-5 years	235	57,117
Overweight (85 <sup>th</sup> - <95 <sup>th</sup> ) WIC Children 2-5 years (%)	20.0	16.4
Obese (>=95 <sup>th</sup> ) WIC Children 2-5 years (%)	13.2	15.6
# Children Living in out-of-home Care (i.e. group home, foster homes, etc)	35	12,338

# Children Abused	93	15,518

U.S. Census Bureau, Small Area Estimates Branch, 2007

US Census Bureau, Population Estimates Program, 2007

KY Vital Statistics, Preliminary 2007

PedNSS, 2007 is based on children that receive Women, Infant, and Children Services (WIC)

Kentucky Kids Count, 2007

Notes: 1. Number of children enrolled in Medicaid reflects the average monthly number of those enrolled. 2. Infant mortality rate is number of infants deaths/number of live births from 2004-2006.

#### **Top of Page**

## **County Profile: Laurel County**

Reporting Period: January 1, 2007- December 31, 2007		
Indicator	Laurel	KY
Total Live Births	759	59,343
# of Childbearing Women (15-44)	12,004	863,716
# of Children (<18)	13,991	1,004,174
Maternal Race/Ethnicity (%)		
White	98.8	85.5
Black	0	9.3
Asian/Pacific Islander	0.7	1.6
Other	0.5	3.7
Hispanic	0.7	5.2
Maternal Characteristics (%)		
Mother's Age <18	4.1	3.8
Mother's Age >=35	4.9	7.1
Mother < High School Education	28.6	21.4
Repeat Births to Teens	4.4	5.1
Repeat Births <12Months From Previous Birth	12.9	16.1

MCH SES Indicators		
Children Living in Poverty (%)	30.2	23.6
# of Children Enrolled in Medicaid	6,296	346,798
Median Household Income	32,244	40,299
Delivery Payment Source (%)		
Medicaid	61.4	43.6
Private	35.7	44.7
Other	2.9	11.8
Prenatal Care Entry (%)		
First Trimester Prenatal Care	81.7	72.5
Second Trimester Prenatal Care	14.1	21.3
Third Trimester Prenatal Care	3.3	4.5
No Prenatal Care	8.0	1.7
Adverse Birth Outcomes Risk Factors (%)		
Gestational Hypertension	8.3	6.2
Gestational Diabetes	5.7	4.4
Pre-Pregnancy Obesity	30.3	28.3
Pre-Pregnancy Underweight	7.1	5.1
Smoking During Pregnancy	35.8	25.1
Adverse Birth Outcomes (%)		
Low Birth Weight (<2500g)	8.6	9.3
Very Low Birth Weight (<1500g)	1.6	1.7
Preterm Births (<37 weeks)	13.8	15.1
Late Preterm Births (34-36 weeks)	69.5	71.8

Infant Mortality (Rate per 1,000 live births)	7.5	7.1
Method of Delivery (%)		
Vaginal Deliveries	62.1	65.3
Total C-Section Deliveries	37.9	34.7
Repeat C-Section	14.1	11.5
Post-natal Nutrition		
Breastfeeding initiation (%)	45.8	53.6
WIC Participation (%)	62.9	49.7
Children Indicators		
# of WIC Children 2-5 years	789	57,117
Overweight (85 <sup>th</sup> - <95 <sup>th</sup> ) WIC Children 2-5 years (%)	18.4	16.4
Obese (>=95 <sup>th</sup> ) WIC Children 2-5 years (%)	16.5	15.6
# Children Living in out-of-home Care (i.e. group home, foster homes, etc)	216	12,338
# Children Abused	282	15,518

U.S. Census Bureau, Small Area Estimates Branch, 2007

US Census Bureau, Population Estimates Program, 2007

KY Vital Statistics, Preliminary 2007

PedNSS, 2007 is based on children that receive Women, Infant, and Children Services (WIC)

Kentucky Kids Count, 2007

Notes: 1. Number of children enrolled in Medicaid reflects the average monthly number of those enrolled. 2. Infant mortality rate is number of infants deaths/number of live births from 2004-2006.

### **Top of Page**

## **County Profile: Lawrence County**

Indicator	Lawrence	KY
Total Live Births	255	59,343

# of Childbearing Women (15-44)	3,388	863,716
# of Children (<18)	3,705	1,004,174
Maternal Race/Ethnicity (%)		
White	99.1	85.5
Black	0.5	9.3
Asian/Pacific Islander	0	1.6
Other	0.5	3.7
Hispanic	0.5	5.2
Maternal Characteristics (%)		
Mother's Age <18	2.4	3.8
Mother's Age >=35	3.8	7.1
Mother < High School Education	24.4	21.4
Repeat Births to Teens	1.9	5.1
Repeat Births <12Months From Previous Birth	14.6	16.1
MCH SES Indicators		
Children Living in Poverty (%)	30.2	23.6
# of Children Enrolled in Medicaid	1,954	346,798
Median Household Income	29,399	40,299
Delivery Payment Source (%)		
Medicaid	70.4	43.6
Private	26.7	44.7
Other	2.8	11.8
Prenatal Care Entry (%)		

First Trimester Prenatal Care	68.6	72.5
Second Trimester Prenatal Care	22.2	21.3
Third Trimester Prenatal Care	6.8	4.5
No Prenatal Care	2.4	1.7
Adverse Birth Outcomes Risk Factors (%)		
Gestational Hypertension	9.9	6.2
Gestational Diabetes	6.6	4.4
Pre-Pregnancy Obesity	37.1	28.3
Pre-Pregnancy Underweight	4.7	5.1
Smoking During Pregnancy	31.9	25.1
Adverse Birth Outcomes (%)		
Low Birth Weight (<2500g)	14.6	9.3
Very Low Birth Weight (<1500g)	1.9	1.7
Preterm Births (<37 weeks)	34.7	15.1
Late Preterm Births (34-36 weeks)	77.0	71.8
Infant Mortality (Rate per 1,000 live births)	7.8	7.1
Method of Delivery (%)		
Vaginal Deliveries	48.4	65.3
Total C-Section Deliveries	51.6	34.7
Repeat C-Section	16.4	11.5
Post-natal Nutrition		
Breastfeeding initiation (%)	29.1	53.6
WIC Participation (%)	70.0	49.7

Children Indicators		
# of WIC Children 2-5 years	303	57,117
Overweight (85 <sup>th</sup> - <95 <sup>th</sup> ) WIC Children 2-5 years (%)	16.2	16.4
Obese (>=95 <sup>th</sup> ) WIC Children 2-5 years (%)	21.1	15.6
# Children Living in out-of-home Care (i.e. group home, foster homes, etc)	45	12,338
# Children Abused	111	15,518

U.S. Census Bureau, Small Area Estimates Branch, 2007

US Census Bureau, Population Estimates Program, 2007

KY Vital Statistics, Preliminary 2007

PedNSS, 2007 is based on children that receive Women, Infant, and Children Services (WIC)

Kentucky Kids Count, 2007

Notes: 1. Number of children enrolled in Medicaid reflects the average monthly number of those enrolled. 2. Infant mortality rate is number of infants deaths/number of live births from 2004-2006.

### **Top of Page**

## **County Profile: Lee County**

Reporting Period: January 1, 2007- December 31, 2	Lee	KY
Total Live Births	74	59,343
# of Childbearing Women (15-44)	1,377	863,716
# of Children (<18)	1,464	1,004,174
Maternal Race/Ethnicity (%)		
White	100	85.5
Black	0	9.3
Asian/Pacific Islander	0	1.6
Other	0	3.7
Hispanic	0	5.2
Maternal Characteristics (%)		

Mother's Age <18	6.8	3.8
Mother's Age >=35	1.4	7.1
Mother < High School Education	39.2	21.4
Repeat Births to Teens	5.4	5.1
Repeat Births <12Months From Previous Birth	18.9	16.1
MCH SES Indicators		
Children Living in Poverty (%)	45.9	23.6
# of Children Enrolled in Medicaid	1,052	346,798
Median Household Income	24,617	40,299
Delivery Payment Source (%)		
Medicaid	83.8	43.6
Private	13.5	44.7
Other	2.7	11.8
Prenatal Care Entry (%)		
First Trimester Prenatal Care	57.8	72.5
Second Trimester Prenatal Care	32.4	21.3
Third Trimester Prenatal Care	9.9	4.5
No Prenatal Care	0	1.7
Adverse Birth Outcomes Risk Factors (%)		
Gestational Hypertension	5.6	6.2
Gestational Diabetes	5.6	4.4
Pre-Pregnancy Obesity	25	28.3
Pre-Pregnancy Underweight	5.6	5.1
Smoking During Pregnancy	48.7	25.1

Adverse Birth Outcomes (%)		
Low Birth Weight (<2500g)	2.8	9.3
Very Low Birth Weight (<1500g)	0	1.7
Preterm Births (<37 weeks)	12.2	15.1
Late Preterm Births (34-36 weeks)	77.8	71.8
Infant Mortality (Rate per 1,000 live births)	8.5	7.1
Method of Delivery (%)		
Vaginal Deliveries	65.3	65.3
Total C-Section Deliveries	34.7	34.7
Repeat C-Section	11.1	11.5
Post-natal Nutrition		
Breastfeeding initiation (%)	27.8	53.6
WIC Participation (%)	81.9	49.7
Children Indicators		
# of WIC Children 2-5 years	171	57,117
Overweight (85 <sup>th</sup> - <95 <sup>th</sup> ) WIC Children 2-5 years (%)	15.2	16.4
Obese (>=95 <sup>th</sup> ) WIC Children 2-5 years (%)	8.2	15.6
# Children Living in out-of-home Care (i.e. group home, foster homes, etc)	48	12,338
# Children Abused	59	15,518

U.S. Census Bureau, Small Area Estimates Branch, 2007

US Census Bureau, Population Estimates Program, 2007

KY Vital Statistics, Preliminary 2007

PedNSS, 2007 is based on children that receive Women, Infant, and Children Services (WIC)

Kentucky Kids Count, 2007

## **County Profile: Leslie County**

Indicator	Leslie	KY
Total Live Births	161	59,343
# of Childbearing Women (15-44)	2,406	863,716
# of Children (<18)	2,536	1,004,174
Maternal Race/Ethnicity (%)		
White	98.1	85.5
Black	0.6	9.3
Asian/Pacific Islander	1.3	1.6
Other	0	3.7
Hispanic	3.1	5.2
Maternal Characteristics (%)		
Mother's Age <18	5.6	3.8
Mother's Age >=35	3.8	7.1
Mother < High School Education	33.1	21.4
Repeat Births to Teens	4.4	5.1
Repeat Births <12Months From Previous Birth	14.3	16.1
MCH SES Indicators		
Children Living in Poverty (%)	937	23.6
# of Children Enrolled in Medicaid	1,502	346,798
Median Household Income	26,114	40,299
Delivery Payment Source (%)		

Medicaid	67.5	43.6
Private	30	44.7
Other	2.5	11.8
Prenatal Care Entry (%)		
First Trimester Prenatal Care	73.6	72.5
Second Trimester Prenatal Care	20.7	21.3
Third Trimester Prenatal Care	5.2	4.5
No Prenatal Care	0.7	1.7
Adverse Birth Outcomes Risk Factors (%)		
Gestational Hypertension	11.8	6.2
Gestational Diabetes	6.8	4.4
Pre-Pregnancy Obesity	34.8	28.3
Pre-Pregnancy Underweight	3.7	5.1
Smoking During Pregnancy	39.8	25.1
Adverse Birth Outcomes (%)		
Low Birth Weight (<2500g)	9.9	9.3
Very Low Birth Weight (<1500g)	1.2	1.7
Preterm Births (<37 weeks)	16.2	15.1
Late Preterm Births (34-36 weeks)	69.2	71.8
Infant Mortality (Rate per 1,000 live births)	4.6	7.1
Method of Delivery (%)		
Vaginal Deliveries	60.9	65.3
Total C-Section Deliveries	39.1	34.7
Repeat C-Section	12.4	11.5

Post-natal Nutrition		
Breastfeeding initiation (%)	29.8	53.6
WIC Participation (%)	71.4	49.7
Children Indicators		
# of WIC Children 2-5 years	282	57,117
Overweight (85 <sup>th</sup> - <95 <sup>th</sup> ) WIC Children 2-5 years (%)	13.5	16.4
Obese (>=95 <sup>th</sup> ) WIC Children 2-5 years (%)	13.5	15.6
# Children Living in out-of-home Care (i.e. group home, foster homes, etc)	46	12,338
# Children Abused	79	15,518

U.S. Census Bureau, Small Area Estimates Branch, 2007

US Census Bureau, Population Estimates Program, 2007

KY Vital Statistics, Preliminary 2007

PedNSS, 2007 is based on children that receive Women, Infant, and Children Services (WIC)

Kentucky Kids Count, 2007

Notes: 1. Number of children enrolled in Medicaid reflects the average monthly number of those enrolled. 2. Infant mortality rate is number of infants deaths/number of live births from 2004-2006.

### **Top of Page**

## **County Profile: Letcher County**

Indicator	Letcher	KY
Total Live Births	296	59,343
# of Childbearing Women (15-44)	4,721	863,716
# of Children (<18)	5,159	1,004,174
Maternal Race/Ethnicity (%)		
White	99.9	85.5
Black	0.7	9.3

Asian/Pacific Islander	0	1.6
Other	0	3.7
Hispanic	0.4	5.2
Maternal Characteristics (%)		
Mother's Age <18	3.6	3.8
Mother's Age >=35	5.1	7.1
Mother < High School Education	26.1	21.4
Repeat Births to Teens	1.8	5.1
Repeat Births <12Months From Previous Birth	17.3	16.1
MCH SES Indicators		
Children Living in Poverty (%)	35.3	23.6
# of Children Enrolled in Medicaid	2,928	346,798
Median Household Income	29,415	40,299
Delivery Payment Source (%)		
Medicaid	66.7	43.6
Private	29.0	44.7
Other	4.4	11.8
Prenatal Care Entry (%)		
First Trimester Prenatal Care	29.8	72.5
Second Trimester Prenatal Care	59.6	21.3
Third Trimester Prenatal Care	8.7	4.5
No Prenatal Care	1.8	1.7
Adverse Birth Outcomes Risk Factors (%)		

Gestational Hypertension	2.5	6.2
Gestational Diabetes	3.6	4.4
Pre-Pregnancy Obesity	34.3	28.3
Pre-Pregnancy Underweight	4.3	5.1
Smoking During Pregnancy	38.3	25.1
Adverse Birth Outcomes (%)		
Low Birth Weight (<2500g)	11.9	9.3
Very Low Birth Weight (<1500g)	1.8	1.7
Preterm Births (<37 weeks)	17.3	15.1
Late Preterm Births (34-36 weeks)	77.1	71.8
Infant Mortality (Rate per 1,000 live births)	7.1	7.1
Method of Delivery (%)		
Vaginal Deliveries	73.3	65.3
Total C-Section Deliveries	26.7	34.7
Repeat C-Section	9.0	11.5
Post-natal Nutrition		
Breastfeeding initiation (%)	19.1	53.6
WIC Participation (%)	67.5	49.7
Children Indicators		
# of WIC Children 2-5 years	357	57,117
Overweight (85 <sup>th</sup> - <95 <sup>th</sup> ) WIC Children 2-5 years (%)	20.4	16.4
Obese (>=95 <sup>th</sup> ) WIC Children 2-5 years (%)	20.2	15.6
# Children Living in out-of-home Care (i.e. group home, foster homes, etc)	71	12,338

# Children Abused	256	15,518

U.S. Census Bureau, Small Area Estimates Branch, 2007

US Census Bureau, Population Estimates Program, 2007

KY Vital Statistics, Preliminary 2007

PedNSS, 2007 is based on children that receive Women, Infant, and Children Services (WIC)

Kentucky Kids Count, 2007

Notes: 1. Number of children enrolled in Medicaid reflects the average monthly number of those enrolled. 2. Infant mortality rate is number of infants deaths/number of live births from 2004-2006.

#### **Top of Page**

## **County Profile: Lewis County**

Reporting Period: January 1, 2007- December 31, 2007		
Indicator	Lewis	KY
Total Live Births	191	59,343
# of Childbearing Women (15-44)	2,794	863,716
# of Children (<18)	3,232	1,004,174
Maternal Race/Ethnicity (%)		
White	100	85.5
Black	0	9.3
Asian/Pacific Islander	0	1.6
Other	0	3.7
Hispanic	0.5	5.2
Maternal Characteristics (%)		
Mother's Age <18	7.0	3.8
Mother's Age >=35	4.8	7.1
Mother < High School Education	23.7	21.4
Repeat Births to Teens	3.2	5.1
Repeat Births <12Months From Previous Birth	15.5	16.1

MCH SES Indicators		
Children Living in Poverty (%)	39	23.6
# of Children Enrolled in Medicaid	1,819	346,798
Median Household Income	26,534	40,299
Delivery Payment Source (%)		
Medicaid	68.3	43.6
Private	27.4	44.7
Other	4.3	11.8
Prenatal Care Entry (%)		
First Trimester Prenatal Care	70.0	72.5
Second Trimester Prenatal Care	20.8	21.3
Third Trimester Prenatal Care	7.7	4.5
No Prenatal Care	1.6	1.7
Adverse Birth Outcomes Risk Factors (%)		
Gestational Hypertension	6.6	6.2
Gestational Diabetes	3.3	4.4
Pre-Pregnancy Obesity	29.7	28.3
Pre-Pregnancy Underweight	6.6	5.1
Smoking During Pregnancy	38.7	25.1
Adverse Birth Outcomes (%)		
Low Birth Weight (<2500g)	7.1	9.3
Very Low Birth Weight (<1500g)	0.6	1.7
Preterm Births (<37 weeks)	12.3	15.1
Late Preterm Births (34-36 weeks)	87.0	71.8

Infant Mortality (Rate per 1,000 live births)	4.2	7.1
Method of Delivery (%)		
Vaginal Deliveries	66.5	65.3
Total C-Section Deliveries	33.5	34.7
Repeat C-Section	6.0	11.5
Post-natal Nutrition		
Breastfeeding initiation (%)	34.1	53.6
WIC Participation (%)	70.9	49.7
Children Indicators		
# of WIC Children 2-5 years	288	57,117
Overweight (85 <sup>th</sup> - <95 <sup>th</sup> ) WIC Children 2-5 years (%)	10.4	16.4
Obese (>=95 <sup>th</sup> ) WIC Children 2-5 years (%)	15.3	15.6
# Children Living in out-of-home Care (i.e. group home, foster homes, etc)	16	12,338
# Children Abused	56	15,518

U.S. Census Bureau, Small Area Estimates Branch, 2007

US Census Bureau, Population Estimates Program, 2007

KY Vital Statistics, Preliminary 2007

PedNSS, 2007 is based on children that receive Women, Infant, and Children Services (WIC)

Kentucky Kids Count, 2007

Notes: 1. Number of children enrolled in Medicaid reflects the average monthly number of those enrolled. 2. Infant mortality rate is number of infants deaths/number of live births from 2004-2006.

### **Top of Page**

# **County Profile: Lincoln County**

Indicator	Lincoln	KY
Total Live Births	354	59,343

# of Childbearing Women (15-44)	5,148	863,716
# of Children (<18)	6,174	1,004,174
Maternal Race/Ethnicity (%)		
White	96.9	85.5
Black	2.0	9.3
Asian/Pacific Islander	0	1.6
Other	1.1	3.7
Hispanic	1.1	5.2
Maternal Characteristics (%)		
Mother's Age <18	4.6	3.8
Mother's Age >=35	4.6	7.1
Mother < High School Education	29.8	21.4
Repeat Births to Teens	4.8	5.1
Repeat Births <12Months From Previous Birth	19.2	16.1
MCH SES Indicators		
Children Living in Poverty (%)	27.7	23.6
# of Children Enrolled in Medicaid	2,347	346,798
Median Household Income	32,566	40,299
Delivery Payment Source (%)		
Medicaid	55.7	43.6
Private	35.8	44.7
Other	8.5	11.8
Prenatal Care Entry (%)		

First Trimester Prenatal Care	73.2	72.5
Second Trimester Prenatal Care	19.9	21.3
Third Trimester Prenatal Care	6.1	4.5
No Prenatal Care	0.9	1.7
Adverse Birth Outcomes Risk Factors (%)		
Gestational Hypertension	5.7	6.2
Gestational Diabetes	4.5	4.4
Pre-Pregnancy Obesity	29.5	28.3
Pre-Pregnancy Underweight	4.8	5.1
Smoking During Pregnancy	33.4	25.1
Adverse Birth Outcomes (%)		
Low Birth Weight (<2500g)	10.8	9.3
Very Low Birth Weight (<1500g)	1.1	1.7
Preterm Births (<37 weeks)	15.3	15.1
Late Preterm Births (34-36 weeks)	68.5	71.8
Infant Mortality (Rate per 1,000 live births)	3.7	7.1
Method of Delivery (%)		
Vaginal Deliveries	64.6	65.3
Total C-Section Deliveries	35.4	34.7
Repeat C-Section	8.5	11.5
Post-natal Nutrition		
Breastfeeding initiation (%)	44.8	53.6
WIC Participation (%)	64.3	49.7

Children Indicators		
# of WIC Children 2-5 years	369	57,117
Overweight (85 <sup>th</sup> - <95 <sup>th</sup> ) WIC Children 2-5 years (%)	16.0	16.4
Obese (>=95 <sup>th</sup> ) WIC Children 2-5 years (%)	16.3	15.6
# Children Living in out-of-home Care (i.e. group home, foster homes, etc)	59	12,338
# Children Abused	78	15,518

U.S. Census Bureau, Small Area Estimates Branch, 2007

US Census Bureau, Population Estimates Program, 2007

KY Vital Statistics, Preliminary 2007

PedNSS, 2007 is based on children that receive Women, Infant, and Children Services (WIC)

Kentucky Kids Count, 2007

Notes: 1. Number of children enrolled in Medicaid reflects the average monthly number of those enrolled. 2. Infant mortality rate is number of infants deaths/number of live births from 2004-2006.

### **Top of Page**

## **County Profile: Livingston County**

Indicator	Livingston	KY
Total Live Births	113	59,343
# of Childbearing Women (15-44)	1,803	863,716
# of Children (<18)	1,935	1,004,174
Maternal Race/Ethnicity (%)		
White	96.4	85.5
Black	0	9.3
Asian/Pacific Islander	1.8	1.6
Other	1.8	3.7
Hispanic	1.8	5.2
Maternal Characteristics (%)		

Mother's Age >=35       1.8       7.1         Mother < High School Education       20       21.4         Repeat Births to Teens       1.8       5.1         Repeat Births < 12Months From Previous Birth       10.6       16.1         MCH SES Indicators         Children Living in Poverty (%)       20.3       23.6         # of Children Enrolled in Medicaid       592       346,798         Median Household Income       38,732       40,299         Delivery Payment Source (%)         Medicaid       44.6       43.6         Private       51.8       44.7         Other       3.6       11.8         Prenatal Care Entry (%)         First Trimester Prenatal Care       82.3       72.5         Second Trimester Prenatal Care       11.6       21.3         Third Trimester Prenatal Care       5.3       4.5         No Prenatal Care       0.9       1.7         Adverse Birth Outcomes Risk Factors (%)         Gestational Hypertension       8.1       6.2         Gestational Diabetes       4.5       4.4         Pre-Pregnancy Underweight       6.3       5.1	Mother's Age <18	2.7	3.8
Repeat Births to Teens       1.8       5.1         Repeat Births <12Months From Previous Birth	Mother's Age >=35	1.8	7.1
Repeat Births < 12Months From Previous Birth	Mother < High School Education	20	21.4
MCH SES Indicators  Children Living in Poverty (%)  # of Children Enrolled in Medicaid  592 346,798  Median Household Income 38,732 40,299  Delivery Payment Source (%)  Medicaid 44.6 43.6  Private 51.8 44.7  Other 3.6 11.8  Prenatal Care Entry (%)  First Trimester Prenatal Care 11.6 21.3  Third Trimester Prenatal Care 5.3 4.5  No Prenatal Care 0.9 1.7  Adverse Birth Outcomes Risk Factors (%)  Gestational Hypertension 8.1 6.2 Gestational Hypertension 8.1 6.2 Gestational Diabetes 4.5 4.4 Pre-Pregnancy Obesity 34.2 28.3 Pre-Pregnancy Underweight 6.3 5.1	Repeat Births to Teens	1.8	5.1
Children Living in Poverty (%)       20.3       23.6         # of Children Enrolled in Medicaid       592       346,798         Median Household Income       38,732       40,299         Delivery Payment Source (%)         Medicaid       44.6       43.6         Private       51.8       44.7         Other       3.6       11.8         Prenatal Care Entry (%)         First Trimester Prenatal Care       82.3       72.5         Second Trimester Prenatal Care       11.6       21.3         Third Trimester Prenatal Care       5.3       4.5         No Prenatal Care       0.9       1.7         Adverse Birth Outcomes Risk Factors (%)         Gestational Hypertension       8.1       6.2         Gestational Diabetes       4.5       4.4         Pre-Pregnancy Obesity       34.2       28.3         Pre-Pregnancy Underweight       6.3       5.1	Repeat Births <12Months From Previous Birth	10.6	16.1
Children Living in Poverty (%)       20.3       23.6         # of Children Enrolled in Medicaid       592       346,798         Median Household Income       38,732       40,299         Delivery Payment Source (%)         Medicaid       44.6       43.6         Private       51.8       44.7         Other       3.6       11.8         Prenatal Care Entry (%)         First Trimester Prenatal Care       82.3       72.5         Second Trimester Prenatal Care       11.6       21.3         Third Trimester Prenatal Care       5.3       4.5         No Prenatal Care       0.9       1.7         Adverse Birth Outcomes Risk Factors (%)         Gestational Hypertension       8.1       6.2         Gestational Diabetes       4.5       4.4         Pre-Pregnancy Obesity       34.2       28.3         Pre-Pregnancy Underweight       6.3       5.1			
# of Children Enrolled in Medicaid  Median Household Income  38,732  40,299  Delivery Payment Source (%)  Medicaid  44.6  43.6  Private  51.8  44.7  Other  3.6  11.8  Prenatal Care Entry (%)  First Trimester Prenatal Care  82.3  72.5  Second Trimester Prenatal Care  11.6  21.3  Third Trimester Prenatal Care  5.3  4.5  No Prenatal Care  0.9  1.7  Adverse Birth Outcomes Risk Factors (%)  Gestational Hypertension  8.1  6.2  Gestational Diabetes  4.5  4.4  Pre-Pregnancy Obesity  34.2  28.3  Pre-Pregnancy Underweight	MCH SES Indicators		
Median Household Income       38,732       40,299         Delivery Payment Source (%)       Medicaid       44.6       43.6         Private       51.8       44.7         Other       3.6       11.8         Prenatal Care Entry (%)         First Trimester Prenatal Care       82.3       72.5         Second Trimester Prenatal Care       11.6       21.3         Third Trimester Prenatal Care       5.3       4.5         No Prenatal Care       0.9       1.7         Adverse Birth Outcomes Risk Factors (%)         Gestational Hypertension       8.1       6.2         Gestational Diabetes       4.5       4.4         Pre-Pregnancy Obesity       34.2       28.3         Pre-Pregnancy Underweight       6.3       5.1	Children Living in Poverty (%)	20.3	23.6
Delivery Payment Source (%)         Medicaid       44.6       43.6         Private       51.8       44.7         Other       3.6       11.8         Prenatal Care Entry (%)         First Trimester Prenatal Care       82.3       72.5         Second Trimester Prenatal Care       11.6       21.3         Third Trimester Prenatal Care       5.3       4.5         No Prenatal Care       0.9       1.7         Adverse Birth Outcomes Risk Factors (%)         Gestational Hypertension       8.1       6.2         Gestational Diabetes       4.5       4.4         Pre-Pregnancy Obesity       34.2       28.3         Pre-Pregnancy Underweight       6.3       5.1	# of Children Enrolled in Medicaid	592	346,798
Medicaid       44.6       43.6         Private       51.8       44.7         Other       3.6       11.8         Prenatal Care Entry (%)         First Trimester Prenatal Care       82.3       72.5         Second Trimester Prenatal Care       11.6       21.3         Third Trimester Prenatal Care       5.3       4.5         No Prenatal Care       0.9       1.7         Adverse Birth Outcomes Risk Factors (%)         Gestational Hypertension       8.1       6.2         Gestational Diabetes       4.5       4.4         Pre-Pregnancy Obesity       34.2       28.3         Pre-Pregnancy Underweight       6.3       5.1	Median Household Income	38,732	40,299
Medicaid       44.6       43.6         Private       51.8       44.7         Other       3.6       11.8         Prenatal Care Entry (%)         First Trimester Prenatal Care       82.3       72.5         Second Trimester Prenatal Care       11.6       21.3         Third Trimester Prenatal Care       5.3       4.5         No Prenatal Care       0.9       1.7         Adverse Birth Outcomes Risk Factors (%)         Gestational Hypertension       8.1       6.2         Gestational Diabetes       4.5       4.4         Pre-Pregnancy Obesity       34.2       28.3         Pre-Pregnancy Underweight       6.3       5.1			
Private       51.8       44.7         Other       3.6       11.8         Prenatal Care Entry (%)         First Trimester Prenatal Care       82.3       72.5         Second Trimester Prenatal Care       11.6       21.3         Third Trimester Prenatal Care       5.3       4.5         No Prenatal Care       0.9       1.7         Adverse Birth Outcomes Risk Factors (%)         Gestational Hypertension       8.1       6.2         Gestational Diabetes       4.5       4.4         Pre-Pregnancy Obesity       34.2       28.3         Pre-Pregnancy Underweight       6.3       5.1	Delivery Payment Source (%)		
Other 3.6 11.8  Prenatal Care Entry (%)  First Trimester Prenatal Care 82.3 72.5  Second Trimester Prenatal Care 11.6 21.3  Third Trimester Prenatal Care 5.3 4.5  No Prenatal Care 0.9 1.7  Adverse Birth Outcomes Risk Factors (%)  Gestational Hypertension 8.1 6.2  Gestational Diabetes 4.5 4.4  Pre-Pregnancy Obesity 34.2 28.3  Pre-Pregnancy Underweight 6.3 5.1	Medicaid	44.6	43.6
Prenatal Care Entry (%)  First Trimester Prenatal Care 82.3 72.5  Second Trimester Prenatal Care 11.6 21.3  Third Trimester Prenatal Care 5.3 4.5  No Prenatal Care 0.9 1.7  Adverse Birth Outcomes Risk Factors (%)  Gestational Hypertension 8.1 6.2  Gestational Diabetes 4.5 4.4  Pre-Pregnancy Obesity 34.2 28.3  Pre-Pregnancy Underweight 6.3 5.1	Private	51.8	44.7
First Trimester Prenatal Care 82.3 72.5  Second Trimester Prenatal Care 11.6 21.3  Third Trimester Prenatal Care 5.3 4.5  No Prenatal Care 0.9 1.7  Adverse Birth Outcomes Risk Factors (%)  Gestational Hypertension 8.1 6.2  Gestational Diabetes 4.5 4.4  Pre-Pregnancy Obesity 34.2 28.3  Pre-Pregnancy Underweight 6.3 5.1	Other	3.6	11.8
First Trimester Prenatal Care 82.3 72.5  Second Trimester Prenatal Care 11.6 21.3  Third Trimester Prenatal Care 5.3 4.5  No Prenatal Care 0.9 1.7  Adverse Birth Outcomes Risk Factors (%)  Gestational Hypertension 8.1 6.2  Gestational Diabetes 4.5 4.4  Pre-Pregnancy Obesity 34.2 28.3  Pre-Pregnancy Underweight 6.3 5.1			
Second Trimester Prenatal Care 11.6 21.3  Third Trimester Prenatal Care 5.3 4.5  No Prenatal Care 0.9 1.7  Adverse Birth Outcomes Risk Factors (%)  Gestational Hypertension 8.1 6.2  Gestational Diabetes 4.5 4.4  Pre-Pregnancy Obesity 34.2 28.3  Pre-Pregnancy Underweight 6.3 5.1	Prenatal Care Entry (%)		
Third Trimester Prenatal Care 5.3 4.5  No Prenatal Care 0.9 1.7  Adverse Birth Outcomes Risk Factors (%)  Gestational Hypertension 8.1 6.2  Gestational Diabetes 4.5 4.4  Pre-Pregnancy Obesity 34.2 28.3  Pre-Pregnancy Underweight 6.3 5.1	First Trimester Prenatal Care	82.3	72.5
No Prenatal Care 0.9 1.7  Adverse Birth Outcomes Risk Factors (%)  Gestational Hypertension 8.1 6.2  Gestational Diabetes 4.5 4.4  Pre-Pregnancy Obesity 34.2 28.3  Pre-Pregnancy Underweight 6.3 5.1	Second Trimester Prenatal Care	11.6	21.3
Adverse Birth Outcomes Risk Factors (%)  Gestational Hypertension 8.1 6.2  Gestational Diabetes 4.5 4.4  Pre-Pregnancy Obesity 34.2 28.3  Pre-Pregnancy Underweight 6.3 5.1	Third Trimester Prenatal Care	5.3	4.5
Gestational Hypertension8.16.2Gestational Diabetes4.54.4Pre-Pregnancy Obesity34.228.3Pre-Pregnancy Underweight6.35.1	No Prenatal Care	0.9	1.7
Gestational Hypertension8.16.2Gestational Diabetes4.54.4Pre-Pregnancy Obesity34.228.3Pre-Pregnancy Underweight6.35.1			
Gestational Diabetes 4.5 4.4 Pre-Pregnancy Obesity 34.2 28.3 Pre-Pregnancy Underweight 6.3 5.1	Adverse Birth Outcomes Risk Factors (%)		
Pre-Pregnancy Obesity 34.2 28.3 Pre-Pregnancy Underweight 6.3 5.1	Gestational Hypertension	8.1	6.2
Pre-Pregnancy Underweight 6.3 5.1	Gestational Diabetes	4.5	4.4
	Pre-Pregnancy Obesity	34.2	28.3
	Pre-Pregnancy Underweight	6.3	5.1
Smoking During Pregnancy 19.8 25.1	Smoking During Pregnancy	19.8	25.1

Adverse Birth Outcomes (%)		
Low Birth Weight (<2500g)	3.6	9.3
Very Low Birth Weight (<1500g)	0	1.7
Preterm Births (<37 weeks)	22.2	15.1
Late Preterm Births (34-36 weeks)	64.0	71.8
Infant Mortality (Rate per 1,000 live births)	6.4	7.1
Method of Delivery (%)		
Vaginal Deliveries	66.7	65.3
Total C-Section Deliveries	33.3	34.7
Repeat C-Section	9.0	11.5
Post-natal Nutrition		
Breastfeeding initiation (%)	51.6	53.6
WIC Participation (%)	47.8	49.7
Children Indicators		
# of WIC Children 2-5 years	147	57,117
Overweight (85 <sup>th</sup> - <95 <sup>th</sup> ) WIC Children 2-5 years (%)	19.0	16.4
Obese (>=95 <sup>th</sup> ) WIC Children 2-5 years (%)	12.2	15.6
# Children Living in out-of-home Care (i.e. group home, foster homes, etc)	13	12,338
# Children Abused	22	15,518

U.S. Census Bureau, Small Area Estimates Branch, 2007

US Census Bureau, Population Estimates Program, 2007

KY Vital Statistics, Preliminary 2007

PedNSS, 2007 is based on children that receive Women, Infant, and Children Services (WIC)

Kentucky Kids Count, 2007

Notes: 1. Number of children enrolled in Medicaid reflects the average monthly number of those enrolled. 2. Infant mortality rate is number of infants deaths/number of live births from 2004-2006.

## Top of Page

# **County Profile: Logan County**

Reporting Period: January 1, 2007- December 31, 2007  Indicator	Logan	KY
	J	
Total Live Births	381	59,343
# of Childbearing Women (15-44)	5,306	863,716
# of Children (<18)	6,527	1,004,174
Maternal Race/Ethnicity (%)		
White	86.6	85.5
Black	8.9	9.3
Asian/Pacific Islander	0.8	1.6
Other	3.8	3.7
Hispanic	3.5	5.2
Maternal Characteristics (%)		
Mother's Age <18	4.8	3.8
Mother's Age >=35	3.8	7.1
Mother < High School Education	23.7	21.4
Repeat Births to Teens	4.0	5.1
Repeat Births <12Months From Previous Birth	17.7	16.1
MCH SES Indicators		
Children Living in Poverty (%)	23.3	23.6
# of Children Enrolled in Medicaid	2,177	346,798
Median Household Income	38,323	40,299
Delivery Payment Source (%)		

	51.1	43.6
Private	39.8	44.7
Other	9.1	11.8
Prenatal Care Entry (%)		
First Trimester Prenatal Care	70.4	72.5
Second Trimester Prenatal Care	24.9	21.3
Third Trimester Prenatal Care	3.3	4.5
No Prenatal Care	1.4	1.7
Adverse Birth Outcomes Risk Factors (%)		
Gestational Hypertension	7.5	6.2
Gestational Diabetes	5.6	4.4
Pre-Pregnancy Obesity	30.0	28.3
Pre-Pregnancy Underweight	5.4	5.1
Smoking During Pregnancy	28.3	25.1
Adverse Birth Outcomes (%)		
Low Birth Weight (<2500g)	9.4	9.3
Very Low Birth Weight (<1500g)	1.9	1.7
Preterm Births (<37 weeks)	12.4	15.1
Late Preterm Births (34-36 weeks)	83.0	71.8
Infant Mortality (Rate per 1,000 live births)	4.5	7.1
Method of Delivery (%)		
Vaginal Deliveries	68.5	65.3
Total C-Section Deliveries	31.6	34.7
Repeat C-Section	9.4	11.5

Post-natal Nutrition		
Breastfeeding initiation (%)	51.6	53.6
WIC Participation (%)	49.7	49.7
Children Indicators		
# of WIC Children 2-5 years	315	57,117
Overweight (85 <sup>th</sup> - <95 <sup>th</sup> ) WIC Children 2-5 years (%)	20.0	16.4
Obese (>=95 <sup>th</sup> ) WIC Children 2-5 years (%)	18.7	15.6
# Children Living in out-of-home Care (i.e. group home,	81	12,338
foster homes, etc)		
# Children Abused	32	15,518

U.S. Census Bureau, Small Area Estimates Branch, 2007

US Census Bureau, Population Estimates Program, 2007

KY Vital Statistics, Preliminary 2007

PedNSS, 2007 is based on children that receive Women, Infant, and Children Services (WIC)

Kentucky Kids Count, 2007

Notes: 1. Number of children enrolled in Medicaid reflects the average monthly number of those enrolled. 2. Infant mortality rate is number of infants deaths/number of live births from 2004-2006.

### **Top of Page**

## **County Profile: Lyon County**

Indicator	Lyon	KY
Total Live Births	61	59,343
# of Childbearing Women (15-44)	1,159	863,716
# of Children (<18)	1,231	1,004,174
Maternal Race/Ethnicity (%)		
White	94.9	85.5
Black	3.4	9.3

Asian/Pacific Islander	1.7	1.6
Other	0	3.7
Hispanic	0	5.2
Maternal Characteristics (%)		
Mother's Age <18	1.7	3.8
Mother's Age >=35	6.8	7.1
Mother < High School Education	18.6	21.4
Repeat Births to Teens	1.6	5.1
Repeat Births <12Months From Previous Birth	13.1	16.1
MCH SES Indicators		
Children Living in Poverty (%)	18.3	23.6
# of Children Enrolled in Medicaid	357	346,798
Median Household Income	40,082	40,299
Delivery Payment Source (%)		
Medicaid	52.5	43.6
Private	45.8	44.7
Other	1.7	11.8
Prenatal Care Entry (%)		
First Trimester Prenatal Care	83.1	72.5
Second Trimester Prenatal Care	11.9	21.3
Third Trimester Prenatal Care	3.4	4.5
No Prenatal Care	1.7	1.7
Adverse Birth Outcomes Risk Factors (%)		

Gestational Hypertension	13.6	6.2
Gestational Diabetes	0	4.4
Pre-Pregnancy Obesity	33.9	28.3
Pre-Pregnancy Underweight	6.8	5.1
Smoking During Pregnancy	25.4	25.1
Adverse Birth Outcomes (%)		
Low Birth Weight (<2500g)	10.2	9.3
Very Low Birth Weight (<1500g)	1.7	1.7
Preterm Births (<37 weeks)	14.8	15.1
Late Preterm Births (34-36 weeks)	77.8	71.8
Infant Mortality (Rate per 1,000 live births)	5.4	7.1
Method of Delivery (%)		
Vaginal Deliveries	64.4	65.3
Total C-Section Deliveries	35.6	34.7
Repeat C-Section	11.9	11.5
Post-natal Nutrition		
Breastfeeding initiation (%)	52.5	53.6
WIC Participation (%)	64.4	49.7
Children Indicators		
# of WIC Children 2-5 years	77	57,117
Overweight (85 <sup>th</sup> - <95 <sup>th</sup> ) WIC Children 2-5 years (%)	Missing data	16.4
Obese (>=95 <sup>th</sup> ) WIC Children 2-5 years (%)	Missing data	15.6
# Children Living in out-of-home Care (i.e. group home, foster homes, etc)	18	12,338

# Children Abused	24	15,518

U.S. Census Bureau, Small Area Estimates Branch, 2007

US Census Bureau, Population Estimates Program, 2007

KY Vital Statistics, Preliminary 2007

PedNSS, 2007 is based on children that receive Women, Infant, and Children Services (WIC)

Kentucky Kids Count, 2007

Notes: 1. Number of children enrolled in Medicaid reflects the average monthly number of those enrolled. 2. Infant mortality rate is number of infants deaths/number of live births from 2004-2006.

#### **Top of Page**

## **County Profile: Madison County**

Reporting Period: January 1, 2007- December 31, 2007		I/V
Indicator	Madison	KY
Total Live Births	999	59,343
# of Childbearing Women (15-44)	19,978	863,716
# of Children (<18)	18,068	1,004,174
Maternal Race/Ethnicity (%)		
White	91.7	85.5
Black	5.1	9.3
Asian/Pacific Islander	1.6	1.6
Other	1.5	3.7
Hispanic	2.0	5.2
Maternal Characteristics (%)		
Mother's Age <18	2.7	3.8
Mother's Age >=35	5.1	7.1
Mother < High School Education	16.1	21.4
Repeat Births to Teens	1.9	5.1
Repeat Births <12Months From Previous Birth	13.5	16.1

MCH SES Indicators		
Children Living in Poverty (%)	22.6	23.6
# of Children Enrolled in Medicaid	5,449	346,798
Median Household Income	39,842	40,299
Delivery Payment Source (%)		
Medicaid	47.1	43.6
Private	51.3	44.7
Other	1.6	11.8
Prenatal Care Entry (%)		
First Trimester Prenatal Care	75.3	72.5
Second Trimester Prenatal Care	20.3	21.3
Third Trimester Prenatal Care	3.5	4.5
No Prenatal Care	0.9	1.7
Adverse Birth Outcomes Risk Factors (%)		
Gestational Hypertension	5.8	6.2
Gestational Diabetes	7.4	4.4
Pre-Pregnancy Obesity	25.5	28.3
Pre-Pregnancy Underweight	5.6	5.1
Smoking During Pregnancy	22.6	25.1
Adverse Birth Outcomes (%)		
Low Birth Weight (<2500g)	7.3	9.3
Very Low Birth Weight (<1500g)	0.9	1.7
Preterm Births (<37 weeks)	16.7	15.1
Late Preterm Births (34-36 weeks)	75.9	71.8

Infant Mortality (Rate per 1,000 live births)	3.8	7.1
Method of Delivery (%)		
Vaginal Deliveries	62.6	65.3
Total C-Section Deliveries	37.4	34.7
Repeat C-Section	9.3	11.5
Post-natal Nutrition		
Breastfeeding initiation (%)	63.9	53.6
WIC Participation (%)	46.7	49.7
Children Indicators		
# of WIC Children 2-5 years	863	57,117
Overweight (85 <sup>th</sup> - <95 <sup>th</sup> ) WIC Children 2-5 years (%)	17.3	16.4
Obese (>=95 <sup>th</sup> ) WIC Children 2-5 years (%)	15.1	15.6
# Children Living in out-of-home Care (i.e. group home, foster homes, etc)	213	12,338
# Children Abused	138	15,518

U.S. Census Bureau, Small Area Estimates Branch, 2007

US Census Bureau, Population Estimates Program, 2007

KY Vital Statistics, Preliminary 2007

PedNSS, 2007 is based on children that receive Women, Infant, and Children Services (WIC)

Kentucky Kids Count, 2007

Notes: 1. Number of children enrolled in Medicaid reflects the average monthly number of those enrolled. 2. Infant mortality rate is number of infants deaths/number of live births from 2004-2006.

#### **Top of Page**

# **County Profile: Magoffin County**

Roporting Fortout Gardary 1, 2007 Booon	1501 01, 2001	
Indicator	Magoffin	KY

Total Live Births	177	59,343
# of Childbearing Women (15-44)	2,805	863,716
# of Children (<18)	3,178	1,004,174
Maternal Race/Ethnicity (%)		
White	98.3	85.5
Black	0	9.3
Asian/Pacific Islander	0.6	1.6
Other	1.1	3.7
Hispanic	0.6	5.2
Maternal Characteristics (%)		
Mother's Age <18	4.0	3.8
Mother's Age >=35	6.8	7.1
Mother < High School Education	39.2	21.4
Repeat Births to Teens	4.6	5.1
Repeat Births <12Months From Previous Birth	14.8	16.1
MCH SES Indicators		
Children Living in Poverty (%)	43.7	23.6
# of Children Enrolled in Medicaid	2,157	346,798
Median Household Income	26,150	40,299
Delivery Payment Source (%)		
Medicaid	78.4	43.6
Private	18.8	44.7
Other	2.8	11.8

Prenatal Care Entry (%)		
First Trimester Prenatal Care	70.2	72.5
Second Trimester Prenatal Care	22.6	21.3
Third Trimester Prenatal Care	6.6	4.5
No Prenatal Care	0.6	1.7
Adverse Birth Outcomes Risk Factors (%)		
Gestational Hypertension	6.3	6.2
Gestational Diabetes	7.4	4.4
Pre-Pregnancy Obesity	35.2	28.3
Pre-Pregnancy Underweight	5.1	5.1
Smoking During Pregnancy	39.8	25.1
Adverse Birth Outcomes (%)		
Low Birth Weight (<2500g)	17.6	9.3
Very Low Birth Weight (<1500g)	4.0	1.7
Preterm Births (<37 weeks)	18.8	15.1
Late Preterm Births (34-36 weeks)	63.6	71.8
Infant Mortality (Rate per 1,000 live births)	8.8	7.1
Method of Delivery (%)		
Vaginal Deliveries	59.7	65.3
Total C-Section Deliveries	40.3	34.7
Repeat C-Section	17.1	11.5
Post-natal Nutrition		
Breastfeeding initiation (%)	27.3	53.6
WIC Participation (%)	78.4	49.7

Children Indicators		
# of WIC Children 2-5 years	384	57,117
Overweight (85 <sup>th</sup> - <95 <sup>th</sup> ) WIC Children 2-5 years (%)	23.2	16.4
Obese (>=95 <sup>th</sup> ) WIC Children 2-5 years (%)	22.9	15.6
# Children Living in out-of-home Care (i.e. group home, foster homes, etc)	82	12,338
# Children Abused	120	15,518

U.S. Census Bureau, Small Area Estimates Branch, 2007

US Census Bureau, Population Estimates Program, 2007

KY Vital Statistics, Preliminary 2007

PedNSS, 2007 is based on children that receive Women, Infant, and Children Services (WIC)

Kentucky Kids Count, 2007

Notes: 1. Number of children enrolled in Medicaid reflects the average monthly number of those enrolled. 2. Infant mortality rate is number of infants deaths/number of live births from 2004-2006.

### **Top of Page**

## **County Profile: Marion County**

Indicator	Marion	KY
Total Live Births	277	59,343
# of Childbearing Women (15-44)	3,651	863,716
# of Children (<18)	4,582	1,004,174
Maternal Race/Ethnicity (%)		
White	84.4	85.5
Black	9.1	9.3
Asian/Pacific Islander	0	1.6
Other	6.6	3.7
Hispanic	5.8	5.2

Maternal Characteristics (%)		
Mother's Age <18	4.0	3.8
Mother's Age >=35	6.6	7.1
Mother < High School Education	22.2	21.4
Repeat Births to Teens	2.9	5.1
Repeat Births <12Months From Previous Birth	17.0	16.1
MCH SES Indicators		
Children Living in Poverty (%)	22.9	23.6
# of Children Enrolled in Medicaid	1,438	346,798
Median Household Income	38,048	40,299
Delivery Payment Source (%)		
Medicaid	4.7	43.6
Private	48.0	44.7
Other	47.3	11.8
Prenatal Care Entry (%)		
First Trimester Prenatal Care	67.4	72.5
Second Trimester Prenatal Care	27.8	21.3
Third Trimester Prenatal Care	4.4	4.5
No Prenatal Care	0.4	1.7
Adverse Birth Outcomes Risk Factors (%)		
Gestational Hypertension	6.9	6.2
Gestational Diabetes	7.6	4.4
Pre-Pregnancy Obesity	29.0	28.3
Pre-Pregnancy Underweight	4.6	5.1

Smoking During Pregnancy	26.5	25.1
Adverse Birth Outcomes (%)		
Low Birth Weight (<2500g)	9.4	9.3
Very Low Birth Weight (<1500g)	2.2	1.7
Preterm Births (<37 weeks)	13.4	15.1
Late Preterm Births (34-36 weeks)	67.6	71.8
Infant Mortality (Rate per 1,000 live births)	3.9	7.1
Method of Delivery (%)		
Vaginal Deliveries	60.9	65.3
Total C-Section Deliveries	39.1	34.7
Repeat C-Section	13.0	11.5
Post-natal Nutrition		
Breastfeeding initiation (%)	47.1	53.6
WIC Participation (%)	68.5	49.7
Children Indicators		
# of WIC Children 2-5 years	321	57,117
Overweight (85 <sup>th</sup> - <95 <sup>th</sup> ) WIC Children 2-5 years (%)	16.5	16.4
Obese (>=95 <sup>th</sup> ) WIC Children 2-5 years (%)	19.6	15.6
# Children Living in out-of-home Care (i.e. group home, foster homes, etc)	72	12,338
# Children Abused	85	15,518

U.S. Census Bureau, Small Area Estimates Branch, 2007

US Census Bureau, Population Estimates Program, 2007

KY Vital Statistics, Preliminary 2007

PedNSS, 2007 is based on children that receive Women, Infant, and Children Services (WIC)

Kentucky Kids Count, 2007

Notes: 1. Number of children enrolled in Medicaid reflects the average monthly number of those enrolled. 2. Infant mortality rate is number of infants deaths/number of live births from 2004-2006.

### **Top of Page**

# **County Profile: Marshall County**

349	59,343
5,742	863,716
6,297	1,004,174
98.6	85.5
0.3	9.3
0.6	1.6
0.6	3.7
0.9	5.2
3.8	3.8
6.1	7.1
19.5	21.4
2.3	5.1
8.9	16.1
18.4	23.6
1,851	346,798
41,497	40,299
	5,742 6,297 98.6 0.3 0.6 0.6 0.9 3.8 6.1 19.5 2.3 8.9

Delivery Payment Source (%)		
Medicaid	50.6	43.6
Private	46.8	44.7
Other	2.6	11.8
Prenatal Care Entry (%)		
First Trimester Prenatal Care	84.1	72.5
Second Trimester Prenatal Care	11.8	21.3
Third Trimester Prenatal Care	2.4	4.5
No Prenatal Care	1.8	1.7
Adverse Birth Outcomes Risk Factors (%)		
Gestational Hypertension	9.3	6.2
Gestational Diabetes	4.4	4.4
Pre-Pregnancy Obesity	32.3	28.3
Pre-Pregnancy Underweight	4.7	5.1
Smoking During Pregnancy	26.5	25.1
Adverse Birth Outcomes (%)		
Low Birth Weight (<2500g)	8.7	9.3
Very Low Birth Weight (<1500g)	1.5	1.7
Preterm Births (<37 weeks)	16.1	15.1
Late Preterm Births (34-36 weeks)	75.0	71.8
Infant Mortality (Rate per 1,000 live births)	6.3	7.1
Method of Delivery (%)		
Vaginal Deliveries	59.9	65.3

Total C-Section Deliveries	40.1	34.7
Repeat C-Section	12.2	11.5
Post-natal Nutrition		
Breastfeeding initiation (%)	60.0	53.6
WIC Participation (%)	53.8	49.7
Children Indicators		
# of WIC Children 2-5 years	427	57,117
Overweight (85 <sup>th</sup> - <95 <sup>th</sup> ) WIC Children 2-5 years (%)	12.4	16.4
Obese (>=95 <sup>th</sup> ) WIC Children 2-5 years (%)	9.6	15.6
# Children Living in out-of-home Care (i.e. group home, foster homes, etc)	75	12,338
# Children Abused	85	15,518

U.S. Census Bureau, Small Area Estimates Branch, 2007

US Census Bureau, Population Estimates Program, 2007

KY Vital Statistics, Preliminary 2007

PedNSS, 2007 is based on children that receive Women, Infant, and Children Services (WIC)

Kentucky Kids Count, 2007

Notes: 1. Number of children enrolled in Medicaid reflects the average monthly number of those enrolled. 2. Infant mortality rate is number of infants deaths/number of live births from 2004-2006.

#### **Top of Page**

# **County Profile: Martin County**

Indicator	Martin	KY
Total Live Births	161	59,343
# of Childbearing Women (15-44)	2,446	863,716
# of Children (<18)	2,904	1,004,174
Maternal Race/Ethnicity (%)		

White	100	85.5
Black	0	9.3
Asian/Pacific Islander	0	1.6
Other	0	3.7
Hispanic	0.7	5.2
Maternal Characteristics (%)		
Mother's Age <18	8.7	3.8
Mother's Age >=35	5.1	7.1
Mother < High School Education	40.6	21.4
Repeat Births to Teens	9.2	5.1
Repeat Births <12Months From Previous Birth	20.6	16.1
MCH SES Indicators		
Children Living in Poverty (%)	45.5	23.6
# of Children Enrolled in Medicaid	1,902	346,798
Median Household Income	25,841	40,299
Delivery Payment Source (%)		
Medicaid	83.3	43.6
Private	15.2	44.7
Other	1.5	11.8
Prenatal Care Entry (%)		
First Trimester Prenatal Care	73.1	72.5
Second Trimester Prenatal Care	23.1	21.3
Third Trimester Prenatal Care	2.3	4.5
No Prenatal Care	1.6	1.7

Adverse Birth Outcomes Risk Factors (%)		
Gestational Hypertension	5.7	6.2
Gestational Diabetes	2.8	4.4
Pre-Pregnancy Obesity	31.9	28.3
Pre-Pregnancy Underweight	11.4	5.1
Smoking During Pregnancy	42.6	25.1
Adverse Birth Outcomes (%)		
Low Birth Weight (<2500g)	15.6	9.3
Very Low Birth Weight (<1500g)	2.1	1.7
Preterm Births (<37 weeks)	29.8	15.1
Late Preterm Births (34-36 weeks)	76.2	71.8
Infant Mortality (Rate per 1,000 live births)	6.2	7.1
Method of Delivery (%)		
Vaginal Deliveries	49.7	65.3
Total C-Section Deliveries	50.4	34.7
Repeat C-Section	14.9	11.5
Post-natal Nutrition		
Breastfeeding initiation (%)	23.4	53.6
WIC Participation (%)	83.0	49.7
Children Indicators		
# of WIC Children 2-5 years	324	57,117
Overweight (85 <sup>th</sup> - <95 <sup>th</sup> ) WIC Children 2-5 years (%)	19.1	16.4
Obese (>=95 <sup>th</sup> ) WIC Children 2-5 years (%)	22.5	15.6

# Children Living in out-of-home Care (i.e. group home, foster homes, etc)	42	12,338
# Children Abused	182	15,518

U.S. Census Bureau, Small Area Estimates Branch, 2007

US Census Bureau, Population Estimates Program, 2007

KY Vital Statistics, Preliminary 2007

PedNSS, 2007 is based on children that receive Women, Infant, and Children Services (WIC)

Kentucky Kids Count, 2007

Notes: 1. Number of children enrolled in Medicaid reflects the average monthly number of those enrolled. 2. Infant mortality rate is number of infants deaths/number of live births from 2004-2006.

#### **Top of Page**

## **County Profile: Mason County**

Reporting Period: January 1, 2007- December 31, 2		
Indicator	Mason	KY
Total Live Births	250	59,343
Total Live Biltiis	250	59,5 <del>4</del> 5
# of Childbearing Women (15-44)	3,276	863,716
# of Children (<18)	3,949	1,004,174
Maternal Race/Ethnicity (%)		
White	90.4	85.5
Black	7.6	9.3
Asian/Pacific Islander	0	1.6
Other	2.0	3.7
Hispanic	2.0	5.2
·		
Maternal Characteristics (%)		
Mother's Age <18	4.0	3.8
Mother's Age >=35	8.8	7.1
Mother < High School Education	19.7	21.4
Repeat Births to Teens	5.6	5.1

Repeat Births <12Months From Previous Birth	13.7	16.1
MCH SES Indicators		
Children Living in Poverty (%)	28.2	23.6
# of Children Enrolled in Medicaid	1,608	346,798
Median Household Income	38,035	40,299
Delivery Payment Source (%)		
Medicaid	53.4	43.6
Private	43.0	44.7
Other	3.6	11.8
Prenatal Care Entry (%)		
First Trimester Prenatal Care	75.3	72.5
Second Trimester Prenatal Care	17.0	21.3
Third Trimester Prenatal Care	7.3	4.5
No Prenatal Care	0.4	1.7
Adverse Birth Outcomes Risk Factors (%)		
Gestational Hypertension	10.0	6.2
Gestational Diabetes	6.0	4.4
Pre-Pregnancy Obesity	25.3	28.3
Pre-Pregnancy Underweight	3.6	5.1
Smoking During Pregnancy	38.2	25.1
Adverse Birth Outcomes (%)		
Low Birth Weight (<2500g)	6.8	9.3
Very Low Birth Weight (<1500g)	1.2	1.7

Preterm Births (<37 weeks)	9.2	15.1
Late Preterm Births (34-36 weeks)	78.3	71.8
Infant Mortality (Rate per 1,000 live births)	4.5	7.1
Method of Delivery (%)		
Vaginal Deliveries	68.3	65.3
Total C-Section Deliveries	31.7	34.7
Repeat C-Section	11.7	11.5
Post-natal Nutrition		
Breastfeeding initiation (%)	43.0	53.6
WIC Participation (%)	54.2	49.7
Children Indicators		
# of WIC Children 2-5 years	231	57,117
Overweight (85 <sup>th</sup> - <95 <sup>th</sup> ) WIC Children 2-5 years (%)	15.6	16.4
Obese (>=95 <sup>th</sup> ) WIC Children 2-5 years (%)	15.6	15.6
# Children Living in out-of-home Care (i.e. group home, foster homes, etc)	38	12,338
# Children Abused	56	15,518

U.S. Census Bureau, Small Area Estimates Branch, 2007

US Census Bureau, Population Estimates Program, 2007

KY Vital Statistics, Preliminary 2007

PedNSS, 2007 is based on children that receive Women, Infant, and Children Services (WIC)

Kentucky Kids Count, 2007

Notes: 1. Number of children enrolled in Medicaid reflects the average monthly number of those enrolled. 2. Infant mortality rate is number of infants deaths/number of live births from 2004-2006.

#### **Top of Page**

## **County Profile: McCracken County**

Indicator	McCracken	KY

Total Live Births	805	59,343
# of Childbearing Women (15-44)	11,927	863,716
# of Children (<18)	14,571	1,004,174
Maternal Race/Ethnicity (%)		
White	81.7	85.5
Black	16.0	9.3
Asian/Pacific Islander	0.6	1.6
Other	1.8	3.7
Hispanic	2.0	5.2
Maternal Characteristics (%)		
Mother's Age <18	4.6	3.8
Mother's Age >=35	5.8	7.1
Mother < High School Education	18.9	21.4
Repeat Births to Teens	2.5	5.1
Repeat Births <12Months From Previous Birth	9.8	16.1
MCH SES Indicators		
Children Living in Poverty (%)	22.4	23.6
# of Children Enrolled in Medicaid	4,954	346,798
Median Household Income	40,899	40,299
Delivery Payment Source (%)		
Medicaid	53.5	43.6
Private	44.8	44.7
Other	1.7	11.8

Prenatal Care Entry (%)		
First Trimester Prenatal Care	83.4	72.5
Second Trimester Prenatal Care	10.4	21.3
Third Trimester Prenatal Care	2.7	4.5
No Prenatal Care	3.5	1.7
Adverse Birth Outcomes Risk Factors (%)		
Gestational Hypertension	6.9	6.2
Gestational Diabetes	3.2	4.4
Pre-Pregnancy Obesity	36.6	28.3
Pre-Pregnancy Underweight	5.4	5.1
Smoking During Pregnancy	20.1	25.1
Adverse Birth Outcomes (%)		
Low Birth Weight (<2500g)	8.8	9.3
Very Low Birth Weight (<1500g)	1.5	1.7
Preterm Births (<37 weeks)	17.1	15.1
Late Preterm Births (34-36 weeks)	68.4	71.8
Infant Mortality (Rate per 1,000 live births)	3.7	7.1
Method of Delivery (%)		
Vaginal Deliveries	63.6	65.3
Total C-Section Deliveries	36.4	34.7
Repeat C-Section	8.1	11.5
Post-natal Nutrition		
Breastfeeding initiation (%)	53.3	53.6

WIC Participation (%)	49.4	49.7
Children Indicators		
# of WIC Children 2-5 years	809	57,117
Overweight (85 <sup>th</sup> - <95 <sup>th</sup> ) WIC Children 2-5 years (%)	17.4	16.4
Obese (>=95 <sup>th</sup> ) WIC Children 2-5 years (%)	12.9	15.6
# Children Living in out-of-home Care (i.e. group home, foster homes, etc)	199	12,338
# Children Abused	236	15,518

U.S. Census Bureau, Small Area Estimates Branch, 2007

US Census Bureau, Population Estimates Program, 2007

KY Vital Statistics, Preliminary 2007

PedNSS, 2007 is based on children that receive Women, Infant, and Children Services (WIC)

Kentucky Kids Count, 2007

Notes: 1. Number of children enrolled in Medicaid reflects the average monthly number of those enrolled. 2. Infant mortality rate is number of infants deaths/number of live births from 2004-2006.

### **Top of Page**

# **County Profile: McCreary County**

Indicator	McCreary	KY
Total Live Births	227	59,343
# of Childbearing Women (15-44)	3,535	863,716
# of Children (<18)	4,381	1,004,174
Maternal Race/Ethnicity (%)		
White	99.1	85.5
Black	0.9	9.3
Asian/Pacific Islander	0	1.6
Other	0	3.7
Hispanic	0	5.2

Maternal Characteristics (%)		
Mother's Age <18	4.6	3.8
Mother's Age >=35	4.5	7.1
Mother < High School Education	23.2	21.4
Repeat Births to Teens	4.0	5.1
Repeat Births <12Months From Previous Birth	9.7	16.1
MCH SES Indicators		
Children Living in Poverty (%)	52.4	23.6
# of Children Enrolled in Medicaid	2,832	346,798
Median Household Income	24,293	40,299
Delivery Payment Source (%)		
Medicaid	78.6	43.6
Private	20.1	44.7
Other	1.3	11.8
Prenatal Care Entry (%)		
First Trimester Prenatal Care	83.6	72.5
Second Trimester Prenatal Care	15.4	21.3
Third Trimester Prenatal Care	0.9	4.5
No Prenatal Care	0	1.7
Adverse Birth Outcomes Risk Factors (%)		
Gestational Hypertension	7.5	6.2
Gestational Diabetes	6.2	4.4
Pre-Pregnancy Obesity	29.7	28.3

Pre-Pregnancy Underweight	7.1	5.1
Smoking During Pregnancy	35.8	25.1
Adverse Birth Outcomes (%)		
Low Birth Weight (<2500g)	9.7	9.3
Very Low Birth Weight (<1500g)	3.5	1.7
Preterm Births (<37 weeks)	18.1	15.1
Late Preterm Births (34-36 weeks)	70.7	71.8
Infant Mortality (Rate per 1,000 live births)	5.5	7.1
Method of Delivery (%)		
Vaginal Deliveries	71.2	65.3
Total C-Section Deliveries	28.8	34.7
Repeat C-Section	5.8	11.5
Post-natal Nutrition		
Breastfeeding initiation (%)	64.6	53.6
WIC Participation (%)	84.5	49.7
Children Indicators		
# of WIC Children 2-5 years	513	57,117
Overweight (85 <sup>th</sup> - <95 <sup>th</sup> ) WIC Children 2-5 years (%)	17.7	16.4
Obese (>=95 <sup>th</sup> ) WIC Children 2-5 years (%)	20.7	15.6
# Children Living in out-of-home Care (i.e. group home,	132	12,338
foster homes, etc)	400	45.510
# Children Abused	122	15,518

PedNSS, 2007 is based on children that receive Women, Infant, and Children Services (WIC)

U.S. Census Bureau, Small Area Estimates Branch, 2007

US Census Bureau, Population Estimates Program, 2007

KY Vital Statistics, Preliminary 2007

Notes: 1. Number of children enrolled in Medicaid reflects the average monthly number of those enrolled. 2. Infant mortality rate is number of infants deaths/number of live births from 2004-2006.

### **Top of Page**

# **County Profile: McLean County**

Reporting Period: January 1, 2007- December 31, 2007 Indicator	McLean	KY
Total Live Births	125	59,343
# of Childbearing Women (15-44)	1,846	863,716
# of Children (<18)	2,217	1,004,174
Maternal Race/Ethnicity (%)		
White	97.5	85.5
Black	0	9.3
Asian/Pacific Islander	0	1.6
Other	2.5	3.7
Hispanic	2.5	5.2
Maternal Characteristics (%)		
Mother's Age <18	4.2	3.8
Mother's Age >=35	5.1	7.1
Mother < High School Education	17.8	21.4
Repeat Births to Teens	2.5	5.1
Repeat Births <12Months From Previous Birth	18.5	16.1
MCH SES Indicators		
Children Living in Poverty (%)	23.5	23.6
# of Children Enrolled in Medicaid	816	346,798

Median Household Income	37,866	40,299
Delivery Payment Source (%)		
Medicaid	45.8	43.6
Private	50.9	44.7
Other	3.4	11.8
Prenatal Care Entry (%)		
First Trimester Prenatal Care	69.8	72.5
Second Trimester Prenatal Care	23.5	21.3
Third Trimester Prenatal Care	5.9	4.5
No Prenatal Care	0.8	1.7
Adverse Birth Outcomes Risk Factors (%)		
Gestational Hypertension	9.3	6.2
Gestational Diabetes	3.4	4.4
Pre-Pregnancy Obesity	28.9	28.3
Pre-Pregnancy Underweight	3.4	5.1
Smoking During Pregnancy	19.5	25.1
Adverse Birth Outcomes (%)		
Low Birth Weight (<2500g)	9.3	9.3
Very Low Birth Weight (<1500g)	3.4	1.7
Preterm Births (<37 weeks)	19.3	15.1
Late Preterm Births (34-36 weeks)	73.9	71.8
Infant Mortality (Rate per 1,000 live births)	5.5	7.1
Method of Delivery (%)		

Vaginal Deliveries	56.8	65.3
Total C-Section Deliveries	43.2	34.7
Repeat C-Section	20.3	11.5
Post-natal Nutrition		
Breastfeeding initiation (%)	43.2	53.6
WIC Participation (%)	48.3	49.7
Children Indicators		
# of WIC Children 2-5 years	151	57,117
Overweight (85 <sup>th</sup> - <95 <sup>th</sup> ) WIC Children 2-5 years (%)	17.9	16.4
Obese (>=95 <sup>th</sup> ) WIC Children 2-5 years (%)	15.9	15.6
# Children Living in out-of-home Care (i.e. group home, foster homes, etc)	12	12,338
# Children Abused	46	15,518

U.S. Census Bureau, Small Area Estimates Branch, 2007

US Census Bureau, Population Estimates Program, 2007

KY Vital Statistics, Preliminary 2007

PedNSS, 2007 is based on children that receive Women, Infant, and Children Services (WIC)

Kentucky Kids Count, 2007

Notes: 1. Number of children enrolled in Medicaid reflects the average monthly number of those enrolled. 2. Infant mortality rate is number of infants deaths/number of live births from 2004-2006.

#### **Top of Page**

### **County Profile: Meade County**

Indicator	Meade	KY
Total Live Births	279	59,343
# of Childbearing Women (15-44)	6,086	863,716
# of Children (<18)	6,832	1,004,174

White       96.5       85.5         Black       1.5       9.3         Asian/Pacific Islander       1.2       1.6         Other       0.8       3.7         Hispanic       2.3       5.2         Maternal Characteristics (%)       3.1       3.8         Mother's Age <18       3.1       3.8         Mother's Age >=35       5.4       7.1         Mother < High School Education       15.4       21.4
Asian/Pacific Islander       1.2       1.6         Other       0.8       3.7         Hispanic       2.3       5.2         Maternal Characteristics (%)          Mother's Age <18
Other       0.8       3.7         Hispanic       2.3       5.2         Maternal Characteristics (%)          Mother's Age <18
Hispanic       2.3       5.2         Maternal Characteristics (%)          Mother's Age <18
Maternal Characteristics (%)         Mother's Age <18
Mother's Age <18
Mother's Age <18
Mother's Age >=35 5.4 7.1
Mother < High School Education 15.4 21.4
Repeat Births to Teens 1.1 5.1
Repeat Births <12Months From Previous Birth 17.4 16.1
MCH SES Indicators
Children Living in Poverty (%) 18.4 23.6
# of Children Enrolled in Medicaid 1,758 346,798
Median Household Income 45,490 40,299
Delivery Payment Source (%)
Medicaid 20.8 43.6
Private 49.2 44.7
Other 30.0 11.8
Prenatal Care Entry (%)
First Trimester Prenatal Care 68.7 72.5
Second Trimester Prenatal Care 26.4 21.3
Third Trimester Prenatal Care 4.9 4.5

No Prenatal Care	0	1.7
Adverse Birth Outcomes Risk Factors (%)		
Gestational Hypertension	6.9	6.2
Gestational Diabetes	5.4	4.4
Pre-Pregnancy Obesity	32.3	28.3
Pre-Pregnancy Underweight	2.7	5.1
Smoking During Pregnancy	25	25.1
Adverse Birth Outcomes (%)		
Low Birth Weight (<2500g)	8.1	9.3
Very Low Birth Weight (<1500g)	2.3	1.7
Preterm Births (<37 weeks)	16.6	15.1
Late Preterm Births (34-36 weeks)	59.1	71.8
Infant Mortality (Rate per 1,000 live births)	5.3	7.1
Method of Delivery (%)		
Vaginal Deliveries	66.9	65.3
Total C-Section Deliveries	33.1	34.7
Repeat C-Section	9.6	11.5
Post-natal Nutrition		
Breastfeeding initiation (%)	53.9	53.6
WIC Participation (%)	45.4	49.7
Children Indicators		
# of WIC Children 2-5 years	313	57,117
Overweight (85 <sup>th</sup> - <95 <sup>th</sup> ) WIC Children 2-5 years (%)	14.4	16.4

Obese (>=95 <sup>th</sup> ) WIC Children 2-5 years (%)	15.0	15.6
# Children Living in out-of-home Care (i.e. group home, foster homes, etc)	62	12,338
# Children Abused	44	15,518

U.S. Census Bureau, Small Area Estimates Branch, 2007

US Census Bureau, Population Estimates Program, 2007

KY Vital Statistics, Preliminary 2007

PedNSS, 2007 is based on children that receive Women, Infant, and Children Services (WIC)

Kentucky Kids Count, 2007

Notes: 1. Number of children enrolled in Medicaid reflects the average monthly number of those enrolled. 2. Infant mortality rate is number of infants deaths/number of live births from 2004-2006.

#### **Top of Page**

# **County Profile: Menifee County**

Indicator	Menifee	KY
Total Live Births	68	59,343
# of Childbearing Women (15-44)	1,310	863,716
# of Children (<18)	1,473	1,004,174
Maternal Race/Ethnicity (%)		
White	100	85.5
Black	0	9.3
Asian/Pacific Islander	0	1.6
Other	0	3.7
Hispanic	1.5	5.2
Maternal Characteristics (%)		
Mother's Age <18	4.5	3.8
Mother's Age >=35	7.5	7.1
Mother < High School Education	28.4	21.4

Repeat Births to Teens	1.5	5.1
Repeat Births <12Months From Previous Birth	16.4	16.1
MCH SES Indicators		
Children Living in Poverty (%)	38.6	23.6
# of Children Enrolled in Medicaid	850	346,798
Median Household Income	28,928	40,299
Delivery Payment Source (%)		
Medicaid	76.1	43.6
Private	23.9	44.7
Other	0	11.8
Prenatal Care Entry (%)		
First Trimester Prenatal Care	80.0	72.5
Second Trimester Prenatal Care	18.5	21.3
Third Trimester Prenatal Care	1.5	4.5
No Prenatal Care	0	1.7
Adverse Birth Outcomes Risk Factors (%)		
Gestational Hypertension	4.6	6.2
Gestational Diabetes	1.5	4.4
Pre-Pregnancy Obesity	25.8	28.3
Pre-Pregnancy Underweight	7.6	5.1
Smoking During Pregnancy	36.4	25.1
Adverse Birth Outcomes (%)		
Low Birth Weight (<2500g)	10.6	9.3

Very Low Birth Weight (<1500g)	4.6	1.7
Preterm Births (<37 weeks)	20.9	15.1
Late Preterm Births (34-36 weeks)	64.3	71.8
Infant Mortality (Rate per 1,000 live births)	9.0	7.1
Method of Delivery (%)		
Vaginal Deliveries	69.7	65.3
Total C-Section Deliveries	30.3	34.7
Repeat C-Section	4.6	11.5
Post-natal Nutrition		
Breastfeeding initiation (%)	69.7	53.6
WIC Participation (%)	78.8	49.7
Children Indicators		
# of WIC Children 2-5 years	184	57,117
Overweight (85 <sup>th</sup> - <95 <sup>th</sup> ) WIC Children 2-5 years (%)	15.8	16.4
Obese (>=95 <sup>th</sup> ) WIC Children 2-5 years (%)	12.0	15.6
# Children Living in out-of-home Care (i.e. group home, foster homes, etc)	16	12,338
# Children Abused	26	15,518

U.S. Census Bureau, Small Area Estimates Branch, 2007

US Census Bureau, Population Estimates Program, 2007

KY Vital Statistics, Preliminary 2007

PedNSS, 2007 is based on children that receive Women, Infant, and Children Services (WIC)

Kentucky Kids Count, 2007

Notes: 1. Number of children enrolled in Medicaid reflects the average monthly number of those enrolled. 2. Infant mortality rate is number of infants deaths/number of live births from 2004-2006.

#### **Top of Page**

#### **County Profile: Mercer County**

Indicator	Mercer	KY
Total Live Births	269	59,343
# of Childbearing Women (15-44)	4,105	863,716
# of Children (<18)	5,091	1,004,174
Maternal Race/Ethnicity (%)		
White	92.8	85.5
Black	4.6	9.3
Asian/Pacific Islander	0.4	1.6
Other	2.3	3.7
Hispanic	2.7	5.2
Maternal Characteristics (%)		
Mother's Age <18	4.9	3.8
Mother's Age >=35	7.6	7.1
Mother < High School Education	17.8	21.4
Repeat Births to Teens	2.2	5.1
Repeat Births <12Months From Previous Birth	14.1	16.1
MCH SES Indicators		
Children Living in Poverty (%)	19.9	23.6
# of Children Enrolled in Medicaid	1,531	346,798
Median Household Income	49,529	40,299
Delivery Payment Source (%)		
Medicaid	46.2	43.6
Private	50.0	44.7

Other	3.8	11.8
Prenatal Care Entry (%)		
First Trimester Prenatal Care	73.4	72.5
Second Trimester Prenatal Care	22.1	21.3
Third Trimester Prenatal Care	4.2	4.5
No Prenatal Care	0.4	1.7
Adverse Birth Outcomes Risk Factors (%)		
Gestational Hypertension	7.4	6.2
Gestational Diabetes	3.4	4.4
Pre-Pregnancy Obesity	29.4	28.3
Pre-Pregnancy Underweight	5.2	5.1
Smoking During Pregnancy	62.1	25.1
Adverse Birth Outcomes (%)		
Low Birth Weight (<2500g)	11.2	9.3
Very Low Birth Weight (<1500g)	1.1	1.7
Preterm Births (<37 weeks)	16.0	15.1
Late Preterm Births (34-36 weeks)	74.4	71.8
Infant Mortality (Rate per 1,000 live births)	2.5	7.1
Method of Delivery (%)		
Vaginal Deliveries	61.3	65.3
Total C-Section Deliveries	38.7	34.7
Repeat C-Section	6.0	11.5
Post-natal Nutrition		

Breastfeeding initiation (%)	51.7	53.6
WIC Participation (%)	49.4	49.7
Children Indicators		
# of WIC Children 2-5 years	346	57,117
Overweight (85 <sup>th</sup> - <95 <sup>th</sup> ) WIC Children 2-5 years (%)	14.7	16.4
Obese (>=95 <sup>th</sup> ) WIC Children 2-5 years (%)	13.3	15.6
# Children Living in out-of-home Care (i.e. group home,	63	12,338
foster homes, etc)		
# Children Abused	59	15,518

U.S. Census Bureau, Small Area Estimates Branch, 2007

US Census Bureau, Population Estimates Program, 2007

KY Vital Statistics, Preliminary 2007

PedNSS, 2007 is based on children that receive Women, Infant, and Children Services (WIC)

Kentucky Kids Count, 2007

Notes: 1. Number of children enrolled in Medicaid reflects the average monthly number of those enrolled. 2. Infant mortality rate is number of infants deaths/number of live births from 2004-2006.

#### **Top of Page**

### **County Profile: Metcalfe County**

Indicator	Metcalfe	KY
Total Live Births	132	59,343
# of Childbearing Women (15-44)	1,964	863,716
# of Children (<18)	2,399	1,004,174
Maternal Race/Ethnicity (%)		
White	96.9	85.5
Black	1.5	9.3
Asian/Pacific Islander	0	1.6
Other	1.5	3.7

Hispanic	2.3	5.2
Maternal Characteristics (%)		
Mother's Age <18	6.9	3.8
Mother's Age >=35	6.9	7.1
Mother < High School Education	27.7	21.4
Repeat Births to Teens	5.3	5.1
Repeat Births <12Months From Previous Birth	19.9	16.1
MCH SES Indicators		
Children Living in Poverty (%)	36.9	23.6
# of Children Enrolled in Medicaid	1,072	346,798
Median Household Income	30,827	40,299
Delivery Payment Source (%)		
Medicaid	60.8	43.6
Private	31.5	44.7
Other	7.7	11.8
Prenatal Care Entry (%)		
First Trimester Prenatal Care	68.7	72.5
Second Trimester Prenatal Care	25.2	21.3
Third Trimester Prenatal Care	3.1	4.5
No Prenatal Care	3.1	1.7
Adverse Birth Outcomes Risk Factors (%)		
Gestational Hypertension	3.8	6.2
Gestational Diabetes	3.1	4.4

Pre-Pregnancy Obesity	29.0	28.3
Pre-Pregnancy Underweight	6.1	5.1
Smoking During Pregnancy	28.2	25.1
Adverse Birth Outcomes (%)		
Low Birth Weight (<2500g)	6.9	9.3
Very Low Birth Weight (<1500g)	3.8	1.7
Preterm Births (<37 weeks)	15.3	15.1
Late Preterm Births (34-36 weeks)	65.0	71.8
Infant Mortality (Rate per 1,000 live births)	12.4	7.1
Method of Delivery (%)		
Vaginal Deliveries	72.5	65.3
Total C-Section Deliveries	27.5	34.7
Repeat C-Section	14.5	11.5
Post-natal Nutrition		
Breastfeeding initiation (%)	48.9	53.6
WIC Participation (%)	63.4	49.7
Children Indicators		
# of WIC Children 2-5 years	174	57,117
Overweight (85 <sup>th</sup> - <95 <sup>th</sup> ) WIC Children 2-5 years (%)	8.6	16.4
Obese (>=95 <sup>th</sup> ) WIC Children 2-5 years (%)	14.4	15.6
# Children Living in out-of-home Care (i.e. group home, foster homes, etc)	29	12,338
# Children Abused	71	15,518

U.S. Census Bureau, Small Area Estimates Branch, 2007 US Census Bureau, Population Estimates Program, 2007

KY Vital Statistics, Preliminary 2007 PedNSS, 2007 is based on children that receive Women, Infant, and Children Services (WIC) Kentucky Kids Count, 2007

Notes: 1. Number of children enrolled in Medicaid reflects the average monthly number of those enrolled. 2. Infant mortality rate is number of infants deaths/number of live births from 2004-2006.

#### **Top of Page**

# **County Profile: Monroe County**

Reporting Period: January 1, 2007- December 31, 2007		
Indicator	Monroe	KY
Total Live Births	149	59,343
# of Childbearing Women (15-44)	2,236	863,716
# of Children (<18)	2,570	1,004,174
Maternal Race/Ethnicity (%)		
White	93.9	85.5
Black	3.4	9.3
Asian/Pacific Islander	0	1.6
Other	2.7	3.7
Hispanic	2.0	5.2
Maternal Characteristics (%)		
Mother's Age <18	3.4	3.8
Mother's Age >=35	4.1	7.1
Mother < High School Education	29.3	21.4
Repeat Births to Teens	4.7	5.1
Repeat Births <12Months From Previous Birth	18.8	16.1
MCH SES Indicators		
Children Living in Poverty (%)	34.5	23.6

# of Children Enrolled in Medicaid	1,107	346,798
Median Household Income	28,266	40,299
Delivery Payment Source (%)		
Medicaid	58.5	43.6
Private	31.3	44.7
Other	10.2	11.8
Prenatal Care Entry (%)		
First Trimester Prenatal Care	62.3	72.5
Second Trimester Prenatal Care	28.8	21.3
Third Trimester Prenatal Care	6.2	4.5
No Prenatal Care	2.7	1.7
Adverse Birth Outcomes Risk Factors (%)		
Gestational Hypertension	2.7	6.2
Gestational Diabetes	2.0	4.4
Pre-Pregnancy Obesity	30.4	28.3
Pre-Pregnancy Underweight	4.7	5.1
Smoking During Pregnancy	31.8	25.1
Adverse Birth Outcomes (%)		
Low Birth Weight (<2500g)	11.5	9.3
Very Low Birth Weight (<1500g)	3.4	1.7
Preterm Births (<37 weeks)	12.1	15.1
Late Preterm Births (34-36 weeks)	66.7	71.8
Infant Mortality (Rate per 1,000 live births)	4.5	7.1

Method of Delivery (%)		
Vaginal Deliveries	73.7	65.3
Total C-Section Deliveries	26.4	34.7
Repeat C-Section	8.8	11.5
Post-natal Nutrition		
Breastfeeding initiation (%)	39.2	53.6
WIC Participation (%)	60.1	49.7
Children Indicators		
# of WIC Children 2-5 years	200	57,117
Overweight (85 <sup>th</sup> - <95 <sup>th</sup> ) WIC Children 2-5 years (%)	16.5	16.4
Obese (>=95 <sup>th</sup> ) WIC Children 2-5 years (%)	26.5	15.6
# Children Living in out-of-home Care (i.e. group home,	33	12,338
foster homes, etc)		
# Children Abused	64	15,518

U.S. Census Bureau, Small Area Estimates Branch, 2007

US Census Bureau, Population Estimates Program, 2007

KY Vital Statistics, Preliminary 2007

PedNSS, 2007 is based on children that receive Women, Infant, and Children Services (WIC)

Kentucky Kids Count, 2007

Notes: 1. Number of children enrolled in Medicaid reflects the average monthly number of those enrolled. 2. Infant mortality rate is number of infants deaths/number of live births from 2004-2006.

#### **Top of Page**

# **County Profile: Montgomery County**

Indicator	Montgomery	KY
Total Live Births	399	59,343
# of Childbearing Women (15-44)	5,172	863,716

# of Children (<18)	6,226	1,004,174
Maternal Race/Ethnicity (%)		
White	95.7	85.5
Black	2.0	9.3
Asian/Pacific Islander	0.3	1.6
Other	2.0	3.7
Hispanic	2.8	5.2
Maternal Characteristics (%)		
Mother's Age <18	4.8	3.8
Mother's Age >=35	5.3	7.1
Mother < High School Education	25.3	21.4
Repeat Births to Teens	4.5	5.1
Repeat Births <12Months From Previous Birth	14.6	16.1
MCH SES Indicators		
Children Living in Poverty (%)	24.8	23.6
# of Children Enrolled in Medicaid	2,324	346,798
Median Household Income	38,870	40,299
Delivery Payment Source (%)		
Medicaid	55.4	43.6
Private	37.2	44.7
Other	7.3	11.8
Prenatal Care Entry (%)		
First Trimester Prenatal Care	79.1	72.5

Second Trimester Prenatal Care	16.8	21.3
Third Trimester Prenatal Care	3.9	4.5
No Prenatal Care	0.3	1.7
Adverse Birth Outcomes Risk Factors (%)		
Gestational Hypertension	8.1	6.2
Gestational Diabetes	4.6	4.4
Pre-Pregnancy Obesity	30.4	28.3
Pre-Pregnancy Underweight	4.8	5.1
Smoking During Pregnancy	32.2	25.1
Adverse Birth Outcomes (%)		
Low Birth Weight (<2500g)	9.6	9.3
Very Low Birth Weight (<1500g)	1.5	1.7
Preterm Births (<37 weeks)	17.1	15.1
Late Preterm Births (34-36 weeks)	70.6	71.8
Infant Mortality (Rate per 1,000 live births)	11.8	7.1
Method of Delivery (%)		
Vaginal Deliveries	70.9	65.3
Total C-Section Deliveries	29.1	34.7
Repeat C-Section	10.6	11.5
Post-natal Nutrition		
Breastfeeding initiation (%)	60.8	53.6
WIC Participation (%)	62.3	49.7
Children Indicators		

# of WIC Children 2-5 years	462	57,117
Overweight (85 <sup>th</sup> - <95 <sup>th</sup> ) WIC Children 2-5 years (%)	14.5	16.4
Obese (>=95 <sup>th</sup> ) WIC Children 2-5 years (%)	16.7	15.6
# Children Living in out-of-home Care (i.e. group home, foster homes, etc)	36	12,338
# Children Abused	50	15,518

U.S. Census Bureau, Small Area Estimates Branch, 2007

US Census Bureau, Population Estimates Program, 2007

KY Vital Statistics, Preliminary 2007

PedNSS, 2007 is based on children that receive Women, Infant, and Children Services (WIC)

Kentucky Kids Count, 2007

Notes: 1. Number of children enrolled in Medicaid reflects the average monthly number of those enrolled. 2. Infant mortality rate is number of infants deaths/number of live births from 2004-2006.

#### **Top of Page**

# **County Profile: Morgan County**

Indicator	Morgan	KY
Total Live Births	183	59,343
# of Childbearing Women (15-44)	2,604	863,716
# of Children (<18)	2,887	1,004,174
	2,007	_,00 .,_, .
Maternal Race/Ethnicity (%)		
White	100	85.5
Black	0	9.3
DIACK	U	9.5
Asian/Pacific Islander	0	1.6
Other	0	3.7
Hispanic	0	5.2
This partie	ŭ	3.2
Maternal Characteristics (%)		
Mother's Age <18	5.0	3.8
0		

Mother's Age >=35	6.7	7.1
Mother < High School Education	24.0	21.4
Repeat Births to Teens	3.9	5.1
Repeat Births <12Months From Previous Birth	13.2	16.1
MCH SES Indicators		
Children Living in Poverty (%)	36.8	23.6
# of Children Enrolled in Medicaid	1,492	346,798
Median Household Income	28,514	40,299
Delivery Payment Source (%)		
Medicaid	63.1	43.6
Private	33.5	44.7
Other	3.4	11.8
Prenatal Care Entry (%)		
First Trimester Prenatal Care	72.83	72.5
Second Trimester Prenatal Care	22.0	21.3
Third Trimester Prenatal Care	5.2	4.5
No Prenatal Care	0	1.7
Adverse Birth Outcomes Risk Factors (%)		
Gestational Hypertension	7.1	6.2
Gestational Diabetes	7.7	4.4
Pre-Pregnancy Obesity	29.7	28.3
Pre-Pregnancy Underweight	5.0	5.1
Smoking During Pregnancy	30.2	25.1

Adverse Birth Outcomes (%)		
Low Birth Weight (<2500g)	6.6	9.3
Very Low Birth Weight (<1500g)	1.1	1.7
Preterm Births (<37 weeks)	8.8	15.1
Late Preterm Births (34-36 weeks)	56.3	71.8
Infant Mortality (Rate per 1,000 live births)	2.1	7.1
Method of Delivery (%)		
Vaginal Deliveries	62.1	65.3
Total C-Section Deliveries	37.9	34.7
Repeat C-Section	13.7	11.5
Post-natal Nutrition		
Breastfeeding initiation (%)	33.5	53.6
WIC Participation (%)	65.4	49.7
Children Indicators		
# of WIC Children 2-5 years	285	57,117
Overweight (85 <sup>th</sup> - <95 <sup>th</sup> ) WIC Children 2-5 years (%)	14.5	16.4
Obese (>=95 <sup>th</sup> ) WIC Children 2-5 years (%)	18.2	15.6
# Children Living in out-of-home Care (i.e. group home, foster homes, etc)	31	12,338
# Children Abused	30	15,518

U.S. Census Bureau, Small Area Estimates Branch, 2007

US Census Bureau, Population Estimates Program, 2007

KY Vital Statistics, Preliminary 2007

PedNSS, 2007 is based on children that receive Women, Infant, and Children Services (WIC)

Kentucky Kids Count, 2007

# **County Profile: Muhlenberg County**

Indicator	Muhlenberg	KY
Total Live Births	325	59,343
# of Childbearing Women (15-44)	5,821	863,716
# of Children (<18)	6,816	1,004,174
Maternal Race/Ethnicity (%)		
White	94.7	85.5
Black	3.7	9.3
Asian/Pacific Islander	0.3	1.6
Other	1.3	3.7
Hispanic	1.3	5.2
Maternal Characteristics (%)		
Mother's Age <18	6.9	3.8
Mother's Age >=35	4.1	7.1
Mother < High School Education	23.4	21.4
Repeat Births to Teens	4.4	5.1
Repeat Births <12Months From Previous Birth	15.8	16.1
MCH SES Indicators		
Children Living in Poverty (%)	26.3	23.6
# of Children Enrolled in Medicaid	2,827	346,798
Median Household Income	34,580	40,299
Delivery Payment Source (%)		

Medicaid	59.8	43.6
Private	37.4	44.7
Other	2.8	11.8
Prenatal Care Entry (%)		
First Trimester Prenatal Care	74.6	72.5
Second Trimester Prenatal Care	21.0	21.3
Third Trimester Prenatal Care	2.5	4.5
No Prenatal Care	1.9	1.7
Adverse Birth Outcomes Risk Factors (%)		
Gestational Hypertension	8.4	6.2
Gestational Diabetes	2.2	4.4
Pre-Pregnancy Obesity	34.6	28.3
Pre-Pregnancy Underweight	4.7	5.1
Smoking During Pregnancy	36.1	25.1
Adverse Birth Outcomes (%)		
Low Birth Weight (<2500g)	10.9	9.3
Very Low Birth Weight (<1500g)	2.5	1.7
Preterm Births (<37 weeks)	15.8	15.1
Late Preterm Births (34-36 weeks)	58.8	71.8
Infant Mortality (Rate per 1,000 live births)	5.2	7.1
Method of Delivery (%)		
Vaginal Deliveries	58.3	65.3
Total C-Section Deliveries	41.7	34.7
Repeat C-Section	17.8	11.5

Post-natal Nutrition		
Breastfeeding initiation (%)	40.8	53.6
WIC Participation (%)	64.2	49.7
Children Indicators		
# of WIC Children 2-5 years	424	57,117
Overweight (85 <sup>th</sup> - <95 <sup>th</sup> ) WIC Children 2-5 years (%)	16.5	16.4
Obese (>=95 <sup>th</sup> ) WIC Children 2-5 years (%)	15.1	15.6
# Children Living in out-of-home Care (i.e. group home, foster homes, etc)	66	12,338
# Children Abused	71	15,518

U.S. Census Bureau, Small Area Estimates Branch, 2007

US Census Bureau, Population Estimates Program, 2007

KY Vital Statistics, Preliminary 2007

PedNSS, 2007 is based on children that receive Women, Infant, and Children Services (WIC)

Kentucky Kids Count, 2007

Notes: 1. Number of children enrolled in Medicaid reflects the average monthly number of those enrolled. 2. Infant mortality rate is number of infants deaths/number of live births from 2004-2006.

#### **Top of Page**

# **County Profile: Nelson County**

Indicator	Nelson	KY
Total Live Births	567	59,343
# of Childbearing Women (15-44)	8,924	863,716
# of Children (<18)	10,938	1,004,174
Maternal Race/Ethnicity (%)		
White	92.0	85.5
Black	5.5	9.3
Asian/Pacific Islander	1.1	1.6
Other	1.4	3.7
Hispanic	2.3	5.2
Maternal Characteristics (%)		
Mother's Age <18	3.8	3.8
Mother's Age >=35	5.7	7.1
Mother < High School Education	12.1	21.4
Repeat Births to Teens	2.1	5.1

Repeat Births <12Months From Previous Birth	16.8	16.1
MCH SES Indicators		
Children Living in Poverty (%)	16.4	23.6
# of Children Enrolled in Medicaid	2,991	346,798
Median Household Income	46,605	40,299
	10,000	,
Delivery Payment Source (%)		
Medicaid	30.9	43.6
Private	56.4	44.7
Other	12.7	11.8
Prenatal Care Entry (%)		
First Trimester Prenatal Care	82.8	72.5
Second Trimester Prenatal Care	14.0	21.3
Third Trimester Prenatal Care	2.1	4.5
No Prenatal Care	1.1	1.7
Adverse Birth Outcomes Risk Factors (%)		
Gestational Hypertension	8.0	6.2
Gestational Diabetes	5.8	4.4
Pre-Pregnancy Obesity	29.9	28.3
Pre-Pregnancy Underweight	4.4	5.1
Smoking During Pregnancy	24.3	25.1
Adverse Birth Outcomes (%)		
Low Birth Weight (<2500g)	0.0	9.3
Very Low Birth Weight (<1500g)	9.9	1.7
Preterm Births (<37 weeks)	2.1	
Late Preterm Births (34-36 weeks)	18.3	15.1
	67.3 4.5	71.8 7.1
Infant Mortality (Rate per 1,000 live births)	4.3	/.1
Method of Delivery (%)		
Vaginal Deliveries	65.5	65.3
Total C-Section Deliveries	34.5	34.7
Repeat C-Section	11.7	11.5
Post-natal Nutrition		
Breastfeeding initiation (%)	55.0	53.6
WIC Participation (%)	43.7	49.7
Children Indicators		
# of WIC Children 2-5 years	515	57,117
Overweight (85 <sup>th</sup> - <95 <sup>th</sup> ) WIC Children 2-5 years (%)	14.2	16.4
Obese (>=95 <sup>th</sup> ) WIC Children 2-5 years (%)	11.7	15.6
# Children Living in out-of-home Care (i.e. group home, foster	26	12,338
homes, etc)		
# Children Abused	80	15,518

U.S. Census Bureau, Small Area Estimates Branch, 2007

US Census Bureau, Population Estimates Program, 2007

KY Vital Statistics, Preliminary 2007

PedNSS, 2007 is based on children that receive Women, Infant, and Children Services (WIC)

Kentucky Kids Count, 2007

Notes: 1. Number of children enrolled in Medicaid reflects the average monthly number of those enrolled. 2. Infant mortality rate is number of infants deaths/number of live births from 2004-2006.

#### **Top of Page**

# **County Profile: Nicholas County**

Indicator	Nicholas	KY
Total Live Births	96	59,343
# of Childbearing Women (15-44)	1,312	863,716
# of Children (<18)	1,611	1,004,174
	1,011	1,00 .,17 .
Maternal Race/Ethnicity (%)		
White	97.9	85.5
Black	0	9.3
Asian/Pacific Islander	0	1.6
Other	2.2	3.7
Hispanic	2.2	5.2
Maternal Characteristics (%)		
Mother's Age <18	2.2	3.8
Mother's Age >=35	6.5	7.1
Mother < High School Education	11.8	21.4
Repeat Births to Teens	3.2	5.1
Repeat Births <12Months From Previous Birth	13.7	16.1
MCH SES Indicators		
Children Living in Poverty (%)	25.9	23.6
# of Children Enrolled in Medicaid	734	346,798
Median Household Income	36,080	40,299
Delivery Payment Source (%)		
Medicaid	47.3	43.6
Private	49.5	44.7
Other	3.2	11.8
Prenatal Care Entry (%)		
First Trimester Prenatal Care	79.1	72.5
Second Trimester Prenatal Care	16.5	21.3
Third Trimester Prenatal Care	3.3	4.5
No Prenatal Care	1.1	1.7
Adverse Birth Outcomes Risk Factors (%)		
Gestational Hypertension	12.6	6.2
Gestational Diabetes	7.4	4.4
Pre-Pregnancy Obesity	36.8	28.3
Pre-Pregnancy Underweight	2.1	5.1
Smoking During Pregnancy	39.0	25.1
Adverse Birth Outcomes (%)		
Low Birth Weight (<2500g)	13.7	9.3
Very Low Birth Weight (<1500g)	3.2	1.7
Preterm Births (<37 weeks)	24.2	15.1

Late Preterm Births (34-36 weeks)	73.9	71.8
Infant Mortality (Rate per 1,000 live births)	10.6	7.1
Method of Delivery (%)		
Vaginal Deliveries	67.4	65.3
Total C-Section Deliveries	32.6	34.7
Repeat C-Section	7.4	11.5
Post-natal Nutrition		
Breastfeeding initiation (%)	48.4	53.6
WIC Participation (%)	53.7	49.7
Children Indicators		
# of WIC Children 2-5 years	141	57,117
Overweight (85 <sup>th</sup> - <95 <sup>th</sup> ) WIC Children 2-5 years (%)	7.8	16.4
Obese (>=95 <sup>th</sup> ) WIC Children 2-5 years (%)	8.5	15.6
# Children Living in out-of-home Care (i.e. group home, foster	10	12,338
homes, etc)		
# Children Abused	7	15,518

U.S. Census Bureau, Small Area Estimates Branch, 2007

US Census Bureau, Population Estimates Program, 2007

KY Vital Statistics, Preliminary 2007

PedNSS, 2007 is based on children that receive Women, Infant, and Children Services (WIC)

Kentucky Kids Count, 2007

Notes: 1. Number of children enrolled in Medicaid reflects the average monthly number of those enrolled. 2. Infant mortality rate is number of infants deaths/number of live births from 2004-2006.

#### **Top of Page**

# **County Profile: Ohio County**

Indicator	Ohio	KY
Total Live Births	321	59,343
# of Childbearing Women (15-44)	4,558	863,716
# of Children (<18)	5,525	1,004,174
Maternal Race/Ethnicity (%)		
White	90.2	85.5
Black	0.3	9.3
Asian/Pacific Islander	0	1.6
Other	9.5	3.7
Hispanic	9.8	5.2
Maternal Characteristics (%)		
Mother's Age <18	6.0	3.8
Mother's Age >=35	5.1	7.1
Mother < High School Education	30.2	21.4
Repeat Births to Teens	5.6	5.1
Repeat Births <12Months From Previous Birth	17.6	16.1
MCH SES Indicators		

Children Living in Poverty (%)	29.2	23.6
# of Children Enrolled in Medicaid	2,440	346,798
Median Household Income	38,710	40,299
Delivery Payment Source (%)		
Medicaid	55.6	43.6
Private	35.6	44.7
Other	8.9	11.8
Prenatal Care Entry (%)		
First Trimester Prenatal Care	55.8	72.5
Second Trimester Prenatal Care	38.6	21.3
Third Trimester Prenatal Care	4.7	4.5
No Prenatal Care	0.9	1.7
110 Heliatal Care	0.9	1.,
Adverse Birth Outcomes Risk Factors (%)		
Gestational Hypertension	8.9	6.2
Gestational Diabetes	7.0	4.4
Pre-Pregnancy Obesity	34.8	28.3
Pre-Pregnancy Underweight	5.1	5.1
Smoking During Pregnancy	26.3	25.1
Adverse Birth Outcomes (%)		
Low Birth Weight (<2500g)	10.4	9.3
Very Low Birth Weight (<1500g)	0	1.7
Preterm Births (<37 weeks)	21.0	15.1
Late Preterm Births (34-36 weeks)	70.2	71.8
Infant Mortality (Rate per 1,000 live births)	4.7	7.1
Method of Delivery (%)		
Vaginal Deliveries	60.8	65.3
Total C-Section Deliveries		34.7
Repeat C-Section	39.2	11.5
repetit & Section	14.9	11.5
Post-natal Nutrition		
Breastfeeding initiation (%)	48.4	53.6
WIC Participation (%)	63.9	49.7
	03.7	
Children Indicators		
# of WIC Children 2-5 years	445	57,117
Overweight (85 <sup>th</sup> - <95 <sup>th</sup> ) WIC Children 2-5 years (%)	15.7	16.4
Obese (>=95 <sup>th</sup> ) WIC Children 2-5 years (%)	16.6	15.6
# Children Living in out-of-home Care (i.e. group home, foster	76	12,338
homes, etc) # Children Abused	97	15 510
# Ciliuteli Abuseu	91	15,518

U.S. Census Bureau, Small Area Estimates Branch, 2007

US Census Bureau, Population Estimates Program, 2007

KY Vital Statistics, Preliminary 2007

PedNSS, 2007 is based on children that receive Women, Infant, and Children Services (WIC)

Kentucky Kids Count, 2007

# County Profile: Oldham County Reporting Period: January 1, 2007- December

Reporting Period: January 1, 2007- December 31, 2007 Indicator	Oldham	KY
Total Liva Dintha	57.4	50.242
Total Live Births # of Childhooring Woman (15, 44)	574	59,343
# of Children (c18)	10,641	863,716
# of Children (<18)	13,353	1,004,174
Maternal Race/Ethnicity (%)		
White	89.6	85.5
Black	3.2	9.3
Asian/Pacific Islander	1.6	1.6
Other	5.7	3.7
Hispanic	6.5	5.2
Maternal Characteristics (%)		
Mother's Age <18	1.4	3.8
Mother's Age >=35	14.5	7.1
Mother < High School Education	11.1	21.4
Repeat Births to Teens	0.7	5.1
Repeat Births <12Months From Previous Birth	19.0	16.1
1	17.0	
MCH SES Indicators		
Children Living in Poverty (%)	6.0	23.6
# of Children Enrolled in Medicaid	1,563	346,798
Median Household Income	73,632	40,299
Delivery Payment Source (%)		
Medicaid	18.4	43.6
Private	70.0	44.7
Other	11.7	11.8
Prenatal Care Entry (%)		
First Trimester Prenatal Care	83.9	72.5
Second Trimester Prenatal Care	12.2	21.3
Third Trimester Prenatal Care	2.6	4.5
No Prenatal Care	1.2	1.7
Adverse Birth Outcomes Risk Factors (%)		
Gestational Hypertension	3.9	6.2
Gestational Diabetes	4.6	4.4
Pre-Pregnancy Obesity	19.9	28.3
Pre-Pregnancy Underweight	4.6	5.1
Smoking During Pregnancy	17.1	25.1
Adverse Birth Outcomes (%)		
Low Birth Weight (<2500g)	0 6	9.3
Very Low Birth Weight (<2500g)	8.6	1.7
· · · · · · · · · · · · · · · · · · ·	0.9	
Preterm Births (<37 weeks)  Leta Preterm Pirths (34.36 weeks)	16.4	15.1
Late Preterm Births (34-36 weeks)	70.2	71.8
Infant Mortality (Rate per 1,000 live births)	4.3	7.1

Method of Delivery (%)		
Vaginal Deliveries	65.0	65.3
Total C-Section Deliveries	35.0	34.7
Repeat C-Section	10.6	11.5
Post-natal Nutrition		
		<b>5</b> 2.6
Breastfeeding initiation (%)	73.2	53.6
WIC Participation (%)	23.2	49.7
Children Indicators		
# of WIC Children 2-5 years	361	57,117
Overweight (85 <sup>th</sup> - <95 <sup>th</sup> ) WIC Children 2-5 years (%)	18.3	16.4
Obese (>=95 <sup>th</sup> ) WIC Children 2-5 years (%)	15.5	15.6
# Children Living in out-of-home Care (i.e. group home, foster	45	12,338
homes, etc)		
# Children Abused	90	15,518

U.S. Census Bureau, Small Area Estimates Branch, 2007

US Census Bureau, Population Estimates Program, 2007

KY Vital Statistics, Preliminary 2007

PedNSS, 2007 is based on children that receive Women, Infant, and Children Services (WIC)

Kentucky Kids Count, 2007

Notes: 1. Number of children enrolled in Medicaid reflects the average monthly number of those enrolled. 2. Infant mortality rate is number of infants deaths/number of live births from 2004-2006.

#### **Top of Page**

#### **County Profile: Owen County**

Indicator	Owen	KY
Total Live Births	132	59,343
# of Childbearing Women (15-44)		863,716
# of Children (<18)	2,329	1,004,174
# of Children (<16)	2,680	1,004,174
Maternal Race/Ethnicity (%)		
White	94.6	85.5
Black	0	9.3
Asian/Pacific Islander	0	1.6
Other	5.4	3.7
Hispanic	6.9	5.2
Maternal Characteristics (%)		
Mother's Age <18	3.1	3.8
Mother's Age >=35	3.1	7.1
Mother < High School Education	20.0	21.4
Repeat Births to Teens	3.9	5.1
Repeat Births <12Months From Previous Birth	18.5	16.1
MCH SES Indicators		
Children Living in Poverty (%)	22.2	23.6
# of Children Enrolled in Medicaid	898	346,798
Median Household Income	41,246	40,299

Delivery Payment Source (%)		
Medicaid	51.5	43.6
Private	46.9	44.7
Other	1.5	11.8
Prenatal Care Entry (%)		
First Trimester Prenatal Care	76.7	72.5
Second Trimester Prenatal Care	17.8	21.3
Third Trimester Prenatal Care	4.7	4.5
No Prenatal Care	0.8	1.7
Adverse Birth Outcomes Risk Factors (%)		
Gestational Hypertension	5.4	6.2
Gestational Diabetes	8.5	4.4
Pre-Pregnancy Obesity	31.0	28.3
Pre-Pregnancy Underweight	2.3	5.1
Smoking During Pregnancy	31.0	25.1
	31.0	
Adverse Birth Outcomes (%)		
Low Birth Weight (<2500g)	5.4	9.3
Very Low Birth Weight (<1500g)	0	1.7
Preterm Births (<37 weeks)	12.3	15.1
Late Preterm Births (34-36 weeks)	93.8	71.8
Infant Mortality (Rate per 1,000 live births)	7.4	7.1
Method of Delivery (%)		
Vaginal Deliveries	64.3	65.3
Total C-Section Deliveries	35.7	34.7
Repeat C-Section	17.8	11.5
Post-natal Nutrition		
Breastfeeding initiation (%)	55.0	53.6
WIC Participation (%)	55.0	49.7
Children Indicators		
# of WIC Children 2-5 years	136	57,117
Overweight (85 <sup>th</sup> - <95 <sup>th</sup> ) WIC Children 2-5 years (%)	19.9	16.4
Obese (>=95 <sup>th</sup> ) WIC Children 2-5 years (%)	13.2	15.6
# Children Living in out-of-home Care (i.e. group home, foster	9	12,338
homes, etc)		
# Children Abused	25	15,518

U.S. Census Bureau, Small Area Estimates Branch, 2007

US Census Bureau, Population Estimates Program, 2007

KY Vital Statistics, Preliminary 2007

PedNSS, 2007 is based on children that receive Women, Infant, and Children Services (WIC)

Kentucky Kids Count, 2007

# County Profile: Owsley County Reporting Period: January 1, 2007- December

Indicator	Owsley	KY
Total Live Births	49	59,343
# of Childbearing Women (15-44)	894	863,716
# of Children (<18)	999	1,004,174
Maternal Race/Ethnicity (%)		
White	100	85.5
Black	0	9.3
Asian/Pacific Islander	0	1.6
Other	0	3.7
Hispanic	0	5.2
Maternal Characteristics (%)		
Mother's Age <18	2.0	3.8
Mother's Age >=35	12.2	7.1
Mother < High School Education	32.7	21.4
Repeat Births to Teens	10.2	5.1
Repeat Births <12Months From Previous Birth	12.2	16.1
MCH SES Indicators		
Children Living in Poverty (%)	55.0	23.6
# of Children Enrolled in Medicaid	814	346,798
Median Household Income	21,189	40,299
Delivery Payment Source (%)		10.6
Medicaid	77.6	43.6
Private Other	20.4 2.0	44.7 11.8
Prenatal Care Entry (%)		
First Trimester Prenatal Care	71.7	72.5
Second Trimester Prenatal Care	23.9	21.3
Third Trimester Prenatal Care	4.4	4.5
No Prenatal Care	0	1.7
Adverse Birth Outcomes Risk Factors (%)		
Gestational Hypertension	8.2	6.2
Gestational Diabetes	10.2	4.4
Pre-Pregnancy Obesity	38.8	28.3
Pre-Pregnancy Underweight	10.2	5.1
Smoking During Pregnancy	51.0	25.1
Adverse Birth Outcomes (%)		
Low Birth Weight (<2500g)	14.3	9.3
Very Low Birth Weight (<1500g)	0	1.7
Preterm Births (<37 weeks)	24.5	15.1
Late Preterm Births (34-36 weeks)	83.3	71.8
Infant Mortality (Rate per 1,000 live births)	0.0	7.1

Method of Delivery (%)		
Vaginal Deliveries	44.9	65.3
Total C-Section Deliveries	55.1	34.7
Repeat C-Section	20.4	11.5
Post-natal Nutrition		
Breastfeeding initiation (%)	24.5	53.6
WIC Participation (%)	80.0	49.7
Children Indicators		
# of WIC Children 2-5 years	154	57,117
Overweight (85 <sup>th</sup> - <95 <sup>th</sup> ) WIC Children 2-5 years (%)	22.7	16.4
Obese (>=95 <sup>th</sup> ) WIC Children 2-5 years (%)	26.6	15.6
# Children Living in out-of-home Care (i.e. group home, foster	24	12,338
homes, etc)		
# Children Abused	58	15,518

U.S. Census Bureau, Small Area Estimates Branch, 2007

US Census Bureau, Population Estimates Program, 2007

KY Vital Statistics, Preliminary 2007

PedNSS, 2007 is based on children that receive Women, Infant, and Children Services (WIC)

Kentucky Kids Count, 2007

Notes: 1. Number of children enrolled in Medicaid reflects the average monthly number of those enrolled. 2. Infant mortality rate is number of infants deaths/number of live births from 2004-2006.

#### **Top of Page**

# **County Profile: Pendleton County**

Indicator	Pendleton	KY
Total Live Births	181	59,343
# of Childbearing Women (15-44)		863,716
# of Children (<18)	3,106	1,004,174
# of Children (<16)	3,707	1,004,174
Maternal Race/Ethnicity (%)		
White	98.9	85.5
Black	0.6	9.3
Asian/Pacific Islander	0	1.6
Other	0.6	3.7
Hispanic	0.6	5.2
Maternal Characteristics (%)		
Mother's Age <18	3.4	3.8
Mother's Age >=35	6.7	7.1
Mother < High School Education	16.2	21.4
Repeat Births to Teens	2.8	5.1
Repeat Births <12Months From Previous Birth	22.7	16.1
MCH SES Indicators		
Children Living in Poverty (%)	20.1	23.6
# of Children Enrolled in Medicaid	1,109	346,798
Median Household Income	43,822	40,299

Delivery Payment Source (%)		
Medicaid	48.6	43.6
Private	49.2	44.7
Other	2.2	11.8
Prenatal Care Entry (%)		
First Trimester Prenatal Care	66.9	72.5
Second Trimester Prenatal Care	24.9	21.3
Third Trimester Prenatal Care	5.0	4.5
No Prenatal Care	3.3	1.7
Adverse Birth Outcomes Risk Factors (%)		
Gestational Hypertension	5.0	6.2
Gestational Diabetes	2.8	4.4
Pre-Pregnancy Obesity	32.2	28.3
Pre-Pregnancy Underweight	3.9	5.1
Smoking During Pregnancy	40.0	25.1
	10.0	
Adverse Birth Outcomes (%)		
Low Birth Weight (<2500g)	11.7	9.3
Very Low Birth Weight (<1500g)	0.6	1.7
Preterm Births (<37 weeks)	18.8	15.1
Late Preterm Births (34-36 weeks)	82.4	71.8
Infant Mortality (Rate per 1,000 live births)	9.5	7.1
Method of Delivery (%)		
Vaginal Deliveries	62.2	65.3
Total C-Section Deliveries	37.8	34.7
Repeat C-Section	15.0	11.5
Post-natal Nutrition		
Breastfeeding initiation (%)	50.6	53.6
WIC Participation (%)	52.2	49.7
	02.2	
Children Indicators		
# of WIC Children 2-5 years	162	57,117
Overweight (85 <sup>th</sup> - <95 <sup>th</sup> ) WIC Children 2-5 years (%)	21.0	16.4
Obese (>=95 <sup>th</sup> ) WIC Children 2-5 years (%)	14.8	15.6
# Children Living in out-of-home Care (i.e. group home, foster	29	12,338
homes, etc)		,===
# Children Abused	56	15,518

U.S. Census Bureau, Small Area Estimates Branch, 2007

US Census Bureau, Population Estimates Program, 2007

KY Vital Statistics, Preliminary 2007

PedNSS, 2007 is based on children that receive Women, Infant, and Children Services (WIC)

Kentucky Kids Count, 2007

# **County Profile: Perry County**

Reporting Period: January 1, 2007- December 31, 2007 Indicator	Perry	KY
m . IV. Did	440	70.040
Total Live Births	440	59,343
# of Childbearing Women (15-44)	5,856	863,716
# of Children (<18)	6,753	1,004,174
Maternal Race/Ethnicity (%)		
White	97.9	85.5
Black	1.4	9.3
Asian/Pacific Islander	0.7	1.6
Other	0	3.7
Hispanic	0	5.2
Maternal Characteristics (%)		
Mother's Age <18	3.9	3.8
Mother's Age >=35	6.4	7.1
Mother < High School Education	28.8	21.4
Repeat Births to Teens	4.3	5.1
Repeat Births <12Months From Previous Birth	14.8	16.1
MCH SES Indicators		
Children Living in Poverty (%)	47.2	23.6
# of Children Enrolled in Medicaid	3,814	346,798
Median Household Income	30,089	40,299
Delivery Payment Source (%)		
Medicaid	69.1	43.6
Private	26.5	44.7
Other	4.4	11.8
Prenatal Care Entry (%)		
First Trimester Prenatal Care	58.8	72.5
Second Trimester Prenatal Care	33.4	21.3
Third Trimester Prenatal Care	6.8	4.5
No Prenatal Care	1.0	1.7
Adverse Birth Outcomes Risk Factors (%)		
Gestational Hypertension	6.6	6.2
Gestational Diabetes	6.9	4.4
Pre-Pregnancy Obesity	31.6	28.3
Pre-Pregnancy Underweight	6.7	5.1
Smoking During Pregnancy	39.4	25.1
Adverse Birth Outcomes (%)		
Low Birth Weight (<2500g)	13.3	9.3
Very Low Birth Weight (<1500g)	1.8	1.7
Preterm Births (<37 weeks)	17.3	15.1
Late Preterm Births (34-36 weeks)	69.7	71.8
Infant Mortality (Rate per 1,000 live births)	9.3	71.8 7.1
main mortainty (Nate per 1,000 live billis)	7.5	7.1

Method of Delivery (%)		
Vaginal Deliveries	60.6	65.3
Total C-Section Deliveries	39.4	34.7
Repeat C-Section	10.1	11.5
Post-natal Nutrition		
Breastfeeding initiation (%)	26.1	53.6
WIC Participation (%)	68.2	49.7
Children Indicators		
# of WIC Children 2-5 years	547	57,117
Overweight (85 <sup>th</sup> - <95 <sup>th</sup> ) WIC Children 2-5 years (%)	22.1	16.4
Obese (>=95 <sup>th</sup> ) WIC Children 2-5 years (%)	19.0	15.6
# Children Living in out-of-home Care (i.e. group home, foster	190	12,338
homes, etc)		
# Children Abused	176	15,518

U.S. Census Bureau, Small Area Estimates Branch, 2007

US Census Bureau, Population Estimates Program, 2007

KY Vital Statistics, Preliminary 2007

PedNSS, 2007 is based on children that receive Women, Infant, and Children Services (WIC)

Kentucky Kids Count, 2007

Notes: 1. Number of children enrolled in Medicaid reflects the average monthly number of those enrolled. 2. Infant mortality rate is number of infants deaths/number of live births from 2004-2006.

#### **Top of Page**

# **County Profile: Pike County**

Indicator	Pike	KY
Total Live Births	798	59,343
# of Childbearing Women (15-44)	13,182	863,716
# of Children (<18)	14,195	1,004,174
Maternal Race/Ethnicity (%)		
White	99.6	85.5
Black	0.1	9.3
Asian/Pacific Islander	0.1	1.6
Other	0.1	3.7
Hispanic	0.1	5.2
Maternal Characteristics (%)		
Mother's Age <18	5.4	3.8
Mother's Age >=35	4.4	7.1
Mother < High School Education	23.1	21.4
Repeat Births to Teens	4.1	5.1
Repeat Births <12Months From Previous Birth	15.5	16.1
MCH SES Indicators		
Children Living in Poverty (%)	47.2	23.6
# of Children Enrolled in Medicaid	6,851	346,798
Median Household Income	32,382	40,299

Medicaid       56.3       43.6         Private       42.7       44.7         Other       1.1       11.8         Prenatal Care Entry (%)         First Trimester Prenatal Care       68.0       72.5         Second Trimester Prenatal Care       26.2       21.3         Third Trimester Prenatal Care       5.3       4.5         No Prenatal Care       0.5       1.7         Adverse Birth Outcomes Risk Factors (%)         Gestational Hypertension       2.7       6.2         Gestational Diabetes       2.7       4.4         Pre-Pregnancy Obesity       36.0       28.3         Pre-Pregnancy Underweight       4.9       5.1         Smoking During Pregnancy       32.2       25.1         Adverse Birth Outcomes (%)         Low Birth Weight (<2500g)       10.3       9.3         Very Low Birth Weight (<2500g)       10.3       9.3         Very Low Birth Weight (<2500g)       1.6       1.7         Preterm Births (3-3 weeks)       18.6       15.1         Late Preterm Births (3-3 weeks)       75.0       71.8         Infant Mortality (Rate per 1,000 live births)       7.8       7.1         Method of Deliv	Delivery Payment Source (%)		
Private Other         42.7 dt.1         44.7 dt.8           Other         1.1         11.8           Prenatal Care Entry (%)         11.1         11.8           First Trimester Prenatal Care         68.0         72.5           Second Trimester Prenatal Care         26.2         21.3           Third Trimester Prenatal Care         5.3         4.5           No Prenatal Care         0.5         1.7           Adverse Birth Outcomes Risk Factors (%)         2.7         6.2           Gestational Diabetes         2.7         4.4           Pre-Pregnancy Obesity         36.0         28.3           Pre-Pregnancy Underweight         4.9         5.1           Smoking During Pregnancy         32.2         25.1           Adverse Birth Outcomes (%)         3.2         25.1           Low Birth Weight (<2500g)		56.3	43.6
Other         1.1         11.8           Prenatal Care Entry (%)         First Trimester Prenatal Care         68.0         72.5           Second Trimester Prenatal Care         26.2         21.3           Third Trimester Prenatal Care         5.3         4.5           No Prenatal Care         0.5         1.7           Adverse Birth Outcomes Risk Factors (%)           Gestational Hypertension         2.7         6.2           Gestational Diabetes         2.7         4.4           Pre-Pregnancy Underweight         36.0         28.3           Pre-Pregnancy Underweight         4.9         5.1           Smoking During Pregnancy         32.2         25.1           Adverse Birth Outcomes (%)           Low Birth Weight (<2500g)	Private		44.7
First Trimester Prenatal Care         68.0         72.5           Second Trimester Prenatal Care         26.2         21.3           Third Trimester Prenatal Care         5.3         4.5           No Prenatal Care         0.5         1.7           Adverse Birth Outcomes Risk Factors (%)           Gestational Hypertension         2.7         6.2           Gestational Diabetes         2.7         4.4           Pre-Pregnancy Obesity         36.0         28.3           Pre-Perganacy Underweight         4.9         5.1           Smoking During Pregnancy         32.2         25.1           Adverse Birth Outcomes (%)           Low Birth Weight (<1500g)	Other		11.8
First Trimester Prenatal Care         68.0         72.5           Second Trimester Prenatal Care         26.2         21.3           Third Trimester Prenatal Care         5.3         4.5           No Prenatal Care         0.5         1.7           Adverse Birth Outcomes Risk Factors (%)           Gestational Hypertension         2.7         6.2           Gestational Diabetes         2.7         4.4           Pre-Pregnancy Obesity         36.0         28.3           Pre-Perganacy Underweight         4.9         5.1           Smoking During Pregnancy         32.2         25.1           Adverse Birth Outcomes (%)           Low Birth Weight (<1500g)			
Second Trimester Prenatal Care   26.2   21.3   Third Trimester Prenatal Care   5.3   4.5   No Prenatal Care   0.5   1.7	Prenatal Care Entry (%)		
Third Trimester Prenatal Care         5.3         4.5           No Prenatal Care         0.5         1.7           Adverse Birth Outcomes Risk Factors (%)             Gestational Hypertension         2.7         6.2           Gestational Diabetes         2.7         4.4           Pre-Pregnancy Obesity         36.0         28.3           Pre-Pregnancy Underweight         4.9         5.1           Smoking During Pregnancy         32.2         25.1           Adverse Birth Outcomes (%)             Low Birth Weight (<2500g)	First Trimester Prenatal Care	68.0	72.5
No Prenatal Care       0.5       1.7         Adverse Birth Outcomes Risk Factors (%)           Gestational Hypertension       2.7       6.2         Gestational Diabetes       2.7       4.4         Pre-Pregnancy Obesity       36.0       28.3         Pre-Pregnancy Underweight       4.9       5.1         Smoking During Pregnancy       32.2       25.1         Adverse Birth Outcomes (%)         Low Birth Weight (<2500g)		26.2	
Adverse Birth Outcomes Risk Factors (%)  Gestational Hypertension Gestational Diabetes 2.7 4.4  Pre-Pregnancy Obesity 36.0 28.3  Pre-Pregnancy Underweight 4.9 5.1  Smoking During Pregnancy 32.2 25.1  Adverse Birth Outcomes (%)  Low Birth Weight (<2500g) 10.3 9.3  Very Low Birth Weight (<1500g) 1.6 1.7  Preterm Births (<37 weeks) 1.8.6 1.5.1  Late Preterm Births (34-36 weeks) 75.0 71.8  Infant Mortality (Rate per 1,000 live births) 7.8 7.1  Method of Delivery (%)  Vaginal Deliveries 63.4 65.3  Total C-Section Deliveries 36.6 34.7  Repeat C-Section 11.6 11.5  Post-natal Nutrition  Breastfeeding initiation (%) 37.8 53.6  WIC Participation (%) 63.0 49.7  Children Indicators # of WIC Children 2-5 years (%) 11.4 16.4 Obese (>=95 <sup>th</sup> ) WIC Children 2-5 years (%) 11.5 11.5 11.5 11.3 11.5 11.5 11.5 11.5		5.3	
Gestational Hypertension       2.7       6.2         Gestational Diabetes       2.7       4.4         Pre-Pregnancy Obesity       36.0       28.3         Pre-Pregnancy Underweight       4.9       5.1         Smoking During Pregnancy       32.2       25.1         Adverse Birth Outcomes (%)         Low Birth Weight (<2500g)	No Prenatal Care	0.5	1.7
Gestational Hypertension       2.7       6.2         Gestational Diabetes       2.7       4.4         Pre-Pregnancy Obesity       36.0       28.3         Pre-Pregnancy Underweight       4.9       5.1         Smoking During Pregnancy       32.2       25.1         Adverse Birth Outcomes (%)         Low Birth Weight (<2500g)	Adverse Birth Outcomes Risk Factors (%)		
Gestational Diabetes       2.7       4.4         Pre-Pregnancy Obesity       36.0       28.3         Pre-Pregnancy Underweight       4.9       5.1         Smoking During Pregnancy       32.2       25.1         Adverse Birth Outcomes (%)       Low Birth Weight (<2500g)	· · · · · · · · · · · · · · · · · · ·	2.7	6.2
Pre-Pregnancy Obesity       36.0       28.3         Pre-Pregnancy Underweight       4.9       5.1         Smoking During Pregnancy       32.2       25.1         Adverse Birth Outcomes (%)         Low Birth Weight (<2500g)	7 ±		4.4
Pre-Pregnancy Underweight       4.9       5.1         Smoking During Pregnancy       32.2       25.1         Adverse Birth Outcomes (%)       Low Birth Weight (<2500g)	Pre-Pregnancy Obesity		
Smoking During Pregnancy       32.2       25.1         Adverse Birth Outcomes (%)         Low Birth Weight (<2500g)			5.1
Adverse Birth Outcomes (%)         Low Birth Weight (<2500g)			
Low Birth Weight (<2500g)		52.2	
Very Low Birth Weight (<1500g)	Adverse Birth Outcomes (%)		
Very Low Birth Weight (<1500g)	Low Birth Weight (<2500g)	10.3	9.3
Preterm Births (<37 weeks)	Very Low Birth Weight (<1500g)		1.7
Late Preterm Births (34-36 weeks)       75.0       71.8         Infant Mortality (Rate per 1,000 live births)       7.8       7.1         Method of Delivery (%)         Vaginal Deliveries       63.4       65.3         Total C-Section Deliveries       36.6       34.7         Repeat C-Section       11.6       11.5         Post-natal Nutrition         Breastfeeding initiation (%)       37.8       53.6         WIC Participation (%)       63.0       49.7         Children Indicators         # of WIC Children 2-5 years       883       57,117         Overweight (85th - <95th) WIC Children 2-5 years (%)	Preterm Births (<37 weeks)		15.1
Infant Mortality (Rate per 1,000 live births)       7.8       7.1         Method of Delivery (%)			
Method of Delivery (%)         Vaginal Deliveries       63.4       65.3         Total C-Section Deliveries       36.6       34.7         Repeat C-Section       11.6       11.5         Post-natal Nutrition         Breastfeeding initiation (%)       37.8       53.6         WIC Participation (%)       63.0       49.7         Children Indicators         # of WIC Children 2-5 years       883       57,117         Overweight (85th - <95th) WIC Children 2-5 years (%)	Infant Mortality (Rate per 1.000 live births)		
Vaginal Deliveries       63.4       65.3         Total C-Section Deliveries       36.6       34.7         Repeat C-Section       11.6       11.5         Post-natal Nutrition         Breastfeeding initiation (%)       37.8       53.6         WIC Participation (%)       63.0       49.7         Children Indicators         # of WIC Children 2-5 years       883       57,117         Overweight (85th - <95th) WIC Children 2-5 years (%)			
Total C-Section Deliveries       36.6       34.7         Repeat C-Section       11.6       11.5         Post-natal Nutrition         Breastfeeding initiation (%)       37.8       53.6         WIC Participation (%)       63.0       49.7         Children Indicators         # of WIC Children 2-5 years       883       57,117         Overweight (85th - <95th) WIC Children 2-5 years (%)	Method of Delivery (%)		
Total C-Section Deliveries       36.6       34.7         Repeat C-Section       11.6       11.5         Post-natal Nutrition         Breastfeeding initiation (%)       37.8       53.6         WIC Participation (%)       63.0       49.7         Children Indicators         # of WIC Children 2-5 years       883       57,117         Overweight (85th - <95th) WIC Children 2-5 years (%)	Vaginal Deliveries	63.4	65.3
Repeat C-Section       11.6       11.5         Post-natal Nutrition         Breastfeeding initiation (%)       37.8       53.6         WIC Participation (%)       63.0       49.7         Children Indicators         # of WIC Children 2-5 years       883       57,117         Overweight (85 <sup>th</sup> - <95 <sup>th</sup> ) WIC Children 2-5 years (%)       11.4       16.4         Obese (>=95 <sup>th</sup> ) WIC Children 2-5 years (%)       12.8       15.6         # Children Living in out-of-home Care (i.e. group home, foster homes, etc)       115       12,338	Total C-Section Deliveries		34.7
Post-natal Nutrition         Breastfeeding initiation (%)       37.8       53.6         WIC Participation (%)       63.0       49.7         Children Indicators         # of WIC Children 2-5 years       883       57,117         Overweight (85th - <95th) WIC Children 2-5 years (%)	Repeat C-Section		11.5
Breastfeeding initiation (%)       37.8       53.6         WIC Participation (%)       63.0       49.7         Children Indicators         # of WIC Children 2-5 years       883       57,117         Overweight (85 <sup>th</sup> - <95 <sup>th</sup> ) WIC Children 2-5 years (%)       11.4       16.4         Obese (>=95 <sup>th</sup> ) WIC Children 2-5 years (%)       12.8       15.6         # Children Living in out-of-home Care (i.e. group home, foster homes, etc)       115       12,338			
WIC Participation (%)       63.0       49.7         Children Indicators       # of WIC Children 2-5 years         # of WIC Children 2-5 years       883       57,117         Overweight (85 <sup>th</sup> - <95 <sup>th</sup> ) WIC Children 2-5 years (%)       11.4       16.4         Obese (>=95 <sup>th</sup> ) WIC Children 2-5 years (%)       12.8       15.6         # Children Living in out-of-home Care (i.e. group home, foster homes, etc)       115       12,338	Post-natal Nutrition		
WIC Participation (%)       63.0       49.7         Children Indicators       # of WIC Children 2-5 years         # of WIC Children 2-5 years       883       57,117         Overweight (85 <sup>th</sup> - <95 <sup>th</sup> ) WIC Children 2-5 years (%)       11.4       16.4         Obese (>=95 <sup>th</sup> ) WIC Children 2-5 years (%)       12.8       15.6         # Children Living in out-of-home Care (i.e. group home, foster homes, etc)       115       12,338	Breastfeeding initiation (%)	37.8	53.6
Children Indicators # of WIC Children 2-5 years  883  57,117  Overweight (85 <sup>th</sup> - <95 <sup>th</sup> ) WIC Children 2-5 years (%)  11.4  16.4  Obese (>=95 <sup>th</sup> ) WIC Children 2-5 years (%)  # Children Living in out-of-home Care (i.e. group home, foster homes, etc)  115  12,338	WIC Participation (%)		49.7
# of WIC Children 2-5 years 883 57,117  Overweight $(85^{th} - <95^{th})$ WIC Children 2-5 years $(%)$ 11.4 16.4  Obese $(>=95^{th})$ WIC Children 2-5 years $(%)$ 12.8 15.6  # Children Living in out-of-home Care (i.e. group home, foster homes, etc) 115 12,338			
Overweight (85 <sup>th</sup> - <95 <sup>th</sup> ) WIC Children 2-5 years (%)  11.4  Obese (>=95 <sup>th</sup> ) WIC Children 2-5 years (%)  # Children Living in out-of-home Care (i.e. group home, foster homes, etc)  11.4  16.4  15.6  # Children Living in out-of-home Care (i.e. group home, foster homes, etc)	Children Indicators		
Overweight (85 <sup>th</sup> - <95 <sup>th</sup> ) WIC Children 2-5 years (%)  11.4  Obese (>=95 <sup>th</sup> ) WIC Children 2-5 years (%)  # Children Living in out-of-home Care (i.e. group home, foster homes, etc)  11.4  16.4  15.6  # Children Living in out-of-home Care (i.e. group home, foster homes, etc)	# of WIC Children 2-5 years	883	57,117
Obese (>=95 <sup>th</sup> ) WIC Children 2-5 years (%)  # Children Living in out-of-home Care (i.e. group home, foster homes, etc)  12.8  15.6  12.338	I	11.4	16.4
# Children Living in out-of-home Care (i.e. group home, foster 115 12,338 homes, etc)		12.8	15.6
homes, etc)	` '		
# Children Abused 396 15,518	homes, etc)		
· · · · · · · · · · · · · · · · · · ·	# Children Abused	396	15,518

U.S. Census Bureau, Small Area Estimates Branch, 2007

US Census Bureau, Population Estimates Program, 2007

KY Vital Statistics, Preliminary 2007

PedNSS, 2007 is based on children that receive Women, Infant, and Children Services (WIC)

Kentucky Kids Count, 2007

# **County Profile: Powell County**

Indicator	Powell	KY
Total Live Births	427	59,343
# of Childbearing Women (15-44)	2,675	863,716
# of Children (<18)	3,189	1,004,174
in of emidien (vio)	3,109	1,001,171
Maternal Race/Ethnicity (%)		
White	96.4	85.5
Black	0.9	9.3
Asian/Pacific Islander	0.3	1.6
Other	2.4	3.7
Hispanic	2.4	5.2
Maternal Characteristics (%)		
Mother's Age <18	7.6	3.8
Mother's Age >=35	4.3	7.1
Mother < High School Education	30.1	21.4
Repeat Births to Teens	2.8	5.1
Repeat Births <12Months From Previous Birth	14.0	16.1
MCH SES Indicators		
Children Living in Poverty (%)	39.8	23.6
# of Children Enrolled in Medicaid	39.8 1,820	346,798
Median Household Income		40,299
Wicdian Household Income	31,228	40,299
Delivery Payment Source (%)		
Medicaid	58.7	43.6
Private	34.4	44.7
Other	7.0	11.8
Prenatal Care Entry (%)		
First Trimester Prenatal Care	65.1	72.5
Second Trimester Prenatal Care	21.4	21.3
Third Trimester Prenatal Care	8.3	4.5
No Prenatal Care	5.3	1.7
Adverse Birth Outcomes Risk Factors (%)		
Gestational Hypertension	7.8	6.2
Gestational Diabetes	1.5	4.4
Pre-Pregnancy Obesity	33.5	28.3
Pre-Pregnancy Underweight	4.9	5.1
Smoking During Pregnancy	40.3	25.1
Adverse Birth Outcomes (%)		
Low Birth Weight (<2500g)	8.6	9.3
Very Low Birth Weight (<1500g)		1.7
Preterm Births (<37 weeks)	0.7	
Late Preterm Births (34-36 weeks)	20.8	15.1
	73.9	71.8
Infant Mortality (Rate per 1,000 live births)	7.3	7.1

Method of Delivery (%)		
Vaginal Deliveries	68.5	65.3
Total C-Section Deliveries	31.5	34.7
Repeat C-Section	11.0	11.5
Post-natal Nutrition		
Breastfeeding initiation (%)	34.2	53.6
WIC Participation (%)	60.0	49.7
Children Indicators		
# of WIC Children 2-5 years	308	57,117
Overweight (85 <sup>th</sup> - <95 <sup>th</sup> ) WIC Children 2-5 years (%)	18.2	16.4
Obese (>=95 <sup>th</sup> ) WIC Children 2-5 years (%)	21.1	15.6
# Children Living in out-of-home Care (i.e. group home, foster	41	12,338
homes, etc)		
# Children Abused	76	15,518

U.S. Census Bureau, Small Area Estimates Branch, 2007

US Census Bureau, Population Estimates Program, 2007

KY Vital Statistics, Preliminary 2007

PedNSS, 2007 is based on children that receive Women, Infant, and Children Services (WIC)

Kentucky Kids Count, 2007

Notes: 1. Number of children enrolled in Medicaid reflects the average monthly number of those enrolled. 2. Infant mortality rate is number of infants deaths/number of live births from 2004-2006.

### **Top of Page**

## **County Profile: Pulaski County**

Indicator	Pulaski	KY
Total Live Births	814	59,343
# of Childbearing Women (15-44)	11,549	863,716
# of Children (<18)	13,571	1,004,174
Maternal Race/Ethnicity (%)		
White	94.9	85.5
Black	1.1	9.3
Asian/Pacific Islander	0	1.6
Other	4.0	3.7
Hispanic	4.5	5.2
Maternal Characteristics (%)		
Mother's Age <18	5.2	3.8
Mother's Age >=35	4.1	7.1
Mother < High School Education	22.5	21.4
Repeat Births to Teens	4.6	5.1
Repeat Births <12Months From Previous Birth	8.2	16.1
MCH SES Indicators		
Children Living in Poverty (%)	31.6	23.6
# of Children Enrolled in Medicaid	6,032	346,798
Median Household Income	32,368	40,299

Delivery Payment Source (%)		
Medicaid	62.8	43.6
Private	32.6	44.7
Other	4.6	11.8
Prenatal Care Entry (%)		
First Trimester Prenatal Care	80.7	72.5
Second Trimester Prenatal Care	16.3	21.3
Third Trimester Prenatal Care	2.7	4.5
No Prenatal Care	0.4	1.7
Adverse Birth Outcomes Risk Factors (%)		
Gestational Hypertension	8.3	6.2
Gestational Diabetes	5.7	4.4
Pre-Pregnancy Obesity	25.2	28.3
Pre-Pregnancy Underweight	7.0	5.1
Smoking During Pregnancy	30.0	25.1
	30.0	
Adverse Birth Outcomes (%)		
Low Birth Weight (<2500g)	9.0	9.3
Very Low Birth Weight (<1500g)	1.6	1.7
Preterm Births (<37 weeks)	12.8	15.1
Late Preterm Births (34-36 weeks)	72.1	71.8
Infant Mortality (Rate per 1,000 live births)	5.2	7.1
, , , , , , , , , , , , , , , , , , ,		
Method of Delivery (%)		
Vaginal Deliveries	65.7	65.3
Total C-Section Deliveries	34.3	34.7
Repeat C-Section	12.0	11.5
•		
Post-natal Nutrition		
Breastfeeding initiation (%)	50.9	53.6
WIC Participation (%)	65.1	49.7
•	03.1	
Children Indicators		
# of WIC Children 2-5 years	968	57,117
Overweight (85 <sup>th</sup> - <95 <sup>th</sup> ) WIC Children 2-5 years (%)	14.7	16.4
Obese (>=95 <sup>th</sup> ) WIC Children 2-5 years (%)	11.3	15.6
# Children Living in out-of-home Care (i.e. group home, foster	185	12,338
homes, etc)		ŕ
# Children Abused	181	15,518

U.S. Census Bureau, Small Area Estimates Branch, 2007

US Census Bureau, Population Estimates Program, 2007

KY Vital Statistics, Preliminary 2007

PedNSS, 2007 is based on children that receive Women, Infant, and Children Services (WIC)

Kentucky Kids Count, 2007

# **County Profile: Robertson County**

Reporting Period: January 1, 2007- December 31, 2007 Indicator	Robertson	KY
Total Live Births	30	59,343
# of Childbearing Women (15-44)	443	863,716
# of Children (<18)	457	1,004,174
Maternal Race/Ethnicity (%)		
White	100	85.5
Black	0	9.3
Asian/Pacific Islander	0	1.6
Other	0	3.7
Hispanic	0	5.2
Maternal Characteristics (%)		
Mother's Age < 18	3.3	3.8
Mother's Age >=35	13.3	7.1
Mother < High School Education	23.3	21.4
Repeat Births to Teens	0	5.1
Repeat Births <12Months From Previous Birth	6.7	16.1
MCH SES Indicators		
Children Living in Poverty (%)	30.2	23.6
# of Children Enrolled in Medicaid	193	346,798
Median Household Income	34,719	40,299
Delivery Payment Source (%)		
Medicaid	53.3	43.6
Private	43.3	44.7
Other	3.3	11.8
Prenatal Care Entry (%)		
First Trimester Prenatal Care	89.3	72.5
Second Trimester Prenatal Care	16.3	21.3
Third Trimester Prenatal Care	2.7	4.5
No Prenatal Care	0.4	1.7
Adverse Birth Outcomes Risk Factors (%)		
Gestational Hypertension	10.0	6.2
Gestational Diabetes	20.0	4.4
Pre-Pregnancy Obesity	53.3	28.3
Pre-Pregnancy Underweight	0	5.1
Smoking During Pregnancy	30.0	25.1
Adverse Birth Outcomes (%)		
Low Birth Weight (<2500g)	10.0	9.3
Very Low Birth Weight (<1500g)	6.7	1.7
Preterm Births (<37 weeks)	26.7	15.1
Late Preterm Births (34-36 weeks)	50.0	71.8
Infant Mortality (Rate per 1,000 live births)	0.0	7.1

Method of Delivery (%)		
Vaginal Deliveries	53.3	65.3
Total C-Section Deliveries	46.7	34.7
Repeat C-Section	26.7	11.5
Post-natal Nutrition		
Breastfeeding initiation (%)	33.3	53.6
WIC Participation (%)	73.3	49.7
Children Indicators		
# of WIC Children 2-5 years	67	57,117
Overweight (85 <sup>th</sup> - <95 <sup>th</sup> ) WIC Children 2-5 years (%)	Missing data: # too low	16.4
Obese (>=95 <sup>th</sup> ) WIC Children 2-5 years (%)	Missing data: # too low	15.6
# Children Living in out-of-home Care (i.e. group home, foster	14	12,338
homes, etc)		
# Children Abused	5	15,518

U.S. Census Bureau, Small Area Estimates Branch, 2007

US Census Bureau, Population Estimates Program, 2007

KY Vital Statistics, Preliminary 2007

PedNSS, 2007 is based on children that receive Women, Infant, and Children Services (WIC)

Kentucky Kids Count, 2007

Notes: 1. Number of children enrolled in Medicaid reflects the average monthly number of those enrolled. 2. Infant mortality rate is number of infants deaths/number of live births from 2004-2006.

### **Top of Page**

## **County Profile: Rockcastle County**

Indicator	Rockcastle	KY
Total Live Births	206	59,343
# of Childbearing Women (15-44)		863,716
# of Children (<18)	3,360	1,004,174
# of Children (<16)	3,738	1,004,174
Maternal Race/Ethnicity (%)		
White	99.5	85.5
Black	0	9.3
Asian/Pacific Islander	0.5	1.6
Other	0	3.7
Hispanic	0.5	5.2
Maternal Characteristics (%)		
Mother's Age <18	4.9	3.8
Mother's Age >=35	5.4	7.1
Mother < High School Education	19.6	21.4
Repeat Births to Teens	3.4	5.1
Repeat Births <12Months From Previous Birth	10.2	16.1
MCH SES Indicators		
Children Living in Poverty (%)	34.8	23.6
# of Children Enrolled in Medicaid	1,904	346,798
Median Household Income	29,235	40,299

Delivery Payment Source (%)		
Medicaid	56.9	43.6
Private	40.7	44.7
Other	2.5	11.8
Prenatal Care Entry (%)		
First Trimester Prenatal Care	71.9	72.5
Second Trimester Prenatal Care	22.5	21.3
Third Trimester Prenatal Care	5.6	4.5
No Prenatal Care	0	1.7
Adverse Birth Outcomes Risk Factors (%)		
Gestational Hypertension	7.3	6.2
Gestational Diabetes	6.3	4.4
Pre-Pregnancy Obesity	26.3	28.3
Pre-Pregnancy Underweight	7.8	5.1
Smoking During Pregnancy	36.6	25.1
	30.0	
Adverse Birth Outcomes (%)		
Low Birth Weight (<2500g)	5.4	9.3
Very Low Birth Weight (<1500g)	0.5	1.7
Preterm Births (<37 weeks)	12.6	15.1
Late Preterm Births (34-36 weeks)	69.2	71.8
Infant Mortality (Rate per 1,000 live births)	3.3	7.1
Method of Delivery (%)		
Vaginal Deliveries	68.3	65.3
Total C-Section Deliveries	31.7	34.7
Repeat C-Section	8.3	11.5
Post-natal Nutrition		
Breastfeeding initiation (%)	46.3	53.6
WIC Participation (%)	67.3	49.7
Children Indicators		
# of WIC Children 2-5 years	388	57,117
Overweight (85 <sup>th</sup> - <95 <sup>th</sup> ) WIC Children 2-5 years (%)	16.0	16.4
Obese (>=95 <sup>th</sup> ) WIC Children 2-5 years (%)	17.0	15.6
# Children Living in out-of-home Care (i.e. group home, foster	88	12,338
homes, etc)		
# Children Abused	83	15,518

U.S. Census Bureau, Small Area Estimates Branch, 2007

US Census Bureau, Population Estimates Program, 2007

KY Vital Statistics, Preliminary 2007

PedNSS, 2007 is based on children that receive Women, Infant, and Children Services (WIC)

Kentucky Kids Count, 2007

# County Profile: Rowan County Reporting Period: January 1, 2007- December

Reporting Period: January 1, 2007- December 31, 2007 Indicator	Rowan	KY
Total Live Births	284	59,343
# of Childbearing Women (15-44)	5,689	863,716
# of Children (<18)		1,004,174
" of Cimaron (N10)	4,460	1,004,174
Maternal Race/Ethnicity (%)		
White	95.7	85.5
Black	1.4	9.3
Asian/Pacific Islander	1.4	1.6
Other	1.4	3.7
Hispanic	1.4	5.2
Maternal Characteristics (%)		
Mother's Age <18	3.6	3.8
Mother's Age >=35	6.1	7.1
Mother < High School Education	17.2	21.4
Repeat Births to Teens	1.8	5.1
Repeat Births <12Months From Previous Birth	11.4	16.1
MCH SES Indicators		
Children Living in Poverty (%)	28.7	23.6
# of Children Enrolled in Medicaid	1,917	346,798
Median Household Income	34,278	40,299
	JT,210	10,2//
Delivery Payment Source (%)		
Medicaid	63.4	43.6
Private	34.4	44.7
Other	2.2	11.8
Prenatal Care Entry (%)		
First Trimester Prenatal Care	74.3	72.5
Second Trimester Prenatal Care	19.4	21.3
Third Trimester Prenatal Care	6.3	4.5
No Prenatal Care	0	1.7
Adverse Birth Outcomes Risk Factors (%)		
Gestational Hypertension	4.6	6.2
Gestational Diabetes	5.0	4.4
Pre-Pregnancy Obesity	31.2	28.3
Pre-Pregnancy Underweight	5.3	5.1
Smoking During Pregnancy	29.4	25.1
Adverse Birth Outcomes (%)		
Low Birth Weight (<2500g)	2.6	9.3
	3.6	
Very Low Birth Weight (<1500g)	0.4	1.7
Preterm Births (<37 weeks)	15.3	15.1
Late Preterm Births (34-36 weeks)	83.7	71.8
Infant Mortality (Rate per 1,000 live births)	11.8	7.1

Method of Delivery (%)		
Vaginal Deliveries	66.3	65.3
Total C-Section Deliveries	33.7	34.7
Repeat C-Section	14.2	11.5
Post-natal Nutrition		
Breastfeeding initiation (%)	46.5	53.6
WIC Participation (%)	64.2	49.7
Children Indicators		
# of WIC Children 2-5 years	331	57,117
Overweight (85 <sup>th</sup> - <95 <sup>th</sup> ) WIC Children 2-5 years (%)	14.5	16.4
Obese (>=95 <sup>th</sup> ) WIC Children 2-5 years (%)	18.1	15.6
# Children Living in out-of-home Care (i.e. group home, foster	83	12,338
homes, etc)		
# Children Abused	87	15,518

U.S. Census Bureau, Small Area Estimates Branch, 2007

US Census Bureau, Population Estimates Program, 2007

KY Vital Statistics, Preliminary 2007

PedNSS, 2007 is based on children that receive Women, Infant, and Children Services (WIC)

Kentucky Kids Count, 2007

Notes: 1. Number of children enrolled in Medicaid reflects the average monthly number of those enrolled. 2. Infant mortality rate is number of infants deaths/number of live births from 2004-2006.

### **Top of Page**

### **County Profile: Russell County**

Indicator	Russell	KY
Total Live Births	218	59,343
# of Childbearing Women (15-44)	3,303	863,716
# of Children (<18)	3,699	1,004,174
Maternal Race/Ethnicity (%)		
White	94.9	85.5
Black	0.9	9.3
Asian/Pacific Islander	0.5	1.6
Other	3.7	3.7
Hispanic	5.6	5.2
Maternal Characteristics (%)		
Mother's Age <18	6.1	3.8
Mother's Age >=35	6.1	7.1
Mother < High School Education	31.2	21.4
Repeat Births to Teens	7.3	5.1
Repeat Births <12Months From Previous Birth	17.4	16.1
MCH SES Indicators		
Children Living in Poverty (%)	32.5	23.6
# of Children Enrolled in Medicaid	1,849	346,798
Median Household Income	28,342	40,299

Delivery Payment Source (%)		
Medicaid	68.4	43.6
Private	26.9	44.7
Other	4.7	11.8
Prenatal Care Entry (%)		
First Trimester Prenatal Care	73.0	72.5
Second Trimester Prenatal Care	24.2	21.3
Third Trimester Prenatal Care	1.9	4.5
No Prenatal Care	1.0	1.7
Adverse Birth Outcomes Risk Factors (%)		
Gestational Hypertension	6.9	6.2
Gestational Diabetes	5.1	4.4
Pre-Pregnancy Obesity	24.8	28.3
Pre-Pregnancy Underweight	9.6	5.1
Smoking During Pregnancy	39.5	25.1
Adverse Birth Outcomes (%)		
Low Birth Weight (<2500g)	10.6	9.3
Very Low Birth Weight (<1500g)	1.8	1.7
Preterm Births (<37 weeks)	15.6	15.1
Late Preterm Births (34-36 weeks)	70.6	71.8
Infant Mortality (Rate per 1,000 live births)	4.9	7.1
Method of Delivery (%)		
Vaginal Deliveries	66.1	65.3
Total C-Section Deliveries	33.9	34.7
Repeat C-Section	12.4	11.5
Post-natal Nutrition		
Breastfeeding initiation (%)	42.2	53.6
WIC Participation (%)	69.3	49.7
Children Indicators		
# of WIC Children 2-5 years	313	57,117
Overweight (85 <sup>th</sup> - <95 <sup>th</sup> ) WIC Children 2-5 years (%)	19.5	16.4
Obese (>=95 <sup>th</sup> ) WIC Children 2-5 years (%)	18.2	15.6
# Children Living in out-of-home Care (i.e. group home, foster	37	12,338
homes, etc)		
# Children Abused	19	15,518

U.S. Census Bureau, Small Area Estimates Branch, 2007

US Census Bureau, Population Estimates Program, 2007

KY Vital Statistics, Preliminary 2007

PedNSS, 2007 is based on children that receive Women, Infant, and Children Services (WIC)

Kentucky Kids Count, 2007

# **County Profile: Scott County**

Indicator	Scott	KY
Total Live Births	696	59,343
# of Childbearing Women (15-44)	9,992	863,716
# of Children (<18)	11,374	1,004,174
Maternal Race/Ethnicity (%)		
White	87.0	85.5
Black	5.5	9.3
Asian/Pacific Islander	1.6	1.6
Other	5.9	3.7
Hispanic	6.7	5.2
Maternal Characteristics (%)		
Mother's Age <18	2.5	3.8
Mother's Age >=35	7.4	7.1
Mother < High School Education	14.4	21.4
Repeat Births to Teens	2.0	5.1
Repeat Births <12Months From Previous Birth	16.1	16.1
MCH SES Indicators		
Children Living in Poverty (%)	13.1	23.6
# of Children Enrolled in Medicaid	2,698	346,798
Median Household Income	57,895	40,299
Delivery Payment Source (%)		
Medicaid	33.5	43.6
Private	60.4	44.7
Other	6.1	11.8
Prenatal Care Entry (%)		
First Trimester Prenatal Care	76.4	72.5
Second Trimester Prenatal Care	18.3	21.3
Third Trimester Prenatal Care	4.7	4.5
No Prenatal Care	0.6	1.7
Adverse Birth Outcomes Risk Factors (%)		
Gestational Hypertension	8.1	6.2
Gestational Diabetes	5.5	4.4
Pre-Pregnancy Obesity	28.1	28.3
Pre-Pregnancy Underweight	2.5	5.1
Smoking During Pregnancy	21.6	25.1
Adverse Birth Outcomes (%)		
Low Birth Weight (<2500g)	7.7	9.3
Very Low Birth Weight (<1500g)	1.6	1.7
Preterm Births (<37 weeks)	15.2	15.1
Late Preterm Births (34-36 weeks)	68.9	71.8
Infant Mortality (Rate per 1,000 live births)	2.6	7.1

Method of Delivery (%)		
Vaginal Deliveries	68.0	65.3
Total C-Section Deliveries	32.0	34.7
Repeat C-Section	10.9	11.5
Post-natal Nutrition		
Breastfeeding initiation (%)	62.8	53.6
WIC Participation (%)	35.5	49.7
Old han be flooring		
Children Indicators		
# of WIC Children 2-5 years	397	57,117
Overweight (85 <sup>th</sup> - <95 <sup>th</sup> ) WIC Children 2-5 years (%)	15.1	16.4
Obese (>=95 <sup>th</sup> ) WIC Children 2-5 years (%)	17.4	15.6
# Children Living in out-of-home Care (i.e. group home, foster	118	12,338
homes, etc)		
# Children Abused	87	15,518

U.S. Census Bureau, Small Area Estimates Branch, 2007

US Census Bureau, Population Estimates Program, 2007

KY Vital Statistics, Preliminary 2007

PedNSS, 2007 is based on children that receive Women, Infant, and Children Services (WIC)

Kentucky Kids Count, 2007

Notes: 1. Number of children enrolled in Medicaid reflects the average monthly number of those enrolled. 2. Infant mortality rate is number of infants deaths/number of live births from 2004-2006.

### **Top of Page**

### **County Profile: Shelby County**

Indicator	Shelby	KY
Total Live Births	582	59,343
# of Childbearing Women (15-44)	8,613	863,716
# of Children (<18)	10,106	1,004,174
Maternal Race/Ethnicity (%)		
White	74.1	85.5
Black	7.2	9.3
Asian/Pacific Islander	1.4	1.6
Other	17.3	3.7
Hispanic	20.0	5.2
Maternal Characteristics (%)		
Mother's Age <18	2.6	3.8
Mother's Age >=35	7.7	7.1
Mother < High School Education	29.1	21.4
Repeat Births to Teens	2.9	5.1
Repeat Births <12Months From Previous Birth	19.3	16.1
MCH SES Indicators		
Children Living in Poverty (%)	16.8	23.6
# of Children Enrolled in Medicaid	2,660	346,798
Median Household Income	52,871	40,299

Delivery Payment Source (%)		
Medicaid	17.5	43.6
Private	49.0	44.7
Other	33.5	11.8
Prenatal Care Entry (%)		
First Trimester Prenatal Care	78.4	72.5
Second Trimester Prenatal Care	14.0	21.3
Third Trimester Prenatal Care	4.7	4.5
No Prenatal Care	2.8	1.7
Adverse Birth Outcomes Risk Factors (%)		
Gestational Hypertension	2.9	6.2
Gestational Diabetes	2.9	4.4
Pre-Pregnancy Obesity	31.1	28.3
Pre-Pregnancy Underweight	3.5	5.1
Smoking During Pregnancy	20.4	25.1
Adverse Birth Outcomes (%)		
Low Birth Weight (<2500g)	7.6	9.3
Very Low Birth Weight (<1500g)	1.0	1.7
Preterm Births (<37 weeks)	19.0	15.1
Late Preterm Births (34-36 weeks)	71.8	71.8
Infant Mortality (Rate per 1,000 live births)	1.8	7.1
( For 2,000 and )		
Method of Delivery (%)		
Vaginal Deliveries	65.4	65.3
Total C-Section Deliveries	34.6	34.7
Repeat C-Section	13.2	11.5
Post-natal Nutrition		
Breastfeeding initiation (%)	65.7	53.6
WIC Participation (%)	45.0	49.7
. , ,	10.10	
Children Indicators		
# of WIC Children 2-5 years	439	57,117
Overweight (85 <sup>th</sup> - <95 <sup>th</sup> ) WIC Children 2-5 years (%)	16.4	16.4
Obese (>=95 <sup>th</sup> ) WIC Children 2-5 years (%)	17.8	15.6
# Children Living in out-of-home Care (i.e. group home, foster	172	12,338
homes, etc)		,
# Children Abused	133	15,518

U.S. Census Bureau, Small Area Estimates Branch, 2007

US Census Bureau, Population Estimates Program, 2007

KY Vital Statistics, Preliminary 2007

PedNSS, 2007 is based on children that receive Women, Infant, and Children Services (WIC)

Kentucky Kids Count, 2007

# **County Profile: Simpson County**

Reporting Period: January 1, 2007- December 31, 2007 Indicator	Simpson	KY
Total Live Births	231	59,343
# of Childbearing Women (15-44)	3,419	863,716
# of Children (<18)	4,174	1,004,174
Maternal Race/Ethnicity (%)		
White	86.1	85.5
Black	10.0	9.3
Asian/Pacific Islander	0.4	1.6
Other	3.5	3.7
Hispanic	3.9	5.2
Maternal Characteristics (%)		
Mother's Age <18	3.0	3.8
Mother's Age >=35	4.4	7.1
Mother < High School Education	22.2	21.4
Repeat Births to Teens	6.9	5.1
Repeat Births <12Months From Previous Birth	13.9	16.1
MCH SES Indicators		
Children Living in Poverty (%)	20.3	23.6
# of Children Enrolled in Medicaid	1,327	346,798
Median Household Income	43,432	40,299
Delivery Payment Source (%)		
Medicaid	50.4	43.6
Private	44.8	44.7
Other	4.8	11.8
Prenatal Care Entry (%)		
First Trimester Prenatal Care	60.1	72.5
Second Trimester Prenatal Care	29.8	21.3
Third Trimester Prenatal Care	8.7	4.5
No Prenatal Care	1.4	1.7
Adverse Birth Outcomes Risk Factors (%)		
Gestational Hypertension	8.2	6.2
Gestational Diabetes	4.3	4.4
Pre-Pregnancy Obesity	25.1	28.3
Pre-Pregnancy Underweight	5.2	5.1
Smoking During Pregnancy	19.5	25.1
Adverse Birth Outcomes (%)		
Low Birth Weight (<2500g)	8.2	9.3
Very Low Birth Weight (<1500g)	1.3	1.7
Preterm Births (<37 weeks)	20.4	15.1
Late Preterm Births (34-36 weeks)	72.3	71.8
Infant Mortality (Rate per 1,000 live births)	8.0	7.1

Method of Delivery (%)		
Vaginal Deliveries	70.6	65.3
Total C-Section Deliveries	29.4	34.7
Repeat C-Section	10.0	11.5
Post-natal Nutrition		
Breastfeeding initiation (%)	53.3	53.6
WIC Participation (%)	49.4	49.7
Children Indicators		
	210	57 117
# of WIC Children 2-5 years	219	57,117
Overweight (85 <sup>th</sup> - <95 <sup>th</sup> ) WIC Children 2-5 years (%)	12.8	16.4
Obese (>=95 <sup>th</sup> ) WIC Children 2-5 years (%)	16.4	15.6
# Children Living in out-of-home Care (i.e. group home, foster	49	12,338
homes, etc)		
# Children Abused	48	15,518

U.S. Census Bureau, Small Area Estimates Branch, 2007

US Census Bureau, Population Estimates Program, 2007

KY Vital Statistics, Preliminary 2007

PedNSS, 2007 is based on children that receive Women, Infant, and Children Services (WIC)

Kentucky Kids Count, 2007

Notes: 1. Number of children enrolled in Medicaid reflects the average monthly number of those enrolled. 2. Infant mortality rate is number of infants deaths/number of live births from 2004-2006.

### **Top of Page**

## **County Profile: Spencer County**

Indicator	Spencer	KY
Total Live Births	199	59,343
# of Childbearing Women (15-44)	3,830	863,716
# of Children (<18)	4,315	1,004,174
Maternal Race/Ethnicity (%)		
White	98.0	85.5
Black	1.0	9.3
Asian/Pacific Islander	0	1.6
Other	1.0	3.7
Hispanic	1.5	5.2
Maternal Characteristics (%)		
Mother's Age <18	1.5	3.8
Mother's Age >=35	10.7	7.1
Mother < High School Education	11.7	21.4
Repeat Births to Teens	1.0	5.1
Repeat Births <12Months From Previous Birth	16.7	16.1
MCH SES Indicators		
Children Living in Poverty (%)	11.0	23.6
# of Children Enrolled in Medicaid	767	346,798
Median Household Income	59,939	40,299

Medicaid         12.2         43.6           Private         65.5         44.7           Other         22.3         11.8           Prenatal Care Entry (%)           First Trimester Prenatal Care         85.3         72.5           Second Trimester Prenatal Care         8.1         21.3           Third Trimester Prenatal Care         2.0         4.5           No Prenatal Care         4.6         1.7           Adverse Birth Outcomes Risk Factors (%)           Gestational Hypertension         4.1         6.2           Gestational Diabetes         5.1         4.4           Pre-Pregnancy Obesity         25.9         28.3           Pre-Pregnancy Underweight         3.6         5.1           Smoking During Pregnancy         19.3         25.1           Adverse Birth Outcomes (%)           Low Birth Weight (<2500g)         10.2         9.3           Very Low Birth Weight (<2500g)         2.0         1.7           Preterm Births (33 weeks)         16.7         15.1           Late Preterm Births (34-36 weeks)         69.7         71.8           Infant Mortality (Rate per 1,000 live births)         8.9         7.1           Method of Delivery	Delivery Payment Source (%)		
Other         22.3         11.8           Prenatal Care Entry (%)           First Trimester Prenatal Care         85.3         72.5           Second Trimester Prenatal Care         8.1         21.3           Third Trimester Prenatal Care         2.0         4.5           No Prenatal Care         4.6         1.7           Adverse Birth Outcomes Risk Factors (%)         4.1         6.2           Gestational Diabetes         5.1         4.4           Gestational Diabetes         5.1         4.4           Pre-Pregnancy Obesity         25.9         28.3           Pre-Pregnancy Underweight         3.6         5.1           Smoking During Pregnancy         19.3         25.1           Adverse Birth Outcomes (%)         3.6         5.1           Low Birth Weight (<5200g)	Medicaid	12.2	43.6
Prenatal Care Entry (%)         First Trimester Prenatal Care       85.3       72.5         Second Trimester Prenatal Care       8.1       21.3         Third Trimester Prenatal Care       2.0       4.5         No Prenatal Care       4.6       1.7         Adverse Birth Outcomes Risk Factors (%)         Gestational Hypertension       4.1       6.2         Gestational Diabetes       5.1       4.4         Pre-Pregnancy Obesity       25.9       28.3         Pre-Pregnancy Underweight       3.6       5.1         Smoking During Pregnancy       19.3       25.1         Adverse Birth Outcomes (%)         Low Birth Weight (<2500g)	Private		44.7
First Trimester Prenatal Care       85.3       72.5         Second Trimester Prenatal Care       8.1       21.3         Third Trimester Prenatal Care       2.0       4.5         No Prenatal Care       4.6       1.7         Adverse Birth Outcomes Risk Factors (%)         Gestational Hypertension       4.1       6.2         Gestational Diabetes       5.1       4.4         Pre-Pregnancy Obesity       25.9       28.3         Pre-Pregnancy Underweight       3.6       5.1         Smoking During Pregnancy       19.3       25.1         Adverse Birth Outcomes (%)         Low Birth Weight (<2500g)	Other	22.3	11.8
First Trimester Prenatal Care       85.3       72.5         Second Trimester Prenatal Care       8.1       21.3         Third Trimester Prenatal Care       2.0       4.5         No Prenatal Care       4.6       1.7         Adverse Birth Outcomes Risk Factors (%)         Gestational Hypertension       4.1       6.2         Gestational Diabetes       5.1       4.4         Pre-Pregnancy Obesity       25.9       28.3         Pre-Pregnancy Underweight       3.6       5.1         Smoking During Pregnancy       19.3       25.1         Adverse Birth Outcomes (%)         Low Birth Weight (<2500g)			
Second Trimester Prenatal Care			
Third Trimester Prenatal Care       2.0       4.5         No Prenatal Care       4.6       1.7         Adverse Birth Outcomes Risk Factors (%)          Gestational Hypertension       4.1       6.2         Gestational Diabetes       5.1       4.4         Pre-Pregnancy Obesity       25.9       28.3         Pre-Pregnancy Underweight       3.6       5.1         Smoking During Pregnancy       19.3       25.1         Adverse Birth Outcomes (%)       Low Birth Weight (<1500g)			
No Prenatal Care       4.6       1.7         Adverse Birth Outcomes Risk Factors (%)       5.1       6.2         Gestational Hypertension       4.1       6.2         Gestational Diabetes       5.1       4.4         Pre-Pregnancy Obesity       25.9       28.3         Pre-Pregnancy Underweight       3.6       5.1         Smoking During Pregnancy       19.3       25.1         Adverse Birth Outcomes (%)       10.2       9.3         Low Birth Weight (<2500g)			
Adverse Birth Outcomes Risk Factors (%)         Gestational Hypertension       4.1       6.2         Gestational Diabetes       5.1       4.4         Pre-Pregnancy Obesity       25.9       28.3         Pre-Pregnancy Underweight       3.6       5.1         Smoking During Pregnancy       19.3       25.1         Adverse Birth Outcomes (%)         Low Birth Weight (<2500g)			
Gestational Hypertension       4.1       6.2         Gestational Diabetes       5.1       4.4         Pre-Pregnancy Obesity       25.9       28.3         Pre-Pregnancy Underweight       3.6       5.1         Smoking During Pregnancy       19.3       25.1         Adverse Birth Outcomes (%)         Low Birth Weight (<2500g)	No Prenatal Care	4.6	1.7
Gestational Diabetes       5.1       4.4         Pre-Pregnancy Obesity       25.9       28.3         Pre-Pregnancy Underweight       3.6       5.1         Smoking During Pregnancy       19.3       25.1         Adverse Birth Outcomes (%)         Low Birth Weight (<2500g)	Adverse Birth Outcomes Risk Factors (%)		
Pre-Pregnancy Obesity       25.9       28.3         Pre-Pregnancy Underweight       3.6       5.1         Smoking During Pregnancy       19.3       25.1         Adverse Birth Outcomes (%)         Low Birth Weight (<2500g)	Gestational Hypertension	4.1	6.2
Pre-Pregnancy Obesity       25.9       28.3         Pre-Pregnancy Underweight       3.6       5.1         Smoking During Pregnancy       19.3       25.1         Adverse Birth Outcomes (%)         Low Birth Weight (<2500g)	1 **		4.4
Pre-Pregnancy Underweight       3.6       5.1         Smoking During Pregnancy       19.3       25.1         Adverse Birth Outcomes (%)         Low Birth Weight (<2500g)	Pre-Pregnancy Obesity		28.3
Smoking During Pregnancy       19.3       25.1         Adverse Birth Outcomes (%)         Low Birth Weight (<2500g)			5.1
Adverse Birth Outcomes (%)         Low Birth Weight (<2500g)			25.1
Low Birth Weight (<2500g)		-2.10	
Very Low Birth Weight (<1500g)	Adverse Birth Outcomes (%)		
Very Low Birth Weight (<1500g)	Low Birth Weight (<2500g)	10.2	9.3
Preterm Births (<37 weeks)	Very Low Birth Weight (<1500g)	2.0	1.7
Infant Mortality (Rate per 1,000 live births)  Method of Delivery (%)  Vaginal Deliveries  Total C-Section Deliveries  Repeat C-Section  Post-natal Nutrition  Breastfeeding initiation (%)  8.9  7.1  65.3  65.3  10.2  11.5	Preterm Births (<37 weeks)	16.7	15.1
Method of Delivery (%) Vaginal Deliveries 69.5 65.3 Total C-Section Deliveries 30.5 34.7 Repeat C-Section 10.2 11.5  Post-natal Nutrition Breastfeeding initiation (%) 65.0 53.6	Late Preterm Births (34-36 weeks)	69.7	71.8
Vaginal Deliveries69.565.3Total C-Section Deliveries30.534.7Repeat C-Section10.211.5Post-natal NutritionBreastfeeding initiation (%)65.053.6	Infant Mortality (Rate per 1,000 live births)	8.9	7.1
Vaginal Deliveries69.565.3Total C-Section Deliveries30.534.7Repeat C-Section10.211.5Post-natal NutritionBreastfeeding initiation (%)65.053.6	• • • • • • • • • • • • • • • • • • • •		
Total C-Section Deliveries 30.5 34.7 Repeat C-Section 10.2 11.5  Post-natal Nutrition Breastfeeding initiation (%) 65.0 53.6	Method of Delivery (%)		
Repeat C-Section 10.2 11.5  Post-natal Nutrition Breastfeeding initiation (%) 65.0 53.6	Vaginal Deliveries	69.5	65.3
Post-natal Nutrition Breastfeeding initiation (%) 53.6	Total C-Section Deliveries	30.5	34.7
Breastfeeding initiation (%) 53.6	Repeat C-Section	10.2	11.5
Breastfeeding initiation (%) 53.6	Post model Notifica		
33.0			<b>7</b> 0.6
WIC Participation (%) 32.5 49.7			
	WIC Participation (%)	32.5	49.7
Children Indicators	Children Indicators		
# of WIC Children 2-5 years 144 57,117		144	57.117
Overweight (85 <sup>th</sup> - <95 <sup>th</sup> ) WIC Children 2-5 years (%)  12.5			· ·
Obese (>=95 <sup>th</sup> ) WIC Children 2-5 years (%)  20.1  15.6			
# Children Living in out-of-home Care (i.e. group home, foster 25 12,338			
homes, etc)			22,000
# Children Abused 34 15,518		34	15,518

U.S. Census Bureau, Small Area Estimates Branch, 2007

US Census Bureau, Population Estimates Program, 2007

KY Vital Statistics, Preliminary 2007

PedNSS, 2007 is based on children that receive Women, Infant, and Children Services (WIC)

Kentucky Kids Count, 2007

# **County Profile: Taylor County**

Reporting Period: January 1, 2007- December 31, 2007 Indicator	Taylor	KY
Total Live Births	323	59,343
# of Childbearing Women (15-44)	4,683	863,716
# of Children (<18)	5,222	1,004,174
Maternal Race/Ethnicity (%)		
White	92.0	85.5
Black	5.0	9.3
Asian/Pacific Islander	0.9	1.6
Other	2.2	3.7
Hispanic	2.8	5.2
Maternal Characteristics (%)		
Mother's Age <18	4.3	3.8
Mother's Age >=35	7.4	7.1
Mother < High School Education	20.4	21.4
Repeat Births to Teens	5.0	5.1
Repeat Births <12Months From Previous Birth	19.2	16.1
MCH SES Indicators		
Children Living in Poverty (%)	24.3	23.6
# of Children Enrolled in Medicaid	1,932	346,798
Median Household Income	35,012	40,299
Delivery Payment Source (%)		
Medicaid	50.2	43.6
Private	41.8	44.7
Other	8.1	11.8
Prenatal Care Entry (%)		
First Trimester Prenatal Care	72.7	72.5
Second Trimester Prenatal Care	20.8	21.3
Third Trimester Prenatal Care	5.0	4.5
No Prenatal Care	1.6	1.7
Adverse Birth Outcomes Risk Factors (%)		
Gestational Hypertension	6.5	6.2
Gestational Diabetes	8.7	4.4
Pre-Pregnancy Obesity	31.0	28.3
Pre-Pregnancy Underweight	5.6	5.1
Smoking During Pregnancy	30.0	25.1
Adverse Birth Outcomes (%)		
Low Birth Weight (<2500g)	7.4	9.3
Very Low Birth Weight (<1500g)	1.6	1.7
Preterm Births (<37 weeks)	13.0	15.1
Late Preterm Births (34-36 weeks)	78.6	71.8
Infant Mortality (Rate per 1,000 live births)	4.6	7.1

Method of Delivery (%)		
Vaginal Deliveries	59.1	65.3
Total C-Section Deliveries	40.9	34.7
Repeat C-Section	15.2	11.5
Post-natal Nutrition		
Breastfeeding initiation (%)	52.6	53.6
WIC Participation (%)	61.0	49.7
Children Indicators		
# of WIC Children 2-5 years	344	57,117
Overweight (85 <sup>th</sup> - <95 <sup>th</sup> ) WIC Children 2-5 years (%)	15.4	16.4
Obese (>=95 <sup>th</sup> ) WIC Children 2-5 years (%)	13.1	15.6
# Children Living in out-of-home Care (i.e. group home, foster	74	12,338
homes, etc)		
# Children Abused	78	15,518

U.S. Census Bureau, Small Area Estimates Branch, 2007

US Census Bureau, Population Estimates Program, 2007

KY Vital Statistics, Preliminary 2007

PedNSS, 2007 is based on children that receive Women, Infant, and Children Services (WIC)

Kentucky Kids Count, 2007

Notes: 1. Number of children enrolled in Medicaid reflects the average monthly number of those enrolled. 2. Infant mortality rate is number of infants deaths/number of live births from 2004-2006.

### **Top of Page**

### **County Profile: Todd County**

Indicator	Todd	KY
Total Live Births	197	59,343
# of Childbearing Women (15-44)		863,716
# of Children (<18)	2,329	1,004,174
# Of Children (\10)	3,154	1,004,174
Maternal Race/Ethnicity (%)		
White	83.8	85.5
Black	12.0	9.3
Asian/Pacific Islander	0.5	1.6
Other	3.7	3.7
Hispanic	3.7	5.2
Maternal Characteristics (%)		
Mother's Age <18	1.1	3.8
Mother's Age >=35	7.9	7.1
Mother < High School Education	37.7	21.4
Repeat Births to Teens	3.6	5.1
Repeat Births <12Months From Previous Birth	16.9	16.1
MCH SES Indicators		
Children Living in Poverty (%)	27.9	23.6
# of Children Enrolled in Medicaid	1,115	346,798
Median Household Income	39,375	40,299

Delivery Payment Source (%)		
Medicaid	40.3	43.6
Private	36.7	44.7
Other	23.0	11.8
Prenatal Care Entry (%)		
First Trimester Prenatal Care	71.3	72.5
Second Trimester Prenatal Care	20.7	21.3
Third Trimester Prenatal Care	6.9	4.5
No Prenatal Care	1.1	1.7
Adverse Birth Outcomes Risk Factors (%)		
Gestational Hypertension	8.8	6.2
Gestational Diabetes	3.1	4.4
Pre-Pregnancy Obesity	26.8	28.3
Pre-Pregnancy Underweight	5.2	5.1
Smoking During Pregnancy	22.7	25.1
	22.,	
Adverse Birth Outcomes (%)		
Low Birth Weight (<2500g)	14.4	9.3
Very Low Birth Weight (<1500g)	4.6	1.7
Preterm Births (<37 weeks)	19.5	15.1
Late Preterm Births (34-36 weeks)	71.1	71.8
Infant Mortality (Rate per 1,000 live births)	1.8	7.1
, , , , , , , , , , , , , , , , , , , ,		
Method of Delivery (%)		
Vaginal Deliveries	65.5	65.3
Total C-Section Deliveries	34.5	34.7
Repeat C-Section	8.8	11.5
Post-natal Nutrition		
Breastfeeding initiation (%)	58.8	53.6
WIC Participation (%)	44.3	49.7
Children Indicators		
# of WIC Children 2-5 years	255	57,117
Overweight (85 <sup>th</sup> - <95 <sup>th</sup> ) WIC Children 2-5 years (%)	13.7	16.4
Obese (>=95 <sup>th</sup> ) WIC Children 2-5 years (%)	16.9	15.6
# Children Living in out-of-home Care (i.e. group home, foster	23	12,338
homes, etc)		
# Children Abused	54	15,518

U.S. Census Bureau, Small Area Estimates Branch, 2007

US Census Bureau, Population Estimates Program, 2007

KY Vital Statistics, Preliminary 2007

PedNSS, 2007 is based on children that receive Women, Infant, and Children Services (WIC)

Kentucky Kids Count, 2007

# **County Profile: Trigg County**

Reporting Period: January 1, 2007- December 31, 2007 Indicator	Trigg	KY
	35	-1.
Total Live Births	150	59,343
# of Childbearing Women (15-44)	2,522	863,716
# of Children (<18)	2,895	1,004,174
Maternal Race/Ethnicity (%)		
White	91.1	85.5
Black	7.5	9.3
Asian/Pacific Islander	0	1.6
Other	1.4	3.7
Hispanic	0.7	5.2
Maternal Characteristics (%)		
Mother's Age <18	2.7	3.8
Mother's Age >=35	5.5	7.1
Mother < High School Education	17.8	21.4
Repeat Births to Teens	3.3	5.1
Repeat Births <12Months From Previous Birth	18.7	16.1
	10.7	
MCH SES Indicators		
Children Living in Poverty (%)	28.4	23.6
# of Children Enrolled in Medicaid	826	346,798
Median Household Income	41,286	40,299
Delivery Payment Source (%)		
Medicaid	42.5	43.6
Private	40.4	44.7
Other	17.1	11.8
	17.1	1110
Prenatal Care Entry (%)		
First Trimester Prenatal Care	80.7	72.5
Second Trimester Prenatal Care	13.1	21.3
Third Trimester Prenatal Care	5.5	4.5
No Prenatal Care	0.7	1.7
Adverse Birth Outcomes Risk Factors (%)		
Gestational Hypertension	6.7	6.2
Gestational Diabetes	2.7	4.4
Pre-Pregnancy Obesity		28.3
Pre-Pregnancy Underweight	32.9 6.0	5.1
Smoking During Pregnancy	28.2	25.1
Smoking During Freguency	20.2	23.1
Adverse Birth Outcomes (%)		
Low Birth Weight (<2500g)	13.4	9.3
Very Low Birth Weight (<1500g)	2.7	1.7
Preterm Births (<37 weeks)	20.0	15.1
Late Preterm Births (34-36 weeks)	70.0	71.8
Infant Mortality (Rate per 1,000 live births)	9.2	7.1

Method of Delivery (%)		
Vaginal Deliveries	62.4	65.3
Total C-Section Deliveries	37.6	34.7
Repeat C-Section	9.6	11.5
Post-natal Nutrition		
Breastfeeding initiation (%)	50.3	53.6
WIC Participation (%)	51.0	49.7
Children Indicators		
# of WIC Children 2-5 years	205	57,117
Overweight (85 <sup>th</sup> - <95 <sup>th</sup> ) WIC Children 2-5 years (%)	21.0	16.4
Obese (>=95 <sup>th</sup> ) WIC Children 2-5 years (%)	14.1	15.6
# Children Living in out-of-home Care (i.e. group home, foster	19	12,338
homes, etc)		
# Children Abused	33	15,518

U.S. Census Bureau, Small Area Estimates Branch, 2007

US Census Bureau, Population Estimates Program, 2007

KY Vital Statistics, Preliminary 2007

PedNSS, 2007 is based on children that receive Women, Infant, and Children Services (WIC)

Kentucky Kids Count, 2007

Notes: 1. Number of children enrolled in Medicaid reflects the average monthly number of those enrolled. 2. Infant mortality rate is number of infants deaths/number of live births from 2004-2006.

### **Top of Page**

# **County Profile: Trimble County**

Indicator	Trimble	KY
Total Live Births	115	59,343
# of Childbearing Women (15-44)	1,888	863,716
# of Children (<18)	2,176	1,004,174
Maternal Race/Ethnicity (%)		
White	95.7	85.5
Black	1.1	9.3
Asian/Pacific Islander	0	1.6
Other	3.2	3.7
Hispanic	2.1	5.2
Maternal Characteristics (%)		
Mother's Age <18	2.1	3.8
Mother's Age >=35	5.3	7.1
Mother < High School Education	16.0	21.4
Repeat Births to Teens	3.0	5.1
Repeat Births <12Months From Previous Birth	15.8	16.1
MCH SES Indicators		
Children Living in Poverty (%)	19.6	23.6
# of Children Enrolled in Medicaid	757	346,798
Median Household Income	43,994	40,299

Delivery Payment Source (%)		
Medicaid	38.3	43.6
Private	58.5	44.7
Other	3.2	11.8
Prenatal Care Entry (%)		
First Trimester Prenatal Care	82.0	72.5
Second Trimester Prenatal Care	15.0	21.3
Third Trimester Prenatal Care	1.0	4.5
No Prenatal Care	2.0	1.7
Adverse Birth Outcomes Risk Factors (%)		
Gestational Hypertension	9.6	6.2
Gestational Diabetes	3.2	4.4
Pre-Pregnancy Obesity	34.0	28.3
Pre-Pregnancy Underweight	6.4	5.1
Smoking During Pregnancy	28.7	25.1
	20.7	
Adverse Birth Outcomes (%)		
Low Birth Weight (<2500g)	7.5	9.3
Very Low Birth Weight (<1500g)	1.1	1.7
Preterm Births (<37 weeks)	13.9	15.1
Late Preterm Births (34-36 weeks)	78.6	71.8
Infant Mortality (Rate per 1,000 live births)	9.3	7.1
• • • • • • • • • • • • • • • • • • • •		
Method of Delivery (%)		
Vaginal Deliveries	64.9	65.3
Total C-Section Deliveries	35.1	34.7
Repeat C-Section	9.6	11.5
Post-natal Nutrition		
Breastfeeding initiation (%)	57.5	53.6
WIC Participation (%)	42.6	49.7
Children Indicators		
# of WIC Children 2-5 years	111	57,117
Overweight (85 <sup>th</sup> - <95 <sup>th</sup> ) WIC Children 2-5 years (%)	17.1	16.4
Obese (>=95 <sup>th</sup> ) WIC Children 2-5 years (%)	24.3	15.6
# Children Living in out-of-home Care (i.e. group home, foster	38	12,338
homes, etc)		
# Children Abused	28	15,518

U.S. Census Bureau, Small Area Estimates Branch, 2007

US Census Bureau, Population Estimates Program, 2007

KY Vital Statistics, Preliminary 2007

PedNSS, 2007 is based on children that receive Women, Infant, and Children Services (WIC)

Kentucky Kids Count, 2007

# **County Profile: Union County**

Indicator	Union	KY
Total Live Births	196	59,343
# of Childbearing Women (15-44)	2,958	863,716
# of Children (<18)	3,579	1,004,174
Maternal Race/Ethnicity (%)		
White	90.1	85.5
Black	8.6	9.3
Asian/Pacific Islander	0	1.6
Other	1.3	3.7
Hispanic	2.0	5.2
Maternal Characteristics (%)		
Mother's Age < 18	7.9	3.8
Mother's Age >=35	6.6	7.1
Mother < High School Education	29.0	21.4
Repeat Births to Teens	3.6	5.1
Repeat Births <12Months From Previous Birth	22.9	16.1
MCH SES Indicators		
Children Living in Poverty (%)	25.7	23.6
# of Children Enrolled in Medicaid	1,189	346,798
Median Household Income	40,711	40,299
Delivery Payment Source (%)		
Medicaid	65.8	43.6
Private	32.2	44.7
Other	2.0	11.8
Prenatal Care Entry (%)		
First Trimester Prenatal Care	60.8	72.5
Second Trimester Prenatal Care	37.4	21.3
Third Trimester Prenatal Care	1.8	4.5
No Prenatal Care	0	1.7
Adverse Birth Outcomes Risk Factors (%)		
Gestational Hypertension	3.3	6.2
Gestational Diabetes	2.0	4.4
Pre-Pregnancy Obesity	32.7	28.3
Pre-Pregnancy Underweight	3.3	5.1
Smoking During Pregnancy	22.2	25.1
Adverse Birth Outcomes (%)		
Low Birth Weight (<2500g)	11.1	9.3
Very Low Birth Weight (<1500g)	1.3	1.7
Preterm Births (<37 weeks)	17.5	15.1
Late Preterm Births (34-36 weeks)	82.8	71.8

Method of Delivery (%)		
Vaginal Deliveries	56.2	65.3
Total C-Section Deliveries	43.8	34.7
Repeat C-Section	15.0	11.5
Post-natal Nutrition		
Breastfeeding initiation (%)	33.3	53.6
WIC Participation (%)	68.0	49.7
Children Indicators		
# of WIC Children 2-5 years	211	57,117
Overweight (85 <sup>th</sup> - <95 <sup>th</sup> ) WIC Children 2-5 years (%)	14.7	16.4
Obese (>=95 <sup>th</sup> ) WIC Children 2-5 years (%)	10.9	15.6
# Children Living in out-of-home Care (i.e. group home, foster	26	12,338
homes, etc)		
# Children Abused	63	15,518

U.S. Census Bureau, Small Area Estimates Branch, 2007

US Census Bureau, Population Estimates Program, 2007

KY Vital Statistics, Preliminary 2007

PedNSS, 2007 is based on children that receive Women, Infant, and Children Services (WIC)

Kentucky Kids Count, 2007

Notes: 1. Number of children enrolled in Medicaid reflects the average monthly number of those enrolled. 2. Infant mortality rate is number of infants deaths/number of live births from 2004-2006.

### **Top of Page**

### **County Profile: Warren County**

Indicator	Warren	KY
Total Live Births	1,443	59,343
		· ·
# of Childbearing Women (15-44)	23,670	863,716
# of Children (<18)	23,841	1,004,174
Maternal Race/Ethnicity (%)		
White	80.2	85.5
Black	8.5	9.3
Asian/Pacific Islander	2.9	1.6
Other	8.5	3.7
Hispanic	8.7	5.2
Maternal Characteristics (%)		
Mother's Age <18	3.7	3.8
Mother's Age >=35	8.3	7.1
Mother < High School Education	19.4	21.4
Repeat Births to Teens	3.3	5.1
Repeat Births <12Months From Previous Birth	16.6	16.1
MCH SES Indicators		
Children Living in Poverty (%)	23.0	23.6
# of Children Enrolled in Medicaid	7,651	346,798
Median Household Income	42,303	40,299

Delivery Payment Source (%)		
Medicaid	44.5	43.6
Private	48.5	44.7
Other	7.0	11.8
Prenatal Care Entry (%)		
First Trimester Prenatal Care	55.0	72.5
Second Trimester Prenatal Care	35.8	21.3
Third Trimester Prenatal Care	7.5	4.5
No Prenatal Care	1.8	1.7
Adverse Birth Outcomes Risk Factors (%)		
Gestational Hypertension	5.4	6.2
Gestational Diabetes	4.3	4.4
Pre-Pregnancy Obesity	24.5	28.3
Pre-Pregnancy Underweight	5.5	5.1
Smoking During Pregnancy	20.2	25.1
Adverse Birth Outcomes (%)		
Low Birth Weight (<2500g)	10.3	9.3
Very Low Birth Weight (<1500g)	1.4	1.7
Preterm Births (<37 weeks)	18.9	15.1
Late Preterm Births (34-36 weeks)	69.1	71.8
Infant Mortality (Rate per 1,000 live births)	7.6	7.1
Method of Delivery (%)		
Vaginal Deliveries	69.1	65.3
Total C-Section Deliveries	31.0	34.7
Repeat C-Section	11.1	11.5
Post-natal Nutrition		
Breastfeeding initiation (%)	61.8	53.6
WIC Participation (%)	50.4	49.7
•	30.1	
Children Indicators		
# of WIC Children 2-5 years	1,060	57,117
Overweight (85 <sup>th</sup> - <95 <sup>th</sup> ) WIC Children 2-5 years (%)	17.0	16.4
Obese (>=95 <sup>th</sup> ) WIC Children 2-5 years (%)	17.3	15.6
# Children Living in out-of-home Care (i.e. group home, foster	478	12,338
homes, etc)		,
# Children Abused	366	15,518

U.S. Census Bureau, Small Area Estimates Branch, 2007

US Census Bureau, Population Estimates Program, 2007

KY Vital Statistics, Preliminary 2007

PedNSS, 2007 is based on children that receive Women, Infant, and Children Services (WIC)

Kentucky Kids Count, 2007

# **County Profile: Washington County**

Indicator	Washington	KY
Total Live Births	123	59,343
# of Childbearing Women (15-44)	2,263	863,716
# of Children (<18)	2,720	1,004,174
Maternal Race/Ethnicity (%)		
White	91.9	85.5
Black	4.1	9.3
Asian/Pacific Islander	0.8	1.6
Other	3.3	3.7
Hispanic	3.3	5.2
Maternal Characteristics (%)		
Mother's Age < 18	2.4	3.8
Mother's Age >=35	5.7	7.1
Mother < High School Education	14.6	21.4
Repeat Births to Teens	1.6	5.1
Repeat Births <12Months From Previous Birth	16.3	16.1
MCH SES Indicators		
Children Living in Poverty (%)	19.7	23.6
# of Children Enrolled in Medicaid	747	346,798
Median Household Income	40,614	40,299
Delivery Payment Source (%)		
Medicaid	14.6	43.6
Private	56.9	44.7
Other	28.5	11.8
Prenatal Care Entry (%)		
First Trimester Prenatal Care	75.4	72.5
Second Trimester Prenatal Care	19.7	21.3
Third Trimester Prenatal Care	4.9	4.5
No Prenatal Care	0	1.7
Adverse Birth Outcomes Risk Factors (%)		
Gestational Hypertension	4.9	6.2
Gestational Diabetes	2.4	4.4
Pre-Pregnancy Obesity	29.3	28.3
Pre-Pregnancy Underweight	1.6	5.1
Smoking During Pregnancy	29.3	25.1
Adverse Birth Outcomes (%)		
Low Birth Weight (<2500g)	9.8	9.3
Very Low Birth Weight (<1500g)	1.6	1.7
Preterm Births (<37 weeks)	13.8	15.1
Late Preterm Births (34-36 weeks)	58.8	71.8
Infant Mortality (Rate per 1,000 live births)	4.9	7.1

Method of Delivery (%)		
Vaginal Deliveries	65.9	65.3
Total C-Section Deliveries	34.2	34.7
Repeat C-Section	9.8	11.5
Post-natal Nutrition		
Breastfeeding initiation (%)	55.3	53.6
WIC Participation (%)	48.0	49.7
Children Indicators		
# of WIC Children 2-5 years	204	57,117
Overweight (85 <sup>th</sup> - <95 <sup>th</sup> ) WIC Children 2-5 years (%)	18.1	16.4
Obese (>=95 <sup>th</sup> ) WIC Children 2-5 years (%)	16.7	15.6
# Children Living in out-of-home Care (i.e. group home, foster	14	12,338
homes, etc)		
# Children Abused	39	15,518

U.S. Census Bureau, Small Area Estimates Branch, 2007

US Census Bureau, Population Estimates Program, 2007

KY Vital Statistics, Preliminary 2007

PedNSS, 2007 is based on children that receive Women, Infant, and Children Services (WIC)

Kentucky Kids Count, 2007

Notes: 1. Number of children enrolled in Medicaid reflects the average monthly number of those enrolled. 2. Infant mortality rate is number of infants deaths/number of live births from 2004-2006.

### **Top of Page**

### **County Profile: Wayne County**

Indicator	Wayne	KY
Total Live Births	248	59,343
# of Childbearing Women (15-44)	4,146	863,716
# of Children (<18)	4,752	1,004,174
Maternal Race/Ethnicity (%)		
White	88.9	85.5
Black	1.2	9.3
Asian/Pacific Islander	0.4	1.6
Other	9.5	3.7
Hispanic	9.9	5.2
Maternal Characteristics (%)		
Mother's Age <18	4.9	3.8
Mother's Age >=35	2.9	7.1
Mother < High School Education	30.5	21.4
Repeat Births to Teens	5.2	5.1
Repeat Births <12Months From Previous Birth	11.7	16.1
MCH SES Indicators		
Children Living in Poverty (%)	40.0	23.6
# of Children Enrolled in Medicaid	2,396	346,798
Median Household Income	28,154	40,299

Delivery Payment Source (%)		
Medicaid	70.0	43.6
Private	22.2	44.7
Other	7.8	11.8
Prenatal Care Entry (%)		
First Trimester Prenatal Care	79.1	72.5
Second Trimester Prenatal Care	18.0	21.3
Third Trimester Prenatal Care	2.5	4.5
No Prenatal Care	0.4	1.7
Adverse Birth Outcomes Risk Factors (%)		
Gestational Hypertension	6.9	6.2
Gestational Diabetes	6.1	4.4
Pre-Pregnancy Obesity	29.8	28.3
Pre-Pregnancy Underweight	9.4	5.1
Smoking During Pregnancy	31.4	25.1
Adverse Birth Outcomes (%)		
Low Birth Weight (<2500g)	7.4	9.3
Very Low Birth Weight (<1500g)	1.2	1.7
Preterm Births (<37 weeks)	14.5	15.1
Late Preterm Births (34-36 weeks)	66.7	71.8
Infant Mortality (Rate per 1,000 live births)	2.7	7.1
Method of Delivery (%)		
Vaginal Deliveries	64.9	65.3
Total C-Section Deliveries	35.1	34.7
Repeat C-Section	13.1	11.5
Post-natal Nutrition		
Breastfeeding initiation (%)	40.4	53.6
WIC Participation (%)	78.0	49.7
Children Indicators		
# of WIC Children 2-5 years	470	57,117
Overweight (85 <sup>th</sup> - <95 <sup>th</sup> ) WIC Children 2-5 years (%)	17.7	16.4
Obese (>=95 <sup>th</sup> ) WIC Children 2-5 years (%)	15.3	15.6
# Children Living in out-of-home Care (i.e. group home, foster	35	12,338
homes, etc)		
# Children Abused	60	15,518

U.S. Census Bureau, Small Area Estimates Branch, 2007

US Census Bureau, Population Estimates Program, 2007

KY Vital Statistics, Preliminary 2007

PedNSS, 2007 is based on children that receive Women, Infant, and Children Services (WIC)

Kentucky Kids Count, 2007

# **County Profile: Webster County**

Reporting Period: January 1, 2007- December 31, 2007 Indicator	Webster	KY
Total Live Births	193	59,343
# of Childbearing Women (15-44)	2,672	863,716
# of Children (<18)	<i>'</i>	1,004,174
# of Children (<16)	3,223	1,004,174
Maternal Race/Ethnicity (%)		
White	83.7	85.5
Black	1.2	9.3
Asian/Pacific Islander	0.6	1.6
Other	14.5	3.7
Hispanic	13.4	5.2
Maternal Characteristics (%)		
Mother's Age <18	2.9	3.8
Mother's Age >=35	4.1	7.1
Mother < High School Education	37.2	21.4
Repeat Births to Teens	5.1	5.1
Repeat Births <12Months From Previous Birth	14.6	16.1
MCH SES Indicators		
Children Living in Poverty (%)	19.1	23.6
# of Children Enrolled in Medicaid	1,082	346,798
Median Household Income	39,923	40,299
Delivery Payment Source (%)		
Medicaid	58.1	43.6
Private	33.7	44.7
Other	8.1	11.8
Prenatal Care Entry (%)		
First Trimester Prenatal Care	62.2	72.5
Second Trimester Prenatal Care	30.5	21.3
Third Trimester Prenatal Care	5.1	4.5
No Prenatal Care	2.3	1.7
Adverse Pirth Outcomes Pick Footors (9/)		
Adverse Birth Outcomes Risk Factors (%)	2.5	6.3
Gestational Hypertension	3.5	6.2
Gestational Diabetes	0.6	4.4
Pre-Pregnancy Obesity	27.0	28.3
Pre-Pregnancy Underweight	3.5	5.1
Smoking During Pregnancy	29.3	25.1
Adverse Birth Outcomes (%)		
Low Birth Weight (<2500g)	9.8	9.3
Very Low Birth Weight (<1500g)	2.3	1.7
Preterm Births (<37 weeks)	18.5	15.1
Late Preterm Births (34-36 weeks)	60.6	71.8
Infant Mortality (Rate per 1,000 live births)	5.3	7.1
man Horanty (rate per 1,000 five officis)		

Method of Delivery (%)		
Vaginal Deliveries	60.9	65.3
Total C-Section Deliveries	39.1	34.7
Repeat C-Section	11.5	11.5
Post-natal Nutrition		
Breastfeeding initiation (%)	47.7	53.6
WIC Participation (%)	62.1	49.7
Children Indicators		
	400	
# of WIC Children 2-5 years	193	57,117
Overweight (85 <sup>th</sup> - <95 <sup>th</sup> ) WIC Children 2-5 years (%)	24.4	16.4
Obese (>=95 <sup>th</sup> ) WIC Children 2-5 years (%)	14.5	15.6
# Children Living in out-of-home Care (i.e. group home, foster	19	12,338
homes, etc)		
# Children Abused	42	15,518

U.S. Census Bureau, Small Area Estimates Branch, 2007

US Census Bureau, Population Estimates Program, 2007

KY Vital Statistics, Preliminary 2007

PedNSS, 2007 is based on children that receive Women, Infant, and Children Services (WIC)

Kentucky Kids Count, 2007

Notes: 1. Number of children enrolled in Medicaid reflects the average monthly number of those enrolled. 2. Infant mortality rate is number of infants deaths/number of live births from 2004-2006.

### **Top of Page**

# **County Profile: Whitley County**

Indicator	Whitley	KY
Total Live Births	550	59,343
# of Childbearing Women (15-44)	8,152	863,716
# of Children (<18)	9,067	1,004,174
Maternal Race/Ethnicity (%)		
White	95.6	85.5
Black	1.8	9.3
Asian/Pacific Islander	0.4	1.6
Other	2.2	3.7
Hispanic	0.6	5.2
Maternal Characteristics (%)		
Mother's Age <18	5.7	3.8
Mother's Age >=35	5.1	7.1
Mother < High School Education	24.0	21.4
Repeat Births to Teens	6.4	5.1
Repeat Births <12Months From Previous Birth	12.6	16.1
MCH SES Indicators		
Children Living in Poverty (%)	39.3	23.6
# of Children Enrolled in Medicaid	5,292	346,798
Median Household Income	27,424	40,299

Delivery Payment Source (%)		
Medicaid	71.7	43.6
Private	26.1	44.7
Other	2.2	11.8
	2.2	
Prenatal Care Entry (%)		
First Trimester Prenatal Care	76.6	72.5
Second Trimester Prenatal Care	18.0	21.3
Third Trimester Prenatal Care	3.7	4.5
No Prenatal Care	1.7	1.7
Adverse Birth Outcomes Risk Factors (%)		
Gestational Hypertension	6.4	6.2
Gestational Diabetes	4.8	4.4
Pre-Pregnancy Obesity	22.9	28.3
Pre-Pregnancy Underweight	5.7	5.1
Smoking During Pregnancy	31.7	25.1
Adverse Birth Outcomes (%)		
Low Birth Weight (<2500g)	7.9	9.3
Very Low Birth Weight (<1500g)	2.2	1.7
Preterm Births (<37 weeks)	14.6	15.1
Late Preterm Births (34-36 weeks)	67.5	71.8
Infant Mortality (Rate per 1,000 live births)	13.6	7.1
Canal Per 2,000 Erro Canal,		
Method of Delivery (%)		
Vaginal Deliveries	66.1	65.3
Total C-Section Deliveries	33.9	34.7
Repeat C-Section	13.0	11.5
	13.0	
Post-natal Nutrition		
Breastfeeding initiation (%)	39.9	53.6
WIC Participation (%)	72.2	49.7
(v)	12.2	.,,,
Children Indicators		
# of WIC Children 2-5 years	1,083	57,117
Overweight (85 <sup>th</sup> - <95 <sup>th</sup> ) WIC Children 2-5 years (%)	17.6	16.4
Obese (>=95 <sup>th</sup> ) WIC Children 2-5 years (%)	19.2	15.6
# Children Living in out-of-home Care (i.e. group home, foster	164	12,338
homes, etc)	104	12,330
# Children Abused	249	15,518
		·

U.S. Census Bureau, Small Area Estimates Branch, 2007

US Census Bureau, Population Estimates Program, 2007

KY Vital Statistics, Preliminary 2007

PedNSS, 2007 is based on children that receive Women, Infant, and Children Services (WIC)

Kentucky Kids Count, 2007

# **County Profile: Wolfe County**

Reporting Period: January 1, 2007- December 31, 2007 Indicator	Wolfe	KY
Total Live Births	118	59,343
# of Childbearing Women (15-44)	1,364	863,716
# of Children (<18)	1,843	1,004,174
Maternal Race/Ethnicity (%)		
White	100	85.5
Black	0	9.3
Asian/Pacific Islander	0	1.6
Other	0	3.7
Hispanic	0	5.2
Maternal Characteristics (%)		
Mother's Age <18	5.1	3.8
Mother's Age >=35	6.8	7.1
Mother < High School Education	31.4	21.4
Repeat Births to Teens	5.9	5.1
Repeat Births <12Months From Previous Birth	19.5	16.1
MCH SES Indicators		
Children Living in Poverty (%)	53.4	23.6
# of Children Enrolled in Medicaid	1,254	346,798
Median Household Income	24,749	40,299
Delivery Payment Source (%)		
Medicaid	72.0	43.6
Private	28.0	44.7
Other	0	11.8
Prenatal Care Entry (%)		
First Trimester Prenatal Care	66.7	72.5
Second Trimester Prenatal Care	30.6	21.3
Third Trimester Prenatal Care	2.7	4.5
No Prenatal Care	0	1.7
Adverse Birth Outcomes Risk Factors (%)		
Gestational Hypertension	8.5	6.2
Gestational Diabetes	3.4	4.4
Pre-Pregnancy Obesity	39.8	28.3
Pre-Pregnancy Underweight	5.9	5.1
Smoking During Pregnancy	44.9	25.1
Adverse Birth Outcomes (%)		
Low Birth Weight (<2500g)	12.7	9.3
Very Low Birth Weight (<1500g)	2.5	1.7
Preterm Births (<37 weeks)	17.8	15.1
Late Preterm Births (34-36 weeks)	57.1	71.8
Infant Mortality (Rate per 1,000 live births)	2.8	7.1

Method of Delivery (%)		
Vaginal Deliveries	62.7	65.3
Total C-Section Deliveries	37.3	34.7
Repeat C-Section	16.1	11.5
Post-natal Nutrition		
Breastfeeding initiation (%)	23.7	53.6
WIC Participation (%)	78.0	49.7
Children Indicators		
Children Indicators		
# of WIC Children 2-5 years	269	57,117
Overweight (85 <sup>th</sup> - <95 <sup>th</sup> ) WIC Children 2-5 years (%)	17.8	16.4
Obese (>=95 <sup>th</sup> ) WIC Children 2-5 years (%)	20.1	15.6
# Children Living in out-of-home Care (i.e. group home, foster	44	12,338
homes, etc)		
# Children Abused	61	15,518

U.S. Census Bureau, Small Area Estimates Branch, 2007

US Census Bureau, Population Estimates Program, 2007

KY Vital Statistics, Preliminary 2007

PedNSS, 2007 is based on children that receive Women, Infant, and Children Services (WIC)

Kentucky Kids Count, 2007

Notes: 1. Number of children enrolled in Medicaid reflects the average monthly number of those enrolled. 2. Infant mortality rate is number of infants deaths/number of live births from 2004-2006.

### **Top of Page**

## **County Profile: Woodford County**

Indicator	Woodford	KY
Total Live Births	314	59,343
# of Childbearing Women (15-44)		863,716
	4,718	
# of Children (<18)	5,626	1,004,174
Maternal Race/Ethnicity (%)		
White	91.3	85.5
Black	4.5	9.3
Asian/Pacific Islander	1.0	1.6
Other	3.2	3.7
Hispanic	10.3	5.2
Maternal Characteristics (%)		
Mother's Age <18	1.0	3.8
Mother's Age >=35	11.6	7.1
Mother < High School Education	17.4	21.4
Repeat Births to Teens	2.2	5.1
Repeat Births <12Months From Previous Birth	14.4	16.1
MCH SES Indicators		
Children Living in Poverty (%)	13.6	23.6
# of Children Enrolled in Medicaid	1,093	346,798
Median Household Income	56,840	40,299

Delivery Payment Source (%)		
Medicaid	33.4	43.6
Private	58.8	44.7
Other	7.7	11.8
Prenatal Care Entry (%)		
First Trimester Prenatal Care	72.1	72.5
Second Trimester Prenatal Care	21.8	21.3
Third Trimester Prenatal Care	5.5	4.5
No Prenatal Care	0.7	1.7
Adverse Birth Outcomes Risk Factors (%)		
Gestational Hypertension	8.5	6.2
Gestational Diabetes  Gestational Diabetes	6.3 4.4	4.4
Pre-Pregnancy Obesity		28.3
Pre-Pregnancy Underweight	27.9	5.1
Smoking During Pregnancy	3.1	25.1
Smoking During Freghancy	22.1	23.1
Adverse Birth Outcomes (%)		
Low Birth Weight (<2500g)	7.1	9.3
Very Low Birth Weight (<1500g)	0.7	1.7
Preterm Births (<37 weeks)	15.3	15.1
Late Preterm Births (34-36 weeks)	75.0	71.8
Infant Mortality (Rate per 1,000 live births)	7.2	7.1
The state of the s		
Method of Delivery (%)		
Vaginal Deliveries	65.0	65.3
Total C-Section Deliveries	35.0	34.7
Repeat C-Section	13.3	11.5
Post-natal Nutrition		
Breastfeeding initiation (%)	67.0	53.6
WIC Participation (%)	38.4	49.7
Children Indicators		
# of WIC Children 2-5 years	299	57,117
Overweight (85 <sup>th</sup> - <95 <sup>th</sup> ) WIC Children 2-5 years (%)	16.7	16.4
Obese (>=95 <sup>th</sup> ) WIC Children 2-5 years (%)	14.7	15.6
# Children Living in out-of-home Care (i.e. group home, foster	61	12,338
homes, etc)		
# Children Abused	54	15,518

U.S. Census Bureau, Small Area Estimates Branch, 2007

US Census Bureau, Population Estimates Program, 2007

KY Vital Statistics, Preliminary 2007

PedNSS, 2007 is based on children that receive Women, Infant, and Children Services (WIC)

Kentucky Kids Count, 2007

Notes: 1. Number of children enrolled in Medicaid reflects the average monthly number of those enrolled. 2. Infant mortality rate is number of infants deaths/number of live births from 2004-2006.

#### **Top of Page**